DUAL CONSOLES

EXPRESS CABINS





GRADY-WHITE 2012



WALKAROUND CABINS



CENTER CONSOLES



We are delighted...

you are considering a Grady-White boat for your family! Our entire Grady-White team is focused on providing exceptional enjoyment and terrific value as part of our larger goal of delivering the ultimate boating experience.

One thing that really brightens our days is hearing about the wide variety of ways Grady-White boat owners enjoy time on and in the water. For well over 50 years we have delivered a superbly engineered, superior quality product that helps make priceless, long lasting memories. We appreciate the one-to-one relationships with dealers and customers that make possible, model year after model year, continuous innovations based on what customers tell us about how they use their boats and what they like and want to see in a Grady. We are proud of our longevity and the personal



connections that we have made over the years. These are tremendous assets and very rare things in any business.

For model year 2012, we're emphasizing our incredibly versatile *Freedom Series*, dual console models that bring a new level of "freedom" to the range of activities you can enjoy. Our *Freedom Series*, like all Grady-White boats, are great riding, safe, sure and saltwater tough, yet filled with features to do so many things well. We have not forgotten our legendary saltwater fishing heritage! Our express and walkaround cabin models, and *Fisherman* and *Canyon series* center consoles, including the brand new *Canyon 271* and the amazing *Canyon 366*, absolutely are second to none. If big water fishing or cruising is your passion, there is no better choice than a Grady-White.

No matter what your favorite water recreation or which waters you cruise, with 25 different models, there's a Grady-White that's just right for you. Each and every boat is built by, sold by and backed by the industry's best, most experienced craftsmen, associates, dealers and company managers. You can count on us!

Grady-White eagerly looks to the future. We know that for quality, safety, reliability, value and the ultimate in boating satisfaction, a Grady-White is and always will be in a class all its own. We hope that you will visit your local dealer to learn more about the models that interest you.

Loan Smith, of the

Chairman, CEO

President

The Grady Life friends like no



THE GRADY LIFE EXPERIENCE offers you, your family and friends the ultimate in boat ownership. Instead of relatives gathering only two or three times a year just for the major holidays, our boats and the "Grady Life" lifestyle make it special for everyone to be together a lot more often. With a boat this versatile, everyone can "do their own thing," and yet be together. Swimming, diving, all kinds of fishing, exploring, raft-ups, lunch or dinner cruises, campouts, wakeboarding and water skiing or just "sunnin' and funnin"—these activities just scratch the surface of what Grady owners enjoy. No other outdoor recreation compares in diversity and fellowship with the Grady Life. You will feel confident and free to enjoy many adventures, and will reap enormous rewards. Together with our great dealers, we'll make your experience as carefree as possible!

Grady customers enjoy higher satisfaction primarily because of the company and dealers' commitment to providing the ultimate boating experience. The values, principles and systems with which we've operated for over 50 years, and the resulting relationships, help assure decades-long owner loyalty.

will connect family and other recreational activity.



we've ever had in our lives once we joined our Grady-White clubs."

—DOUG AND CAT COX, TARPON COAST AND TAMPA BAY GRADY-WHITE CLUBS MEMBERS

There are many annual Grady-White dealer events, tournaments, cruises and fishing schoenjoved all over the country. The fabulous Gra

"We've talked with other clubs' members and we

unanimously agree that we've made the best friends

Grady-White and Grady-White dealers aim for customer satisfaction that surpasses competitors' and exceeds expectation. Read or watch our customer testimonials online. Visit gradywhite.com often and view the Grady Life photos, or let the kids try out the activities on our Grady Kids web page. Page through our award-winning *Anchorline* newsletter, opt in on the website to subscribe to our very informative award-winning e-Docklines, and check the Grady Club, owner and dealer sites. Follow us on *Twitter* (twitter.com/gradylife) and/or enjoy the posts, videos and customer photos always updating on the official Grady Facebook page. Our customers just love to share stories about their great Grady moments and how well their boats perform! These reflections are not the only benchmarks of owner enjoyment. Every third-party measure ever conducted in our industry for our category has ranked Grady-White Boats at the highest levels.

There are many annual Grady-White dealer events, tournaments, cruises and fishing schools enjoyed all over the country. The fabulous Grady Fest celebrates the boating lifestyle. A large and growing number of Grady-White Owners' Clubs share camaraderie throughout the year. There's a tremendous online resource center found at our website including many interesting customer tips about travel, cooking aboard, fishing, and customizing and maintaining your boat. The employees and associates of our privately held company-often with relationships that span many decadesactively keep in touch with you to hear about your great Grady days, and always look forward to hear-

ing about special memories you make on the water

The colorful, versatile Grady Life. Hull colors now factory-available.*

With more requests for colored hulls, and taking into account the individuality, wide ranging interests and variety of activities enjoyed by today's customers, Grady-White now offers three colors of hull paint and a very sharp-looking gelcoat color as factory options in addition to our traditional classic Grady-White cream-colored hull.

Sand (gelcoat)
Sea Glass (paint)
Vista Blue (paint)
Harbor Blue (paint)

Grady-White: Historic highlights of a customer- and quality-focused company

1959

Glen Grady, Don White begin building small, tough, high quality wooden "works of art" for coastal boating that perform even in rough seas.

1968

Eddie Smith purchases Grady-White and completes the changeover to fiberglass production.

with your family!

1972

Ground breaks for what remains today one of the most modern boat manufacturing facilities in the world.

1975

*Ink colors shown are approximate. See your dealer for actual color samples.

Grady-White introduces the *Hatteras 204-C Overnighter*, the company's first walkaround model.

Grady-Built: The finest materials for built-in value and security



A GRADY-WHITE IS NO ORDINARY CRAFT. Our 316-grade stainless steel hardware initially costs more than 304 grade because of the expensive nickel and chromium in the alloy, plus molybdenum.



Our patented fold away aft bench seat is a result of our process of seeking customers' advice on the kinds of material and detail that work best. Hardware and fixtures are placed right where you need them.

Cast parts are passivated in acid to remove casting impurities, then buffed, then passivated and buffed again. We test sample batches in our "instant ocean" salt bath. The result is hardware that's strong and durable even after years in a saltwater environment.

Whether we utilize a traditional glass laminate or a new composite or core material depends on the application. No matter which material we select, Grady-White's extensive in-house and on-the-water tests ensure long lasting value.

Cabins are handsome, with eye-pleasing fabrics. We test all appliances including microwaves, refrigerators, satellite radios, TVs, MP3 stereo output devices and DVD players. Fixtures are the best available.

Resin transfer molded (RTM) parts such as fish box lids, hardtops and bow pulpits are solid and durable. RTM is especially preferable for fish box lids because the smooth underside surface is easier to clean than the rough glass painted surfaces found on competitors' products.

Gunwale mounted rod holders are impervious to UV rays, and extra durable. Rod racks are sturdy and easily accessible.



The helm area is ergonomically designed and comfortable for ease of function and safety. The horn is the red button so you can find it. The windshield is engineered to enhance your field of vision and site lines. Always safety first on a Grady-White.

Super strong, durable polyethylene trim work and toe rails are tough, low maintenance and their good looks last.

Grab rails, handholds, handles, swim ladders and transom door latches are battleship-tough as are cleats and bow and stern eyes. Stainless lined drink holders are easy to clean. Durable materials give years of trouble-free use and that means a low cost of ownership.

1982

Grady-White's *Sailfish 25* ushers in the era of smaller outboard-powered offshore sportfishing boats.

1989

The *Marlin 28* introduces the SeaV^{2®} hull, designed by C. Raymond Hunt Associates, delivering a soft, dry, true-tracking ride plus stability at lower speed.

1993

Kris Carroll, a Grady-White veteran, is named as Grady-White's new president.

2001

In the first J.D. Power and Associates study of the marine industry, Grady-White ranks "Highest in Customer Satisfaction with Center Console Boats."

Grady-Built: Built by craftsmen and superbly engineered through customer input

THE PEOPLE who design and engineer Grady-Whites are avid boaters themselves. Through ongoing contact with our boat owners, we create customer-driven designs that are constantly refined and thoroughly tested along the North Carolina coast to ensure superb performance in the toughest conditions.

Our production professionals are real craftsmen. Hand laid fiberglass provides an unmatched laminate structure. Only 100% hand lay-up assures a uniform thickness for strength and structural stiffness. Grady-White uses this tried and true method,



Our latest plant expansion further improved the most productive, efficient and completely integrated boatbuilding facility in the world today. This functionality assures the highest product quality and longest lasting value for our customers.



Customers tell us they like different seating choices, and no other brand offers as many options as Grady-White. Whether you opt for available flip-up bolsters (pictured above), deluxe seating (see options pages) or choose our standard seating, everyone will be very comfortable aboard your new Grady-White!

fitting patterned pieces of fiberglass to deliver consistent laminate thickness on every boat. The resin for every part is metered and measured so each has an optimal glass-to-resin ratio. Stringer systems are precision cut by computerized router and then glassed in while the hull is still in the mold so your SeaV^{2*} hull retains the correct shape. Our proven stringer grid system is consistently strong, light, phenomenally durable, and has a limited lifetime warranty. Closed cell foam sprayed in between the stringers adds strength and augments flotation.

Super strong transoms are not only solidly Grady-Built of the strongest materials, but also

reinforced with an angled aluminum brace to provide sure support for today's four-stroke engines. This bracing supports the top motor hole mounts, distributing torque throughout the transom.

At the helm threshold of our cabin models, decks are joined to liners with double through bolting. Aft of the seat boxes, another through-bolted and fiberglassed system forms a "box grid" to secure the deck and liner together, giving Grady-Whites support not found

in other boats. All these factors add up to many years of enjoyment!



Skilled craftsmen apply hand laid fiberglass with precisely the right thickness and resin ratios. Top quality components assembled with skill result in quality, reliability and performance over the long haul.

2002

Express 330 named Boating Magazine "Boat of the Year." Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Two Years In a Row."

2003

Plant expansion provides customers with even greater quality and value. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Three Years In A Row."

2005

Express 360 introduced, setting new benchmark for boating. GW ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Four Times in a Row."

2007

Express 305 introduced. Canyon 336 debuts, incorporates cabin comfort in a center console. GW ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-28 feet) Six Times in a Row."

Grady-Built: Our exclusive SeaV^{2®} hull design is the ultimate in offshore performance.



THERE IS NO RIDE like Grady-White's. Often imitated but never equaled, our exclusive SeaV² hull offers the industry's best combination of dryness, seakeeping performance

and speed. Grady-White factory rigs four-stroke engines exclusively so the SeaV² hull as well as fuel tank position are especially well balanced for the optimum performance of these new power sources. Unlike other brands, a SeaV²

hull design has no two places on the keel where the deadrise is the same. The vee continuously sharpens from the transom to the bow stem. A SeaV² hull design with 20 degrees of deadrise at the transom will have around 30 degrees amidships-more than even the most radical older deep vee designs. The



Look carefully at a Grady-White running. You can actually see three wakes coming off the hull. This is a reflection of the smooth, dry trademark Grady-White SeaV²® ride.


deeper vee forward means a softer ride at sea. Less vee at the transom coupled with wide chines provide stability at rest and when trolling.

A SeaV² hull tracks as if the boat is on rails. The series of wedges that form a SeaV² hull have tremendous righting force providing incredible tracking in

quartering seas and especially in following seas. There are no rounded shapes to behave like a ball in the water that knows no upright position.

Strakes and chines knock the spray down cold. Check the spray coming off a SeaV² hull. You can actually see three bow wakes in smooth water. Those are the individual deflectors working. This is the reason SeaV² hulls are drier running than boats with rounded sections that blow spray past the strakes and chines and into the cockpit.

Grady-White delivers a deep vee ride with modified vee efficiency. Unlike other deep vee hulls, SeaV² hulls provide a soft ride without fuel efficiency loss. A SeaV² hull slices through seas effortlessly with a sharp point of entry, and the varying deadrise builds buoyancy that lifts the boat as it proceeds through waves. The result: better performance.



Like a series of sea-cutting wedges



Strakes and chines knock down spray



Tracks in quartering seas

2009

Grady-White celebrates 50th anniversary.

Ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-30 feet) Eight Times in a Row."

2010

Fisherman 230 and Canyon 366 debut; center consoles 28'-36' become Canyon Series. 2010 NMMA CSI (9th in a row) continues unbroken string of every industry award for customer satisfaction.

2011

Freedom Series dual consoles bring new level of recreational versatility to coastal boating. Grady center consoles 18'-27' now comprise Fisherman Series.

2012

Canyon 271 introduction reaffirms Grady's commitment to saltwater fishing heritage, while the *Freedom Series* grows ever-popular thanks to ultra versatility.

Fisherman 180

18' CENTER CONSOLE

"Our *180* really suits our family of four, now plus Mauser our German Shepherd buddy, who loves his Grady rides on Puget Sound!"

-SCOTT AND KRISTI URQUHART, EDMONDS, WA 180 FAMILY

For detailed specifications see page 38.


Beam Amidships: 7'5" (2.26 m) Bridge Clearance: 5'7" (1.70 m)

Center Line Length: 17'10" (5.44 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 150 (112 kW)

Weight w/o Engine: 2150 lb. (975 kg)



Anchor locker

89-qt. fish box

Raised casting platform

Forward console seat with underseat storage or optional livewell

48-sq. ft. cockpit

Console w/flush mount electronics area

60-gal. fuel capacity

Horizontal rod racks

Reversible bench seat

Cushioned aft seats









Bow fish box



Bow casting platform



Forward console with seating and bow anchor locker



Console with flush mount electronics area

Freedom 192

19' DUAL CONSOLE

"I fell in love with Gradys at an early age. I am military and now live close enough to the water to spend family time on our 192. Thanks for posting pictures of my boy and little girl on your website!"

-NATHANAEL KARRS, CALEDONIA, MS 192 OWNER


For detailed specifications see page 38.

Beam Amidships: 8' (2.44 m) Bridge Clearance: 4'9" (1.45 m) Center Line Length: 19'2" (5.84 m)

Hull Draft: 14" (.36 m)

Maximum HP: 150 (112 kW)

Weight w/o Engine: 2475 lb. (1123 kg)







Bow anchor locker





Cushioned aft seating showing optional ski pylon deck mount



Cockpit forward with optional port sleeper seat



Cockpit shower



Helm station with flush mount electronics area





Bow seating with port dry storage and starboard ice box. Shown with forward bolsters and optional stereo speakers.

Freedom 205

20' DUAL CONSOLE

"I absolutely love my boat. It's versatile, great for fishing out on the open water of the Georgian Bay here in Ontario and great for pike fishing in shallow water, too. Great for the family—we pack a picnic, go tubing out on the lake, then anchor and take a swim and relax."

-JOHN WELSH, POINTE AU BARIL, ONTARIO 205 OWNER


Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 5'7" (1.70 m)

Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2810 lb. (1275 kg)



For detailed specifications see page 38.







Cockpit forward with optional port sleeper seat



Lockable enclosed head area with storage nets



Forward seating with insulated fish box



Helm station

Adventure 208

20' WALKAROUND CABIN

"My 208 is a very secure platform with dry areas for the sonar gear and electronics I use in my dives. I like the cabin for camping, and the open deck has plenty of room. I have never had a problem with any of my four Gradys. My wife, sons and my dog love our boat!"

-PAUL BROWN, SAN DIEGO, CA ADVENTURE 208 FAMILY

For detailed specifications see page 38-39.

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 5'9" (1.75 m)


w/Hardtop: 8' (2.44 m)

Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2900 lb. (1315 kg)







Cockpit forward with optional cockpit bolsters









Cushioned aft seating



Cabin interior shown without auxiliary berth cushions; optional portable head

Fisherman 209

20' CENTER CONSOLE

"My six-year-old son caught his first albacore on our *209*. Needless to say he was very excited."

-JAMES MOTT, SAN ANSELMO, CA 209 OWNER

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 6'4" (1.95 m)


w/T-top: 7'9" (2.36 m)

Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2600 lb. (1179 kg)



For detailed specifications see page 39.







Forward port and starboard fish boxes with cushions; optional forward bolsters



Console head area/storage compartment with dome light; optional portable head



Helm with optional T-top and deluxe lean bar with flip-up bolster



Optional deluxe lean bar with rod holders; aft cushioned seats and fold down motorwell bulkhead; optional cockpit bolsters

Freedom 225

22' DUAL CONSOLE

"I have all the confidence in the world in my boat, my dealer and Grady-White! We'll load the grandkids and take a ride to Blackbeard Island for a great day at the coast. My 225 has kept me safe in seven-foot waves and yet it's also great exploring the backwaters here in South Georgia."

-MIKE FLY, SOUTHERLAND BLUFF, GA 225 OWNER

For detailed specifications see page 39.

Beam Amidships: 8' (2.44 m) Bridge Clearance: 5'6" (1.68 m)

Center Line Length: 22'2" (6.76 m)


Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Standard Fuel Capacity: 96 gal. (363 l)

Transom Width: 7'11" (2.41 m)

Weight w/o Engine: 3450 lb. (1565 kg)



Anchor locker

Storage compartments

Large bow seating area w/storage & fish box

Lockable tackle storage

Lockable console storage compartment

Flush mount electronics area

49-sq. ft. cockpit

Lockable enclosed head area w/storage nets

Fold away aft bench seat

175-qt. aft fish box

22-gal. storage or optional livewell





Transom with fold away bench seat, fish box and optional livewell



Optional soft top arch with ivory canvas



Cockpit forward with optional port sleeper seat, Deluxe II helm chair and cockpit bolsters



Lockable enclosed head area and portable head



Seafarer 226/228

22' WALKAROUND CABIN

"Our family has great fishing trips on Lake Erie on our *Seafarer 228*. My wife and son have big smiles and a good catch!"

-JOE DASILVA, ANN ARBOR, MI SEAFARER 228 OWNER

For detailed specifications see page 40.

Beam Amidships: 8' (2.44 m) Bridge Clearance: 6'2" (1.88 m)

w/Hardtop: 8'4" (2.54 m)

Center Line Length: 22'2" (6.76 m)


Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine:

226 (standard transom): 3385 lb. (1535 kg)

228 (Grady Drive transom): 3510 lb. (1592 kg)













Helm station with lockable electronics box



Cabin access forward between helm and companion seats

Fisherman 230

23' CENTER CONSOLE

"I can fly fish at the bow without snagging my line, and the deep cockpit is very safe. We like to cruise to restaurants with other couples, and there's plenty of seating."

-RODGER AND BETTY HESS, NEW YORK CITY/JUPITER, FL FISHERMAN 230 OWNERS

Shown with optional T-top. For detailed specifications see page 40.

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 6'8" (1.88 m)


w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m)

Hull Draft: 20" (.51 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine: 4002 lb. (1815 kg)



Access to bow at deck level

Two 101-qt. fish boxes

Console fwd. seating w/ removable 72-qt. cooler

Lockable console w/stand up head area and storage

58-sq. ft. cockpit

Flush mount electronics area

Horizontal rod racks

120-gal. fuel capacity

Optional 35-gal. livewell

20-qt. lift out box w/lure tray









Optional deluxe lean bar with backrest and flip-up bolster



Optional removable center bow casting platform w/cushion



101-qt. (96 l) port and starboard forward insulated fish boxes w/ob drain. Access to bow at deck level.



Bow anchor locker with optional anchor windlass



72-qt. (68 l) removable cooler seat forward (cooler upgrade shown)



Optional patented aft fold away bench seating with cushion

Gulfstream 232

23' WALKAROUND CABIN

"Our children enjoyed us taking their younger cousin on his first Grady excursion to see the bonfires and fireworks for July 4th! Our family of five loves cruising the south shores of Boston on our *Gulfstream 232*. This is our third Grady-White."

—PAUL BARRY, SCITUATE, MA GULFSTREAM 232 FAMILY

Shown with optional hardtop. For detailed specifications see page 40-41.

Beam Amidships: 9'3" (2.82 m) Bridge Clearance: 6'5" (1.96 m) w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)


Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Weight w/o Engine:

232S: 4538 lb. (2058 kg)

232D: 4605 lb. (2089 kg)







Fold away aft bench seat



36-gallon (136.3 l) livewell and tackle drawers



Helm station with flush mount electronics area



Helm area with optional Deluxe II helm chairs



berth cushions





Cabin interior shown without auxiliary Head area in lockable cabin, with fold down cover; optional electric marine head shown

Freedom 255

25' DUAL CONSOLE

"The 255 is the ultimate in versatility. We've pulled back the Bimini top for cocktail cruises, and battened down the hatches chasing rockfish 60 miles through a snowstorm. This boat is fast, economical and very comfortable (with a surprisingly spacious head area). We are really enjoying our first Grady!"

—JIMMY AND CINDY NASH, VIRGINIA BEACH, VA FREEDOM 255 OWNERS

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 5'7" (1.70 m)


w/Hardtop: 7'8" (2.34 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4459 lb. (2023 kg)



Anchor locker

80-qt. port bow storage area

- 165-qt. insulated fish box or storage area

Lockable enclosed head area w/bulk storage

Helm area w/ flush mount electronics area

60-sq. ft. cockpit

Helm seating with optional electronically-operated seat; wet bar w/ sink, storage & optional grill

153-gal. fuel capacity

Transom door

Integrated outboard mounting area w/swim platform & ladder

For detailed specifications see page 41.





Optional port sleeper seat with storage



Bow seating area with cushions, bolsters and optional stereo speakers



Lockable enclosed head with storage nets; optional marine head shown



Transom with fold away bench seat



Cockpit forward



Optional hardtop available

Fisherman 257

25' CENTER CONSOLE

"I love that our *257* allows us to fish off the beach at Cape Cod for stripers and blues, and go into deepwater for bluefin tuna. We like whale watching, too."

-JOHN PLANSKY, LEXINGTON, MA 257 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m)


w/T-top: 8'6" (2.59 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4045 lb. (1835 kg)



Shown with optional T-top. For detailed specifications see page 41.





Lockable stand up console head enclosure with storage shelves and hanging locker; shown with optional portable head



Bow seating with insulated storage



Deluxe lean bar with footrest, backrest and fold down bolster





Helm with flush mount electronics area



Transom area with transom door, swim ladder, fold aft bench seat, 185-quart insulated fishbox, 32-gallon livewell

Journey 258

25' WALKAROUND CABIN

"My 258 is fantastic for tuna fishing in the Otranto Channel, where weather conditions can change quickly. I have confidence in the safety and seaworthiness of my boat."

-FEDERICO ERRICO, BARI, ITALY JOURNEY 258 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'6" (1.98 m)


w/Hardtop: 8'8" (2.64 m)

Center Line Length: 24'9" (7.55 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4320 lb. (1960 kg)



Shown with optional hardtop. For detailed specifications see page 42.







Helm station with lockable electronics box



Aft cockpit with insulated box, cockpit shower and folding aft bench seat



158-quart starboard insulated fish box with overboard drain



Cabin interior shown with auxiliary berth cushions

Canyon 271

27' CENTER CONSOLE

"The *271* is a perfect addition to our *Canyon Series* of offshore-oriented center console boats. The *Canyon 271* features Grady-White's sweet-riding SeaV² hull on an unparalleled sportfishing platform. Here's a boat that offers 360° movement at deck level plus the seating and amenities-including a head-that assure many great days of all-around family fun."

-DAVID NEESE, GRADY-WHITE VICE PRESIDENT ENGINEERING

Shown with optional T-top. For detailed specifications see page 41.

Beam Amidships: 9'6" (2.89 m) Bridge Clearance: 6'11" (2.11 m)


w/T-top: 8'2" (2.49 m)

Center Line Length: 26'10" (8.18 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 600 (441 kW)

Weight w/o Engine: 5790 lb. (2626 kg)



Anchor locker w/rode storage

Wide walkway around bow at deck level

Bow cushioned lounge seating w/389-qt. insulated box

Lockable console with stand-up head area, bulk storage and marine head

Flush mount electronics area

Deluxe lean bar w/42-gal. livewell, rigging station, sink, tackle drawers

202-gal. fuel capacity

65-sq. ft. cockpit

- Fold away aft bench seat

Transom door

198-qt. insulated fish box



Helm with flush mount electronics area and footrest



Deluxe lean bar w/42-gallon livewell, rigging station, sink, tackle drawers



389-qt. insulated box w/removable divider, under bow cushioned lounge seat





Lockable console w/stand up head area, bulk storage & marine head w/ macerator, 10-gallon (37.9 l) holding tank & pump out



Fold away aft bench seat

Freedom 275

27' DUAL CONSOLE

"I've been boating all my life, and the *275* is the greatest boat I've ever owned. The layout is absolutely perfect for someone who enjoys pleasure cruising, fishing and taking the kids tubing and skiing. The stability and responsiveness are amazing."

-MELVIN CLINE, CHESAPEAKE BEACH, MD 275 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m)


w/Hardtop: 8'6" (2.59 m)

Center Line Length: 26'11" (8.20 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Weight w/o Engines: 4972 (2255 kg)



Anchor locker

Bow deluxe seating

Enclosed head w/extended storage area

/ Console and helm area storage

Helm seating with optional electronically-operated seat, sink, storage & wet bar

60-sq. ft. cockpit

Optional deluxe cushioned companion seating w/electric extendable lounge

200-gal. fuel capacity

Fold away aft bench seat

Transom door and swim access

185-qt. insulated fish box

Shown with optional hardtop. For detailed specifications see page 42-43.











Aft fold away bench seating, 185-quart insulated fish box, and 128-quart cooler (32-gallon livewell optional)



Head area with extended storage, shown with optional electric marine head



Deluxe cushioned bow seating with table (doubles as cockpit area table)



Cockpit shown with optional port electric extendable lounge seating

Canyon 283

28' CENTER CONSOLE

"The *283* is my sixth Grady-White. I wanted a fast boat to reach the Keys but not something too big. The *283* is a perfect combination of a long range boat for the open water and one that my wife and I can take out every day for cruising. I looked at two other makes, but Grady had the best handling, level of quality and solid engineering."

-REESE KAUFFMAN, SANIBEL, FL 283 OWNER

Beam Amidships: 9'6" (2.90 m) Bridge Clearance: 7'7" (2.31 m)


w/T-top: 9' (2.74 m)

Center Line Length: 28' (8.53 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW) w/V6 engines only

Weight w/o Engines: 5864 lb. (2660 kg)



Anchor locker

Two 135-qt. fish boxes

Electromechanically operated / electronics enclosure

Deluxe lean bar w/footrest and backrest

Sink w/pull out freshwater faucet

/ Lockable rod storage

69-sq. ft. cockpit

45-gal. livewell

Tackle locker w/trays

205-gal. fuel capacity

Fold away aft bench seat

265-qt. fish box w/removable partition and ob drain

Shown with optional T-top. For detailed specifications see page 43.





Lockable head enclosure with fold down cover, sink and storage





Helm console with electromechanically operated lockable electronics enclosure



Chesapeake 290

29' WALKAROUND CABIN

"We've always wanted to cruise farther west to places like the Gulf Islands, and now with the 290 we can. Our girls love the cabin, and the first day we were out Melanie caught a 22-pound chinook salmon-her biggest ever."

-DR. KURT AND MELANIE TSUYUKI, SURREY, BRITISH COLUMBIA
CHESAPEAKE 290 OWNERS

Shown with optional hardtop-mounted rod holders. For detailed specifications see page 43.

Beam Amidships: 9'11" (3.02 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)


Center Line Length: 28'6" (8.69 m)

Length Overall (w/bow roller): 29'9"(9.07 m)

Hull Draft: 24" (0.6 m)

Maximum HP: 600 hp (448 kW)

Weight w/o Engines: 7650 lb. (3470 kg)













Cabin interior with galley, cherry table, vee berth and teak and holly sole

Optional Deluxe III helm chair w/flip-up bolster

Fold away aft bench seat

Marlin 300

30' WALKAROUND CABIN

"Our family has owned several Marlin 300 models, logging hundreds of happy hours. When my first son was born, we named him Grady!"

-KEITH FRANTZ, HICKMAN, CA MARLIN 300 FAMILY

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)


Center Line Length: 30'6" (9.30 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 8221 lb. (3729 kg)



Enclosed head w/sink and shower

Flush mount electronics area

Underseat storage

Rigging station w/drawers

74-sq. ft. cockpit

32-gal. livewell

300-gal. fuel capacity

Fold away aft bench seat

290-qt. fish box

Integrated swim platform w/ladder

For detailed specifications see page 44.











Cabin interior featuring galley, cherry dinette table, teak and holly sole, vee berth and enclosed head



Fold away bench seat, transom door, fish box and lift out box



Aft double berth with storage nets

Express 305

30' EXPRESS CABIN

"My husband and I love fishing aboard our *Express 305, Reel Mambo*. We are able to chase those stripers and blues around the Long Island Sound with great ease and speed, and sleep comfortably aboard in the evening. Look for me out there-I am the lady with the pink fishing rod bending in the ocean! This is our second Grady, and just like our fish we want one bigger each season."

-JANET FRANCO, CHAPPAQUA, NY EXPRESS 305 OWNER

For detailed specifications see page 44-45.

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance w/Hardtop: 9'9" (2.97 m)


Center Line Length: 30'6" (9.30 m)

Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 8850 lb. (4014 kg)



Optional flat screen TV

Entertainment center w/stereo-w/MP3/auxiliary audio connections-satellite ready

Surround seating w/cherry dinette table

Galley area w/microwave, refrigerator, glass top stove, sink, Corian® cutting board

Enclosed head

63-sq. ft. cockpit

Helm area surround seating

32-gal. livewell

290-gal. fuel capacity

Cushioned aft seat w/footrest, atop cooler w/optional chill plates

304-qt. aft fish box w/optional digitally controlled chill plates









Easy access for optional generator



Cabin interior featuring galley, cherry dinette table, teak and holly sole



Lockable head enclosure with shower and bulk storage



Helm station with electromechanically operated lockable electronics enclosure

Canyon 306

30' CENTER CONSOLE

"We love to fish for king mackerel and the *306* is really a great offshore boat. But take the rods off, and it's really family ready, full of creature comforts. With the spacious console and comfortable seats and bow cushions, my wife and three-year-old enjoy great afternoon and evening picnics."

-BRANDON MALLARD, GEORGETOWN, SC 306 OWNER

Shown with optional T-top. For detailed specifications see page 45.


Beam Amidships: 10'7" (3.23 m) Bridge Clearance: 7'3" (2.21 m) w/T-top: 9'4" (2.84 m)

Center Line Length: 30'6" (9.30 m)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 6950 lb. (3152 kg)



Anchor locker

Two 150-qt. fish boxes

Lockable console with stand up head area, shower, sink and storage areas

Electromechanically operated electronics enclosure

Command seating helm area w/rigging station and 47-gal. raw water livewell

75-sq. ft. cockpit

290-gallon fuel capacity

Fold away aft bench seat

304-qt. fish box



Helm console with electromechanically operated lockable electronics enclosure



Command seating helm area with two deluxe adjustable sliding chairs, rigging station with freshwater sink, pullout faucet and insulated livewell





Lockable head enclosure with fold down cover, sink and storage



Anchor locker with windlass



304-quart aft insulated fish box, transom door and folding aft bench seat

Freedom 307

30' DUAL CONSOLE

"My brother, our sons and I had a double blue marlin day off the north side of St. Lucia aboard my 307. One was just over 300 pounds. This is a great boat for family day cruising as well as fishing. This is my third Grady, and I would never consider another make."

-JOHN RITTENHOUSE, LONDON, ENGLAND/GROS ISLET, ST. LUCIA FREEDOM 307 OWNER

Shown with optional hardtop. For detailed specifications see page 45.

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 6'11" (2.11 m)

w/Hardtop: 8'10" (2.69 m)


Center Line Length: 30'6" (9.30 m)

Hull Draft: 22" (0.56 m)

GRADY-WHIT

Maximum HP: 700 (522 kW)

Weight w/o Engines: 7850 lb. (3561 kg)



Bow cushioned seating area

Enclosed stand up head area

Bulk storage area

Deluxe companion seating for two

80-sq. ft. cockpit

Electronically adjustable helm bench seat for two

206-gal. fuel capacity

Electric extendable port lounge seat

Fold away aft bench seat

251-gt. insulated aft fish box

Integrated swim ladder w/transom door access





Deluxe bar showing refrigerator option (see page 37 for optional grill)



Deluxe cushioned bow seating with table

(doubles as a cockpit area table)



Cockpit forward showing companion seating area with electric extendable lounge seating. The standard bar (w/o grill option) includes a fiberglass storage bin under the Corian® bar top.



Stand up head area with bulk storage; fold down head cover creates 5' berth.



Express 330

33' EXPRESS CABIN

"We were looking for a boat that would be perfect for completing America's Great Loop, and fell in love with the *Express 330*."

-CHRIS BRANCH AND RUSS OTTERBINE, BOYNE CITY, MI/OLDSMAR, FL EXPRESS 330 OWNERS

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance w/Hardtop: 9'10" (3.00 m)

Center Line Length: 33'6" (10.21 m)

Length Overall (w/pulpit): 35'10" (10.92 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 10,840 lb. (4917 kg)

Anchor locker

Cabin vee berth

Entertainment center

Galley w/refrigerator
and sink

Enclosed head w/sink
and shower

80-sq. ft. cockpit

Rigging station w/sink
and storage

45-gal. livewell

350-gal. fuel capacity

Fold away aft bench seat

254-qt. fish box
w/ob drain

Shown with optional 15-ft. outrigger. For detailed specifications see page 46.



Optional hardtop enclosure



Helm area surround seating shown with optional Deluxe Platinum helm chair



Starboard helm surround seating (middle cushion area folds down)



254-quart aft deck insulated fish box



Helm console with electromechanically operated lockable electronics enclosure



Easy access for standard generator



Port side tackle station and sink



Head enclosure with extensible shower faucet



Cabin interior showing aft double berth









Cabin interior with cherry table and teak and holly sole

Canyon 336

33' CENTER CONSOLE

"I've had five boats including large inboards, and the *Canyon 336* is by far the best combination of hull, power and accommodations I have ever experienced. It's perfect whether I am scuba diving, or fishing with my friends, or just enjoying the day on the water with my wife and family. The anchoring system is superb."

-NORM CHAMBERS, GLOUCESTER, MA CANYON 336 OWNER

Shown with optional T-top. For detailed specifications see page 46.

Beam Amidships: 11'7" (3.53 m) Bridge Clearance: 8' (2.44 m)


w/T-top: 9'2" (2.79 m)

Center Line Length: 33'6" (10.21 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 9200 lb. (4173 kg)



Two 165-qt. fish boxes

Console seating

Lockable console w/stand up head area, shower, sink, berth, rod storage and storage drawers

Helm with electromechanically operated electronics enclosure

80-sq. ft. cockpit

Helm deluxe seating for three w/center helm and cushion conversion to lean bar


350-gal. fuel capacity

Console tackle, storage and rigging area

Fold away aft bench seat

291-qt. fish box





Lockable console interior with stand up head, shower, sink, rod storage, bulk storage and electrical access



Center helm lean bar with three deluxe sliding seats and footrest, electromechanically operated lockable electronics enclosure



Rigging station with freshwater washdown, 104-quart cooler, tackle drawers, storage, rod holders and knife & pliers holder



Bow casting area with optional platform insert and cushions



Console forward berth



Express 360

36' EXPRESS CABIN

"Our family of five spent a month in the Bahamas on our *Express 360*, and everyone was totally comfortable. We covered over 1500 miles at average cruising speeds of 25-31 mph."

-SCOTT AND ANJA BRANE, CLEARWATER, FL EXPRESS 360 OWNERS

Optional hardtop-mounted 24-foot outriggers shown. For detailed specifications see page 46-47.

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/Hardtop: 10'6" (3.20 m)

Center Line Length: 36'7" (11.15 m)


Length Overall (w/pulpit): 39'3" (11.96 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Freshwater Capacity: 65 gal. (246 l)

Weight w/o Engines: 14,919 lb. (6767 kg)



Forward vee berth w/storage

Freezer/ice maker and refrigerated drawers

Galley area w/microwave, electric stove, stainless sink, Corian® countertops

Dinette w/seating for 4

Enclosed ventilated head w/shower

96-sq. ft. cockpit

Helm w/electronically programmable throttles w/engine synch

370-gal. fuel capacity

55-qt. port side refrigerator/freezer cooler

Fold away aft bench seat

291-qt. aft deck refrigerator/freezer fish box



360 shown with optional hardtop enclosure





Head/shower area includes sink with Corian® counter surface, separate shower area with curtain, teak grate over shower drain, full length mirror, VacuFlush® head, lighted vanity mirror, cherry shelves, storage areas.



Aft berth includes 56" x 84" sleeping area with privacy curtain, teak foot well, cherry hanging locker with cedar lining, bulk storage, six rod holders.




Helm surround seating includes innovative slide-away table, chart/storage area, additional fold away seating and deluxe cushioning.











Helm includes deluxe adjustable seating, power assisted tilt steering, electronically programmable throttles with engine synch mode, electromechanically operated electronics enclosure, and easy-access accessory fuse compartment.





291-qt. aft deck refrigerator/freezer fish box (shown) along with 55-qt. refrigerator/freezer aft helm port box (not shown), both controlled by digital thermostat. Chill coils are located in the walls of foam insulated boxes, increasing efficiency and greatly reducing the need for ice. Coil configuration and overboard drains keep boxes clean, open and easy to maintain.

Main cabin includes teak and holly sole, seating for four at cherry dinette table, variable accent lighting, 16,000 BTU air conditioning with zone cooling, expansive forward berth with storage and privacy curtain, and cherry enclosed storage areas.

Canyon 366

36' CENTER CONSOLE

"When cold winter weather grips much of the country, take comfort with the warm thought that I am fishing my Canyon 366 off the Marquesas Keys."

-MARK DOBLER, THE WOODLANDS, TX CANYON 366 OWNER

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/T-top: 9' (2.74 m)

Center Line Length: 36'7" (11.15 m)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Freshwater Capacity: 54 gal. (204.4 l)

Weight w/o Engines: 12,850 lb. (5829 kg)

power windlass Two 263-qt. fish boxes Lockable center cabin area w/

head, stand-up shower, double berth, bulk storage, rod storage & entertainment center (60 sq. ft.)

Anchor locker w/push button

Tinted cabin skylight

Deluxe helm area seating for three w/fold-up bolsters

85-sq. ft. cockpit

Sink or optional grill location

41-gal. livewell

164-qt. insulated box or optional additional 41-gal. livewell

420-gal. fuel capacity

Transom door

291-qt. aft fish box

For detailed specifications see page 47.



Electromechanically operated electronics enclosure (enclosure up)



Console interior arrangement



Optional 1300 watt grill





Helm/lean bar seating with three deluxe sliding chairs with flip-up bolsters



Lean bar with 41-gal. (155.2 l) insulated raw water livewell with see-through lid, light, full column distribution inlet and overboard drain (110 GPH pump) (4164 LPH); lure holder and rigging station with freshwater sink, shown with optional second livewell; available standard with 164-qt. (155.2 l) cooler



Berth cushion with electrically adjustable bolster



Factory options add to more Grady Life fun!



▲ Hardtop front and side curtains for models 20' and up (330 shown).

Drop curtain is available. Frames style and canvas vary per model.



▲ Cabin model hardtop with lockable radio box(es), spreader light(s), side rod holders and overhead storage net (optional models 22'-25', standard 29'-36')



▲ Freedom Series hardtop (255, 275, 307)



▲ Ivory canvas option for 225 soft top arch, hardtops, T-tops (255, 275, 283, ▲ Fisherman series Bimini top (180, 209, 230) 290, 300, 305, 306, 307, 330, 336, 360, 366)



▲ Walkaround series vista top and side curtains (208, 226/228, 232, 258)



▲ Bow thruster (290, 300, 305, 306, 307, 330, 336); standard on 360, 366



▲ Bow casting platform insert with cushions (209, 230, 257, 283, 306, 336, 366); sun platform insert with cushions (205, 225, 255, 275, 307)



▲ Freedom series vista top and side curtains (205, 225, 255, 275, 307)



▲ Bow pulpit shown with anchor windlass option



▲ Cabin rod racks (holds 4)



▲ Raw water livewell (lean bar option; 209)

Individualize your new Grady-White to best suit the water activities that your family enjoys with quality factory options that complement your boating lifestyle. Not all options shown here. For more information on factory options available per model, ask your dealer or visit www.gradywhite.com.







Deluxe II helm chair



▲ Deluxe III helm chair



▲ Platinum helm chair



▲ Companion bench seat (300 shown)



▲ Companion bench seat (208, 226)



▲ Optional deluxe lean bar w/backrest and flip-up bolster (209, 230, 257, 306)



▲ 366 motorized bow table. Manual bow and/or cockpit tables are available options (205, 225, 255, 257, 283, 306, 366; standard on 275, 307). Tables vary per model.



▲ Freedom series sleeper seat with storage (192, 205, 225, 255)



▲ Ski pylon (180, 192, 205, 225, 230, 255, 275, 307); placement varies



▲ Electric grill (255, 275, 307, 366)



Fisherman 180

18' Center Console

Beam Amidships: 7'5" (2.26 m) Bridge Clearance: 5'7" (1.70 m) Center Line Length: 17'10" (5.44 m) Cockpit Depth: 22" (0.56 m) Cockpit Area: 48 sq. ft. (4.5 m²) Hull Draft: 15" (0.38 m) Maximum HP: 150 (112 kW) Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 60 gal. (227 l) Transom Width: 7'2" (2.18 m) Weight w/o Engine: 2150 lb. (975 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH)(4164 LPH) Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fire extinguisher holder Level flotation Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Casting platform (raised) Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel - stainless steel (4) Factory engine pre-rigging Fish box - 89-gt. (84.2 I) insulated fish box/storage area w/oh drain Fuel capacity - 60-gallon (227 I) tank International lighting Rod holders (4) Rod storage racks - horizontal (4) Rubrail - high density PVC w/stainless steel insert Seating - aft seats (2) Seating - bench seat w/reversible back Spring line cleats Stern eyes - heavy-duty 316 stainless steel

Console

Accessory outlet - 12V Compass Drink holders - stainless steelsteel (2) Footrest Ice box - 45-gt. (42.6 l) forward insulated ice box w/ob drain Rod storage holders - vertical (4)

Storage - forward anchor locker w/rode storage

Storage - aft rigging compartments (2)

Seating - forward console seat Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel Storage - lockable console storage w/service light Windshield - acrylic windshield w/handrail

OPTIONAL FEATURES

Battery select switch w/extra battery Bow lifting ring CE certification package Cockpit freshwater shower (recessed) - 10-gallon (37.9 l) High bow rail Hydraulic trim tabs w/indicator & retractor Livewell - 11-gallon (41.6 l) insulated raw water livewell Painted hull Seating - forward platform cushions Ski pylon Steering - hydraulic Steering - hydraulic tilt Swim platform w/ladder Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Bimini top w/boot



Freedom 192

19' Dual Console

Beam Amidship: 8' (2.44 m) Bridge Clearance: 4'9" (1.45 m) Center Line Length: 19'2" (5.84 m) Cockpit Depth: 25" (.64 m) Cockpit Area: 37 sq. ft. (3.4 m²) Hull Draft: 14" (.36 m) Maximum HP: 150 (112 kW) Outboard Shaft Length: 25" (.64 m) Standard Fuel Capacity: 60 gal. (227 |) Transom Width: 7'8" (2.34 m) Weight w/o Engine: 2475 lb. (1123 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH) Bow rail - low profile 316 grade stainless steel Cockpit toe rails Companion grab rail Level flotation Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2) Deck hardware - 316 grade stainless steel Drink holders - stainless steel (6) Factory engine pre-rigging Forward bolsters Fuel capacity - 60-gallon (227.1 l) tank Ice box - 44-qt. (41.6 l) starboard bow insulated

ice box w/ob drain Integrated outboard mounting system w/swim platform & ladder

International lighting Rod holders (4)

Rod storage racks - horizontal (4)

Rubrail - high density PVC w/stainless steel insert Seating - aft seats (2)

Seating - helm & companion pedestal chairs Seating-port & starboard bow box cushions

Spring line cleats

Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage Storage - lockable console storage compartment w/service light

Storage - lockable glove box

Storage - port bow seating storage compartment Windshield - walk-through tempered

glass windshield Windshield wiper (starboard)

OPTIONAL FEATURES

Battery select switch w/extra battery Bow lifting ring CE certification package Cockpit freshwater shower (recessed) Hydraulic steering Hydraulic trim tabs w/indicator & retractor Livewell - 13-gallon (50.2 l) insulated raw water livewell w/cushion

Painted hull

Seating - Deluxe I helm chair (starboard) Seating - Deluxe I helm & companion chairs Seating - port sleeper seat w/storage Seating - starboard sleeper seat w/storage

Sirius satellite radio system

Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2) & helm (2)

Washdown - pressurized raw water w/hose Water tank - 10-gallon (37.9 l) freshwater

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain Bow cover Sleeper seat cover Vista top w/boot Vista top front & side curtains



Freedom 205

20' Dual Console

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 5'7" (1.70 m) Center Line Length: 20'4" (6.20 m) Cockpit Depth: 25" (0.64 m) Cockpit Area: 47 sq. ft. (4.4 m²) Hull Draft: 15" (0.38 m) Maximum HP: 250 (187 kW) Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 82 gal. (310 l) Transom Width: 7'10" (2.39 m) Weight w/o Engine: 2810 lb. (1275 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Companion grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck Accessory outlet - 12V Battery select switch w/extra battery Cockpit lights - LED lighting Compass Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (8) Factory engine pre-rigging Fish box - 64-qt. (60.6 l) aft deck insulated fish box

w/oh drain Fish box - 83-at. (78.5 I) starboard bow insulated

fish box w/ob drain

Fuel capacity - 82-gallon (310.4 l) tank Head - lockable console head area w/dome light &

storage nets International lighting Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs Seating - port & starboard bow box cushions

Spring line cleats

Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Storage - lockable console compartment w/service light

Storage - port bow seat compartment Windshield - walk-through tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring CE certification package Cockpit bolsters Cockpit freshwater shower (recessed) - 10-gallon (37.9 l) Forward bolsters Head - portable

Hydraulic trim tabs w/indicator & retractor Livewell - 16-gallon (60.6 l) insulated raw water livewell

Seating - Deluxe I helm & companion chairs

Seating - Deluxe I helm chair

Seating - port sleeper seat w/storage drawer

Sirius satellite radio system

Ski pylon

Steering - hydraulic (required w/F200, F225 & F250 engines)

Steering - hydraulic tilt

Stereo system w/MP3/auxiliary audio connections &

flip-down storage - satellite ready; speakers - bow (2) & helm (2) Sun platform insert w/cushion

Swim platform w/ladder

Table (bow)

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain Bow cover Drop curtain Sleeper seat cover Tonneau cover Vista top w/front & side curtains



Adventure 208

20' Walkaround Cabin

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 5'9" (1.75 m)

w/Hardtop: 8' (2.44 m) Center Line Length: 20'4" (6.20 m)

Cockpit Depth: 25" (0.64 m) Cockpit Area: 41 sq. ft. (3.8 m²)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 82 gal. (310 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2900 lb. (1315 kg)

STANDARD FEATURES

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation

Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Fold down motorwell bulkhead Nonskid fiberglass liner Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Berth - forward vee berth

Forward hatch - low profile acrylic hatch w/screen Lighting - cabin dome light Lighting - reading light Lockable door w/screen & companionway hatch Rod storage holders (4) Storage - portable head compartment Storage - under berth compartments (3) Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch w/extra battery Cockpit lights - LED lighting Compass Deck hardware - 316 grade stainless steel

through-bolted Drink holders - stainless steel (6)

Factory engine pre-rigging Fish box - 103-qt. (97.5 l) port insulated fish box

w/oh drain

Fish box - 106-qt. (100.3 I) starboard insulated fish box w/ob drain

Footrests (helm & companion) Fuel capacity - 82-gallon (310.4 l) tank International lighting

Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2) Seating - helm & companion pedestal chairs

Seating - port & starboard fish box cushions

Spring line cleats

Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft seat lift out boxes (2)

Storage - forward anchor locker w/rode storage Storage - lockable electronics box

Storage - lockable storage under helm chair

Storage - tackle drawers under companion chair (2) Storage nets

Windshield - tempered glass Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring Bow pulpit CE certification package Cockpit bolsters Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Hardtop top-mounted rod holders Hardtop w/radio box, spreader lights & side

mounted rod holders (4) & outrigger plates

Head - portable Head - portable w/deck pump out Hydraulic trim tabs w/indicator & retractor Livewell - 25-gallon (94.6 l) insulated

raw water livewell Painted hull

Seating - companion bench seat

Seating - foredeck cushions

Steering - hydraulic (required w/F200 & F250 engines)

Steering - hydraulic tilt Swim platform w/ladder

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/boot Vista top w/front & side curtains



Fisherman 209

20' Center Console

Beam Amidships: 8'1" (2.46 m) Bridge Clearance: 6'4" (1.95 m) w/T-top: 7'9" (2.36 m) Center Line Length: 20'4" (6.20 m) Cockpit Depth: 25" (0.64 m) Cockpit Area: 58 sq. ft. (5.4 m²) Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW) Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 82 gal. (310 l) Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2600 lb. (1179 kg)

STANDARD FEATURES

Automatic bilge pump (1100 GPH) (4164 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fold down motorwell bulkhead Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Battery select switch w/extra battery Cockpit lights - LED lighting Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (6) Factory engine pre-rigging

Fish box - 88-at. (83.28 l) port insulated fish box w/oh drain

Fish box - 88-gt. (83.28 I) starboard insulated fish box w/ob drain

Fuel capacity - 82-gallon (310.4 l) tank

International lighting Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs

Spring line cleats

Stern eves - heavy-duty 316 stainless steel Storage - aft rigging compartments (2)

Storage - forward anchor locker w/rode storage

Accessory outlet - 12V (2) Compass

Drink holders - stainless steel (2)

Head-lockable compartment w/head area & dome light

Rod storage holders - vertical (6) Seating - removable cooler seat forward

Steering - no-feedback mechanical Steering wheel - 316 grade stainless steel

Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES Bow lifting ring

CE certification package Cockpit bolsters Cockpit freshwater shower (recessed) - 10-gallon (37.9 l) Forward bolsters Head - portable Head - portable w/deck pump-out Head - portable w/in-line macerator High bow rail Hydraulic trim tabs w/indicator & retractor Livewell (lean bar option only) - 23-gallon (87.1 l) insulated raw water livewell w/cushion

Painted lean bar rod holders (requires lean bar option) Painted T-top frame (requires T-top option)

Seating - casting platform insert w/cushion

Seating - Deluxe lean bar w/backrest, flip-up bolster, fire extinguisher holder, footrest, tackle trays, lockable storage & rod holders (4)

Seating - port & starboard fish box cushions Sirius satellite radio system

Steering - hydraulic (required w/F200 & F250 engines) Steering - hydraulic tilt

Stereo w/MP3/auxiliary audio connections & fold down storage-satellite ready:

speakers - bow (2), helm (2)

Swim platform w/ladder T-top w/radio box, dome light, storage net,

spreader light, rod holders (4), radar flat & outrigger plates Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Bimini top w/boot T-top front & side curtains



Freedom 225

22' Dual Console

Beam Amidships: 8' (2.44 m) Bridge Clearance: 5'6" (1.68 m) Center Line Length: 22'2" (6.76 m) Cockpit Depth: 25" (0.64 m) Cockpit Area: 49 sq. ft. (4.6 m²) Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW) Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 96 gal. (363 l) Transom Width: 7'11" (2.41 m)

Weight w/o Engine: 3450 lb. (1565 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Companion grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

International lighting

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II vertically & horizontally

adjustable helm & companion chairs

Seating - fold away aft bench seat w/cushion

Rod holders (4)

Battery select switch w/extra battery

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting Compass Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (12) Factory engine pre-rigging Fish box - 175-gt. (165.6 I) aft insulated fish box Fish box - 52-qt. (49.2 I) starboard bow insulated fish hox w/oh drain Footrest (helm) Forward bolsters Fuel capacity - 96-gallon (363.4 l) tank Head - lockable console head area w/dome light & storage nets Head - portable Hvdraulic trim tabs w/indicator & retractor

Seating - port & starboard bow box cushions Spring line cleats Steering - hydraulic tilt Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel Storage - 22-gallon (83.3 l) insulated aft storage compartment

Storage - forward anchor locker w/rode storage Storage - forward bow seat compartment Storage - lockable console storage compartment w/service light

Storage - lockable console tackle drawers Storage - port bow seat compartment Swim platform - full transom width w/ladder Water tank - 10-gallon (37.9 l) freshwater Windshield - walk-through tempered glass windshield Windshield wiper (starboard)

OPTIONAL FEATURES Bow lifting ring

CE certification package Cockpit bolsters Head - portable w/deck pump out Head - portable w/in-line macerator Livewell - 22-gallon (83.3 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Seating - port sleeper seat w/storage drawer Sirius satellite radio system

Soft top arch w/canvas Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2) & helm (2)

Sun platform insert w/cushion Table (bow)

Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy) Bow cover Sleeper seat cover Soft top arch (ivory) Tonneau cover Vista top w/boot Vista top aft curtain Vista top drop curtain Vista top front & side curtains



Seafarer 226/228

22' Walkaround Cabin

Beam Amidships: 8' (2.44 m) Bridge Clearance: 6'2" (1.88 m) w/Hardtop: 8'4" (2.54 m) Center Line Length: 22'2" (6.76 m) Cockpit Depth: 26" (0.66 m) Cockpit Area: 49 sq. ft. (4.6 m²) Hull Draft: 16" (0.41 m) Maximum HP: 300 (224 kW) Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 125 gal. (473 l) Transom Width: 7'11" (2.41 m)

226 (standard transom): 3385 lb. (1535 kg) 228 (Grady Drive transom): 3510 lb. (1592 kg)

STANDARD FEATURES

Weight w/o Engine:

Safety

2 automatic bilge pumps (total 2200 GPH) (8328 LPH) Basic flotation Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Fold down motorwell bulkhead (226 only) Nonskid fiberglass liner Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cabin

Berth - forward vee berth Forward hatch - low profile acrylic hatch w/screen Lighting - dome light

Lockable door w/screen & companionway hatch Rod storage holders (4)

Sink

Storage - cabinet

Storage - portable head compartment Storage - under berth compartments (3) Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Bait rigging area w/cutting board & Drink holders - stain-(228 only)

Battery select switch w/extra battery Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Compass Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (6) Factory engine pre-rigging

Fish box - 190-qt. (179.8 I) starboard insulated fish box w/ob drain

Fish box - 72-qt. (68.1 I) aft insulated fish box w/ob drain (228 only)

Fish box - divided port insulated fish box (80-qt. & 45-qt, sections w/ob drain) (75.7 | & 42.6 |)

Footrests (helm & companion)

Fuel capacity - 125-gallon tank (473.2 l) Hydraulic trim tabs w/indicator & retractor

International lighting Rod holders (4)

Rod storage holders - vertical (4) (228 only)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs Seating - port & starboard fish box cushions

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft lift out boxes

Storage - forward anchor locker w/rode storage Storage - lockable helm station radio box

Storage - tackle drawers under helm & companion chairs

Storage nets

Swim platform - full transom width w/ladder (228 only)

Water tank - 10-gallon (37.9 I) freshwater Windshield - ventilated tempered glass windshield Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring Bow pulpit CE certification package Cockpit bolsters Hardtop top-mounted rod holders

Hardtop w/radio box, storage net, spreader lights. side mounted rod holders (4) & outrigger plates

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Livewell - 20-gallon (75.7 I) aft insulated raw water livewell (228)

Livewell - 20-gallon (75.7 l) port insulated

raw water livewell (226)

Painted hull

Seating - companion bench seat Seating - Deluxe I helm chair

Seating - Deluxe I helm and companion chairs

Seating - foredeck cushions Swim platform w/ladder (226 only)

Washdown - pressurized raw water w/hose

Windshield wiper (port)

CANVAS OPTIONS

Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/boot Vista top front & side curtains



Fisherman 230

23' Center Console

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 6'8" (1.88 m) w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m)

Cockpit Depth: 25" (0.64 m)

Cockpit Area: 58 sq. ft. (17.68 m²) Hull Draft: 20" (0.51 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 120 gal. (454 l)

Transom Width: 8'4" (2.54 m)

Weight w/o Engine: 4002 lb. (1815 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH) **Basic flotation** Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck Battery select switch w/extra battery Cleats - flush mount Cockpit lights - LED lighting Cutting board Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (4) Factory engine pre-rigging Fish box - 101-qt. (96 l) port forward insulated fish hox w/oh drain Fish box - 101-qt. (96 I) starboard forward

insulated fish box w/ob drain Flush mount electronics kit

Fuel capacity - 120-gallon (454 l) tank Hydraulic trim tabs w/indicator & retractor International lighting

Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - helm & companion pedestal chairs Stern eyes - heavy-duty 316 stainless steel

Storage - 3-drawer lockable storage Storage - 20-gt. (19 I) port aft lift out box Storage - 140-qt. (132 I) starboard aft box Storage - forward anchor locker w/rode storage Washdown - pressurized raw water w/hose

Console

Accessory outlet - 12V (2) Compass Drink holders - stainless steel (2) Head - lockable console w/stand up head area Seating - 72-qt. (68 l) removable cooler seat forward Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Storage nets Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES

Anchor windlass Bow lifting ring Casting platform insert w/cushion CE certification package Cockpit bolsters Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Cooler upgrade - forward console

Forward bolsters Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Livewell - 35-gallon (132 I) insulated raw water aft livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

Painted hull Painted lean bar rod holders (requires lean bar option) Painted T-top frame (requires T-top option)

Seating - deluxe lean bar w/backrest, flip-up bolster, knife & pliers holder (1), tackle trays, lockable storage & rod holders (4)

Seating - fold away aft bench seat w/cushion Seating - port and starboard fish box cushions Sirius satellite radio system

Ski pylon

Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2) & helm (2)

Swim platform w/ladder T-top w/radio box, dome light, storage net, spreader light, rod holders (4), radar flat & outrigger plates

CANVAS OPTIONS

Bimini top w/boot T-top front & side curtains & side wings



Gulfstream 232

23' Walkaround Cabin

Beam Amidships: 9'3" (2.82 m) Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 56 sq. ft. (5.2 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW) **Outboard Shaft Length:**

Single: 30" (0.76 m)

Dual: 25" (0.64 m) Standard Fuel Capacity: 150 gal. (568 l)

Transom Width: 8'10" (2.69 m)

Weight w/o Engine:

232S: 4538 lb. (2058 kg) 232D: 4605 lb. (2089 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH) Basic flotation Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Nonskid fiberglass liner Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

Storage - under sink compartment

Cabin

Berths - 2 berths (upper & lower) Forward hatch - low profile acrylic hatch w/screen Galley - portside galley w/sink Ice box - insulated ice box w/ob drain Lighting - dome lights (2) Lockable door w/screen & companionway hatch Rod storage holders (2) Storage - aft compartment Storage - portable head compartment Storage - under berth compartment

Stove - butane Windows - opening windows w/screens (2) Cockpit & Deck

Storage nets

100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch(es) w/extra battery Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (9)

Factory engine pre-rigging

Fish box - 265-qt. (250.8 l) starboard insulated fish box w/ob drain

Fish box - 297-qt. (281.1 l) aft insulated fish box w/ob drain

Flush mount electronics kit

Footrests - helm & companion (adjustable)

Fuel capacity - 150-gallon (567.8 l) tank Hvdraulic trim tabs w/indicator & retractor

International lighting

Livewell - 36-gallon (136.3 I) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - port livewell cushion

Seating - starboard fish box cushion

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage Storage - tackle drawers under companion seat (2)

Storage - tackle trays under helm chair (2)

Swim platform - full transom width w/ladder

Washdown - pressurized raw water w/hose

Water tank - 12-gallon (45.4 l) freshwater Windshield - ventilated tempered glass windshield

Windshield wipers

OPTIONAL FEATURES

Air conditioner

Anchor windlass (must have bow pulpit)

Bow lifting ring

Bow pulpit

CE certification package

Cockpit bolsters

Cushions - auxiliary berth cushions

Hardtop top-mounted rod holders

Hardtop w/radio box, storage net, spreader lights,

side mounted rod holders (4) & outrigger plates Head - marine head w/electric flush & 10-gallon (37.9 l) holding tank

Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial hardtop

mounted (hardtop option only)

Rod storage - folding cabin rack (4)

Seating - Deluxe II helm and companion chairs

Seating - foredeck cushions

Sirius satellite radio system

Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready;

speakers - cabin (2), cockpit (2) & helm (2)

Storage - lockable electronics box

Windshield washer - freshwater (starboard)

CANVAS OPTIONS

Hardtop drop curtain Hardtop front & side curtains



Freedom 255

25' Dual Console

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 5'7" (1.70 m)

w/Hardtop: 7'8" (2.34 m)

Center Line Length: 24'9" (7.55 m)

Cockpit Depth: 27" (.69 m)

Cockpit Area: 60 sq. ft. (5.6 m²)

Hull Draft: 20" (.51 m)

Maximum HP: 350 (261 kW)

Outboard Shaft Length

Single: 30" (.76 m)

Dual: 25" (.64 m) Standard Fuel Capacity: 153 gal. (579 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4459 lb. (2023 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails

Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass wiring

Battery select switch(es) w/extra battery

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting Companion grab rail

Compass

Cutting board

Deck hardware - 316 grade stainless steel

through-bolted

Drink holders - stainless steel (9)

Factory engine pre-rigging

Fish box - 165-qt. (156.1 l) starboard insulated

fish box w/ob drain

Footrest - helm

Forward bolsters

Fuel capacity - 153-gallon (579 I) tank

Head - lockable console w/dome light & bulk storage

Head - portable

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Rod holders (6)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - fold away aft bench seat w/cushion Seating - port & starboard bow box cushions

Seating - vertically & horizontally adjustable deluxe helm & companion chairs

Spring line cleats Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - 80-gt. (75.7 I) port bow storage box Storage - 104-qt. (98.4 l) port aft box

Storage - forward anchor locker w/rode storage

Storage - starboard lockable storage area Transom door - fiberglass

Water tank - 20-gallon freshwater

Windshield - walk-through tempered glass windshield Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

Bow table

Grill - electric (replaces sink in wet bar option) Hardtop top mounted rod holders (requires hardtop option)

Hardtop speakers (2) in lieu of helm speakers (requires hardtop, stereo options)

Hardtop w/spreader lights, storage net & outrigger plates Head - marine head w/electric flush (10-gallon)(37.9 l)

Head - marine head w/macerator.

10-gallon (37.9 l) holding tank & pump out

Head - portable w/deck pump out Head - portable w/in-line macerator

International AC electrical conversion - 220V (50Hz)

Livewell - 26-gallon (98.41 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain

(1100 GPH pump) (4164 LPH) Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)

Painted hull

Seating - Deluxe II helm chair (starboard)

Seating - Deluxe II helm & companion chairs

Seating - Deluxe III helm chair (starboard)

Seating - sleeper seat w/ storage drawer Sirius satellite radio system

Stereo w/MP3/auxiliary audio connections/amplifier &

fold down storage - satellite ready:

speakers - aft (2), bow (2) & helm (2)

Sun platform insert w/cushion Washdown - pressurized raw water w/hose

Wet bar w/electronically-operated helm lounge seat, sink, storage drawer & trash compartment

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain (hardtop and vista top)

Bow cover

Drop curtain (hardtop and vista top)

Hardtop front & side curtains

Sleeper seat cover

Tonneau cover

Vista top w/boot Vista top front & side curtains



Fisherman 257

25' Center Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m) w/T-top: 8'6" (2.59 m)

Center Line Length: 24'9" (7.55 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 64 sq. ft. (5.9 m²)

Hull Draft: 20" (0.51 m) Maximum HP: 350 (261 kW)

Outboard Shaft Length: Single: 30" (0.76 m)

Dual: 25" (0.64 m) Standard Fuel Capacity: 151 gal. (572 l)

Transom Width: 7'10" (2.39 m) Weight w/o Engine: 4045 lb. (1835 kg)

STANDARD FEATURES

2 automatic bilge pump (2600 GPH) (9842 LPH)

Basic flotation Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Console grab rail

Fire extinguisher holder

Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck

Battery select switch(es) w/extra battery Cockpit bolsters

Cockpit lights - LED lighting

Compass

Cutting board Deck hardware - 316 grade stainless steel

Cockpit freshwater shower (recessed)

through-bolted Drink holders - stainless steel (3)

fish box w/ob drain

Factory engine pre-rigging Fish box - 120-qt. (113.6 l) forward divided port insulated

Fish box - 120-qt. (113.6 l) forward starboard insulated fish box w/ob drain

Fish box - 185-qt. (175.1 l) aft insulated fish box w/oh drain

Forward bolsters Fuel capacity - 151-gallon (571.6 l) tank Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder International lighting

Livewell - 32-gallon (121.1 I) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6) Rubrail - high density PVC w/stainless steel insert

Seating - deluxe lean bar w/footrest, backrest, flip-up bolster, knife & pliers holders, tackle trays, lockable storage & rod holders (4)

Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions Spring line cleats

Stern eves - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)

Console ventilator Drink holders - stainless steel (2)

Head - lockable console w/stand up head area. dome light, storage shelves & hanging locker Seating - molded forward console seat w/cushion

Steering - hydraulic tilt Steering wheel - 316 grade stainless steel

Storage - under footrest

Storage nets Windshield - scratch resistant acrylic windshield

w/handrail

OPTIONAL FEATURES Anchor windlass w/bow roller

Anchor windlass w/ bow pulpit Bow lifting ring

Bow pulpit (includes high profile bow rail) Casting platform insert w/cushions

CE certification package

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

Painted hull Painted lean bar rod holders

Painted T-top frame (requires T-top option) Sirius satellite radio system

T-top w/radio box, radar flat, dome light,

Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - console forward (2) & helm (2)

storage net, spreader light, rod holders (4) & outrigger plates Table (bow)

CANVAS OPTIONS T-top front & side curtains



25' Walkaround Cabin

Beam Amidships: 8'6" (2.59 m) Bridge Clearance: 6'6" (1.98 m) w/Hardtop: 8'8" (2.64 m) Center Line Length: 24'9" (7.55 m) Cockpit Depth: 27" (0.69 m) Cockpit Area: 55 sq. ft. (5.1 m²) Hull Draft: 20" (0.51 m) Maximum HP: 350 (261 kW) **Outboard Shaft Length:** Single: 30" (0.76 m) Dual: 25" (0.64 m)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH)(9842 LPH) **Basic flotation** Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Nonskid fiberglass liner Nonskid recessed walkaround Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Standard Fuel Capacity: 127 gal. (481 l)

Weight w/o Engine: 4320 lb. (1960 kg)

Transom Width: 7'10" (2.39 m)

Cabin

Berth - forward vee berth Forward hatch - low profile acrylic hatch w/screen Lighting - cabin dome light Lighting - reading light Lockable door w/screen & companionway hatch Rod storage holders (4) Storage - portable head compartment

Storage - under berth compartments (5) Storage nets

Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch(es) w/extra battery Cockpit freshwater shower (recessed) Cockpit lights - LED lighting Compass Cutting board Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (6) Factory engine pre-rigging

Fish box - 158-qt. (149.5 I) starboard insulated fish box w/ob drain

Footrest - helm & companion (adjustable) Fuel capacity - 127-gallon (480.7 l) tank Hydraulic trim tabs w/indicator & retractor lce box - 40-qt. (37.9 l) aft insulated ice box w/ob drain Integrated outboard mounting system

w/swim platform & ladder International lighting

Livewell - 34-gallon (128.7 I) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (6)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe I helm & companion chairs

Seating - fold away aft bench seat w/cushion Seating - port livewell cushion

Seating - starboard fish box cushion Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eves - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage

Storage - lockable electronics box

Storage - lockable storage under helm seat Storage - tackle drawer under companion seat Storage - transom mounted knife & pliers holder

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 10-gallon (37.9 I) freshwater Windshield - ventilated tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Air conditioner Anchor windlass (must have bow pulpit) Auxiliary fuel capacity - 41-gallon (155.2 l) tank Bow lifting ring Bow pulpit CE certification package Cockpit bolsters Hardtop top-mounted rod holders Hardtop w/radio box, storage net, spreader lights,

side mounted rod holders (4) & outrigger plates

Head - marine head w/macerator, 10-gallon (37.9 I) holding tank & pump out

Head - portable

Head - portable w/deck pump out Head - portable w/in-line macerator

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)

Painted hull

Rod storage - folding cabin rack (4)

Seating - Deluxe II helm and companion chairs

Seating - foredeck cushions Sirius satellite radio system

Stereo system w/MP3/auxiliary audio connections/ amplifier & fold down storage - satellite ready; speakers - aft (2), cabin (2), & helm (2)

Windshield washer - freshwater (starboard) Windshield wiper (port)

CANVAS OPTIONS

Drop curtain (hardtop or vista top) Hardtop front & side curtains Vista top w/boot Vista top front & side curtains



Canvon 271

27' Center Console

Beam Amidships: 9'6" (2.89 m) Bridge Clearance: 6'11" (2.11 m) w/T-top: 8'2" (2.49 m) Center Line Length: 26'10" (8.18 m) Cockpit Area: 65 sq. ft. (6.04 m²) Cockpit Depth: 27" (0.69 m) Hull Draft: 23" (0.58 m) Maximum HP: 600 (441 kW) Outboard Shaft Length: 25" (.63 m) Fuel Capacity: 202 gal. (765 l) Transom Width: 8'9" (2.67 m)

Weight w/o Engine: 5790 lb. (2626 kg)

STANDARD FEATURES

Safety Safety

2 automatic bilge pumps (2600 GPH)(9842 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Nonskid fiberglass liner Self-bailing cockpit cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Anchor windlass wiring Battery select switch Cockpit bolsters Cockpit freshwater shower (recessed) Cockpit lights - LED cockpit lighting under gunwales & forward seating area

Companion grab rail Cutting board

Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (8)

Fish box - 198 gt. (218 I) aft insulated fish box w/ob drain Fish box - 389 gt. (428 l) bow insulated fish box w/ob drain Forward holsters

Fuel capacity - 202 gallons (765 l) tank Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system

w/swim platform & ladder International lighting Rod holders (6)

Rod storage racks – lockable horizontal (6) Rubrail - high density PVC w/stainless steel insert

Stern eves - heavy-duty 316 stainless steel Storage - forward anchor locker w/rode storage

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 18-gallon (68 l) freshwater

Console

Accessory outlet - 12V (2)

Compass Console ventilator Drink holders - stainless steel (2) Factory engine pre-rigging Flush mount electronics area Head - lockable console w/stand up head area, bulk storage & marine head w/ macerator. 10-gallon (37.9 l) holding tank & pump out Steering - hydraulic tilt Steering wheel - 316 grade stainless steel Window - tinted frameless acrylic

Windshield - scratch resistant acrylic windshield

w/handrail Windshield washer Windshield wiper

Deluxe Lean Bar

Backrest Footrest

Knife, pliers & rig holders (2) Livewell - 42-gallon (159 I) insulated raw water livewell

w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) Rigging station - freshwater sink w/pullout faucet & bait locker

Rod holders (4)

Storage - lockable tackle drawer

Storage - lockable tackle locker w/tackle trays

Storage - port net storage area

OPTIONAL FEATURES

Anchor windlass Bow thruster

Head - marine head w/electric flush (10-gallon)(37.9 l) Lighting - underwater LED

Livewell - 32-gallon (1211) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump)(4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (T-top option only)

Painted hull

Painted lean bar rod holders

Painted T-top frame & lean bar rod holders Sirius satellite radio system

Steering - power assist (standard w/TF300 pkg) Stereo system w/MP3/auxiliary audio connections/ amplifier & fold down storage - satellite ready: speakers - console forward (2), cockpit (2) & w/T-top option (2)

T-top (fiberglass) w/storage net, spreader lights. rod holders (4), radar flat & outrigger plates

CANVAS OPTIONS

T-top front, side & side wing curtains (ivory)

Freedom 275

27' Dual Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m) w/Hardtop: 8'6" (2.59 m)

Center Line Length: 26'11" (8.20 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 60 sq. ft. (5.6 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW) **Outboard Shaft Length:**

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 200 gal. (757 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engines: 4972 lb. (2255 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring

Battery select switch(s) w/extra battery

Cockpit bolsters Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Companion grab rail Compass

Cutting board Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (11) Factory engine pre-rigging

Fish box - 185-qt. (175.1 l) aft insulated fish box w/oh drain

Fish box - 88-qt. (83.3 I) starboard insulated fish box

w/oh drain Footrest - helm Forward bolsters

Fuel capacity - 200-gallon (757.1 l) tank Head - lockable console w/bulk storage

Head - portable

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder International lighting

Rod holders (4) Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I vertically & horizontally adjustable helm & companion chairs Seating - fold away aft bench seat w/cushion Seating - port & starboard bow box cushions Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stereo system w/MP3/auxiliary audio connections/ amplifier & fold down storage - satellite ready: speakers - aft (2), bow (2) & helm (2)

Stern eves - heavy-duty 316 stainless steel

Storage - 128-quart (121.1 I) aft insulated box Storage - forward anchor locker w/rode storage

Storage - port bow box

Storage - starboard console storage drawer

Storage - starboard lockable storage w/service light

Table (bow) (doubles in cockpit area)

Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 l) freshwater

Windshield - walk-through tempered glass windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass w/bow roller Bow lifting ring CE certification package Deluxe bar w/grill, electromechanically operated

helm seat, fire extinguisher holder, storage drawer & trash compartment Hardtop w/radio box, storage net, spreader lights &

outrigger plates

Hardtop top-mounted rod holders

Head - marine head w/electric flush (10-gallon) (37.9 l) Head - marine head w/macerator, 10-gallon (37.9 I)

holding tank & pump out Head - portable w/deck pump out

Head - portable w/in-line macerator

International AC electrical conversion 220V (50Hz)

Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)

Seating - Deluxe II helm chair (starboard)

Seating - Deluxe II helm & companion chairs

Seating - Deluxe III helm chair (starboard)

Seating - electric extendable port lounge seat

Sirius satellite radio system

Ski pylon

Sun platform insert w/cushion Wet bar w/electronically-operated helm seat, fire extinguisher holder, sink, storage drawer &

trash compartment

CANVAS OPTIONS

(Available in ivory or navy) Aft curtain (hardtop or vista top)

Row cover

Drop curtain (hardtop or vista top)

Hardtop front & side curtains

Lounge seat cover

Tonneau cover Vista top w/boot

Vista top front & side curtains

Wet har cover



Canvon 283

28' Center Console

Beam Amidships: 9'6" (2.90 m) Bridge Clearance: 7'7" (2.31 m)

w/T-top: 9' (2.74 m)

Center Line Length: 28' (8.53 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 69 sq. ft. (6.4 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW) w/V6 engines only

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 205 gal. (776 l)

Transom Width: 9' (2.74 m)

Weight w/o Engines: 5864 lb. (2660 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails Console grab rail

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck 100% hand laid hull & deck

Anchor windlass wiring

Battery select switches w/extra battery

Cockpit bolsters

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (7)

Factory engine pre-rigging Fish box - 265-qt. (250.8 I) aft insulated fish box

w/ob drain & removable partition

Fish box - 135-qt. (127.8 l) port & starboard forward insulated fish hoxes w/oh drain

Forward bolsters

Fuel capacity - 205-gallon (776 I) tank Hvdraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform

International lighting Rod holders (4)

Rod storage racks - lockable horizontal (6) (up to 9')(2.7 m)

Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion

Seating - port & starboard fish box cushions

Spring line cleats

Stern eves - heavy-duty 316 stainless steel

Storage - aft deck lift out box (also fits in forward port fish box)

Storage - forward anchor locker w/rode storage

Transducer mounting flats Transom door - fiberglass

Washdown - pressurized raw water w/hose Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (2)

Head - lockable console w/stand up head area. bulk storage & drawers, dome light, shower, sink, marine head w/macerator (10-gallon) (37.9 l) & pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electromechanically operated electronics enclosure

Storage - under footrest

Windshield - tempered glass windshield Windshield washer - freshwater

Windshield wiper

Deluxe Lean Bar

Bait rigging locker

Footrest

Knife, pliers & ria holders (2)

Livewell - 45-gallon (170.3 I) insulated raw water livewell w/light, full column distribution inlet &

ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)

Sink w/pullout freshwater faucet

Storage - lockable tackle drawer Storage - lockable tackle locker w/tackle trays

Storage - port net storage area

OPTIONAL FEATURES

Anchor windlass w/ bow pulpit Anchor windlass w/ bow roller

Bow lifting ring

Bow pulpit (includes high profile bow rail)

Casting platform insert w/cushions

CE certification package Convenience package - battery charger & dockside power

Head - marine head w/electric flush (10-gallon) (37.9 l) Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(w/T-top option only)

Painted hull

Painted lean bar rod holders

Painted T-top frame (requires T-top option)

Sirius satellite radio system

Steering - power assist (standard w/TF300 package) Stereo system w/MP3/auxiliary audio connections/amplifier &

fold down storage - satellite ready:

speakers - console forward (2) & helm (2) T-top (fiberglass) w/radio box, dome light, storage net, spreader light, rod holders (4) & outrigger plates

T-top speakers (2) (requires stereo and T-top options) Table (bow)

CANVAS OPTIONS

(Available in ivory or navy) T-top front & side curtains



Chesapeake 290

29' Walkaround Cabin

Beam Amidships: 9'11" (3.02 m) Bridge Clearance w/Hardtop: 9'9" (2.97 m)

Center Line Length: 28'6" (8.69 m)

Cockpit Depth: 28" (0.71 m) Cockpit Area: 56 sq. ft. (5.2 m²)

Hull Draft: 24" (0.6 m) Length Overall (w/bow roller): 29'9"(9.07 m)

Maximum HP: 600 hp (448 kW) Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 206 gal. (780 l) Transom Width: 9'1" (2.76 m)

Weight w/o Engines: 7650 lb. (3470 kg)

STANDARD FEATURES

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - 316 grade stainless steel Cockpit toe rails

Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cabin Accessory outlet - 12V Berth - aft double berth

Berth - forward vee berth

Cabin lights (6) Cabin window curtains Forward hatch - low profile acrylic hatch w/screen

Galley - port side galley w/sink, Corian® countertop Head - enclosed head area w/sink, shower, lamp & marine head w/macerator, 10-gallon (37.9 l)

holding tank & pump out

Lighting - dome lights (6) Lockable door w/screen & companionway hatch

Microwave oven Mirror

Refrigerator Storage - galley shelves

Storage nets

Stove - electric glass top Table - cherry Teak & holly sole

> Water heater - 6 gallon (22.7 l), 120V Water tank - 32-gallon (121.1 l) freshwater Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass wiring Battery charger system Battery select switches w/extra battery

Cockpit bolsters Cockpit lights - LED lighting

Cockpit shower - freshwater (recessed) Compass Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (11)

Factory engine pre-rigging Fish box - 132-qt. (124.9 l) starboard insulated

fish box w/ob drain Fish box - 265-qt. (250.8 I) aft insulated fish box w/ob drain

Footrests - helm & companion (adjustable)

Fuel capacity - 206-gallon (779.8 l) tank Hardtop w/radio box, storage nets, spreader lights,

rod holders (4), outrigger plates & canvas (canvas available in navy or ivory) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting Livewell - 35-gallon (132.5 I) port insulated raw water livewell w/light, full column distribution inlet &

ob drain (1100 GPH pump) (4164 LPH) Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II horizontally adjustable helm &

companion chairs Seating - fold away aft bench seat w/cushion

Seating - port livewell cushion

Seating - starboard fish box cushion Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft box Storage - forward anchor locker w/rode storage

Storage - lockable storage under helm seat Storage - tackle drawers under companion seat (2)

Transducer mounting flats

Transom door - fiberglass Washdown - pressurized raw water w/hose Windshield - ventilated tempered glass windshield

Windshield washer - freshwater (starboard)

OPTIONAL FEATURES

Windshield wipers

Air conditioning - 8000 BTU Anchor windlass w/bow roller

Bow thruster CE Certification package

Cockpit shower w/hot water Flat screen TV/DVD player Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity

Hardtop top-mounted rod holders (5) Head - marine head w/electric flush (10-gallon) (37.9 l) International AC electrical conversion - 220V 50Hz

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Painted hull

Seating - companion bench seat Seating - Deluxe III helm chair w/flip-up bolster

Seating - Deluxe III helm and companion chairs w/flip-up bolsters

Sirius satellite radio system Steering - power assist (standard w/TF300 pkg)

Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), helm (2) & hardtop (2)



Marlin 300

30' Walkaround Cabin

Beam Amidships: 10'7" (3.23 m)
Bridge Clearance w/Hardtop: 9'9" (2.97 m)
Center Line Length: 30'6" (9.30 m)
Cockpit Depth: 29" (0.74 m)
Cockpit Area: 74 sq. ft. (6.9 m²)
Hull Draft: 23" (0.58 m)
Length Overall (w/pulpit): 32'7" (9.93 m)
Maximum HP: 700 (522 kW)
Outboard Shaft Length: 25" (0.64 m)
Standard Fuel Capacity: 300 gal. (1136 l)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
Basic flotation
Bow rail - 316 grade stainless steel
Cockpit toe rails
Companion grab rail
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 8221 lb. (3729 kg)

Cabii

Accessory outlet - 12V Berth - aft double berth Berth - forward vee berth Cabin window curtains Forward hatch - low profile acrylic hatch w/screen & shade Galley - port side galley w/sink & Corian® cutting board Head - enclosed head area w/sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out Lighting - dome lights (2) Lighting - reading lights (3) Lockable door w/screen & companionway hatch Microwave oven Mirror Refrigerator Rod storage - aft berth Rod storage racks (6)

Microwave oven
Mirror
Refrigerator
Rod storage - aft berth
Rod storage racks (6)
Stereo system w/MP3/auxiliary audio connections/
amplifier & fold down storage - satellite ready;
speakers - cabin (2), cockpit (2) & helm (2)
Storage - galley cabinet & counter
Storage - under berth compartments
Storage nets
Stove - electric glass top
Table - cherry

Teak & holly sole

Water hearer - 6-gallon (22.7 l), 120V Water tank - 32-gallon (121.1 l) freshwater Window - aft berth window w/screen Windows - tinted frameless acrylic (2)

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

Anchor windlass w/remote switches at helm & windlass

Batteries (4)

Battery charger system

Battery select switches w/extra battery

Bow pulpit w/roller

Cockpit freshwater shower (recessed)

Cockpit freshwater shower (recessed)

Compass
Deck hardware - 316 grade stainless steel through-bolted
Dockside power w/galvanic isolator
Drink holders - stainless steel (9)
Factory engine pre-rigging
Fighting chair reinforcement

Fish box - 290-qt. (274.41) aft insulated fish box w/ob drain Flush mount electronics kit

Footrests - helm & companion (adjustable)
Freshwater level indicator
Fuel capacity - 300 gallons (150-gallon tank,

150-gallon tank) (1135 l)
Hardtop w/radio box, storage nets, spreader lights,

rod holders (4), outrigger plates & canvas (canvas available in navy or ivory) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 32-gallon (121.1 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station behind helm chair w/freshwater sink, insulated bait box w/ob drain & lockable drawers

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe II vertically & horizontally adjustable helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - foredeck cushions Seating - port livewell cushion

Seating - starboard tackle station cushion

Spring line cleats
Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Storage - aft deck lift out box

Storage - forward anchor locker w/rode storage

Storage - lockable electronics box

Storage - lockable storage under helm & companion seats

Storage - under step compartment Transducer mounting flats Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose Windshield - ventilated tempered glass windshield Windshield washer - freshwater (starboard)

Windshield wipers

OPTIONAL FEATURESAir conditioning - 7000 BTU

Bow thruster
CE certification package
Cockpit shower w/hot water
Flat screen TV w/DVD player & audio visual inputs
Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity
Hardtop top-mounted rod holders (5)
International AC electrical conversion - 220V 50Hz
Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lav out)

Painted hull Rod storage - folding cabin rack (4)

Seating - companion bench seat
Seating - Deluxe III helm and companion chairs
w/flip-up bolsters

Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)

Storage - lockable electronics box



Express 305

30' Express Cabin

Beam Amidships: 10'7" (3.23 m)
Bridge Clearance w/Hardtop: 9'9" (2.97 m)
Center Line Length: 30'6" (9.30 m)
Cockpit Depth: 28" (0.71 m)
Cockpit Area: 63 sq. ft. (5.9 m²)
Hull Draft: 23" (0.58 m)
Length Overall (w/pulpit): 32'7" (9.93 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 290 gal. (1098 l) Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 8850 lb. (4014 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH) Basic flotation Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V Berth - aft double berth Berth - forward vee berth

Forward hatch - low profile acrylic hatch w/screen & shade

Galley - port side galley w/sink, Corian® cutting board & light

Head - enclosed head area w/stainless steel sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out

Lighting - dome lights (4) Lighting - recessed (3) Lighting - reading (2)

Lockable door w/screen & companionway hatch

Microwave oven Mirror Refrigerator

Rod storage - aft berth

Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready;

speakers - cabin (2) & cockpit (2)

Storage - galley cabinet & counter Storage - under berth compartments Storage nets

Stove - electric glass top Table - cherry Teak & holly sole

Water heater - 6-gallon (22.7 l), 120V Water tank - 32-gallon (121.1 l) freshwater

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass w/remote switches at helm & windlass

Batteries (4)

Battery charger system

Battery select switches w/extra batteries

Bow pulpit w/roller Cockpit bolsters

Cockpit freshwater shower (recessed) (2)

Cockpit lights - LED lighting

Compass

Cooler - 73-qt. (69.1 l) port insulated cooler w/ob drain

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (14) Factory engine pre-rigging Fighting chair reinforcement

Fish box - 304-qt. (287.7 l) aft insulated fish box

Footrests - helm & companion (adjustable)
Freshwater level indicator

Fuel capacity - 290 gallons (151-gallon tank, 139-gallon tank) (1098 l)

Hardtop w/flush mount radio box, storage nets, spreader lights, speakers (2), rod holders (6), outrigger plates & canvas (canvas available in

outrigger plates & canvas (canvas availab navy or ivory) Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system
w/swim platform & ladder

International lighting
Livewell – 32-gallon (121.1 l) starboard insulated raw water
livewell w/light, full column distribution inlet &
ob drain (1100 GPH oump) (4164 LPH)

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - companion bench seat

Seating - Deluxe II vertically & horizontally

adjustable helm chair
Seating - fold away aft bench seat w/cushion

Seating - fold away aft bench seat w/cush
Seating - port cooler cushion w/footrest

Spring line cleats Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes - heavy-duty 316 stainless steel

Stern eyes - heavy-duty 316 stainless ste Storage - electromechanically operated

electronics enclosure

Storage - forward anchor locker w/rode storage Storage - lockable storage under companion seat

Transducer mounting flats Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose Windshield - ventilated tempered glass windshield

Windshield washer - freshwater

Windshield wiper

OPTIONAL FEATURES

Air conditioning - 7000 BTU Bow thruster CE certification package Cockpit shower w/hot water Chill plates - refrigeration plates for fishbox/cooler

w/digitally controlled thermostat
Flat screen 15" LCD TV w/DVD player & audio

visual inputs Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity Hardtop top-mounted rod holders (6)

International AC electrical conversion - 220V 50Hz Lighting - underwater LED (2)

Painted hull

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out) Seating - Deluxe III helm chair w/flip-up bolster

Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)



Canyon 306

30' Center Console

Beam Amidships: 10'7" (3.23 m) Bridge Clearance: 7'3" (2.21 m) w/T-top: 9'4" (2.84 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 75 sq. ft. (7.0 m²)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)
Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 290 gal. (1098 l)

Transom Width: 9'6" (2.90 m) Weight w/o Engines: 6950 lb. (3152 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (4) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Anchor windlass w/remote switches at helm & windlass Battery select switches w/extra battery

Cleats - flushmount (pop up)

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (7)

Factory engine pre-rigging

Fish box - 150-qt. (142 l) port & starboard insulated fish boxes w/ob drain

Fish box - 304-qt. (287.7 l) aft insulated fish box w/ob drain Forward bolsters

Fuel capacity - 290 gallons (150-gallon tank, 140-gallon tank) (1098 l)

Hydraulic trim tabs w/indicator & retractor
Integrated outboard mounting system w/swim platform

& ladder International lighting

Rod holders (6)

Rod storage racks - lockable horizontal (6) Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions Stern eyes - heavy-duty 316 stainless steel Storage nets

Transducer mounting flats Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose Water tank - 32-gallon (121.1 l) freshwater

Console

Accessory outlet - 12V (2)

Compass

Console ventilator

Drink holders - stainless steel (2)

Head – lockable console w/stand up head area, dome light, shower, sink, bulk storage drawers, marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door Storage - under footrest

Window - opening window w/screen Windshield - tempered glass windshield

Windshield washer - freshwater

Windshield wiper

Deluxe Lean Bar

Footrests

Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station - freshwater sink w/pullout faucet & insulated bait box

Rod holders (2)

Seating - lean bar mounted Deluxe II helm chairs (2)

Storage - lockable bulk storage Storage - lockable tackle trays

OPTIONAL FEATURES

Bow thruster

Casting platform insert w/cushions

CE certification package

Convenience package - battery charger & dockside power w/galvanic isolator

Head - marine head w/electric flush (10-gallon) (37.9 l) Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

(w/T-top option only)

Painted hull

Painted T-top frame (requires T-top option)
Seating - lean bar mounted Deluxe III helm chairs w/foot rest & flip-up bolsters (2)

Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)

Stereo system w/MP3/auxiliary audio connections/ amplifier & fold down storage - satellite ready; speakers - console forward (2) & lean bar (2)

T-top (fiberglass) w/radio box, dome light, storage net, fore/aft spreader lights, rod holders (4) & outrigger plates

T-top speakers (2) (requires stereo & T-top options)
Table (bow)

CANVAS OPTIONS

(Available in ivory or navy) T-top front & side curtains



Freedom 307

30' Dual Console

Beam Amidships: 10'7" (3.23 m) Bridge Clearance: 6'11" (2.11 m) w/Hardtop: 8'10" (2.69 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Area: 80 sq. ft. (7.4 m²)

Hull Draft: 22" (0.56 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 206 gal. (780 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 7965 lb. (3613 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH) Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails
Fire extinguisher holder

Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (6)

Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass
Battery select switches w/extra batteries

Cleats - flushmount (pop up) Cockpit bolsters

Cockpit boisters

Cockpit freshwater shower (recessed)
Cockpit lights-LED lighting

Companion grab rail

Cutting board

Deck hardware - 316 grade stainless steel through-bolted Drink holders - stainless steel (17)

Factory engine pre-rigging

Fish box - 150-qt. (141.9 l) starboard insulated fish box w/ob drain

Fish box - 251-qt. (237.5 l) aft insulated fish box w/ob drain Footrests - helm & companion

Forward bolsters

Fuel capacity - 206-gallon (780 l) tank

Head - lockable console w/stand up head area, sink, bulk storage, marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim platform & ladder International lighting

Rod holders (4)

Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert

Seating - electric extendable port lounge seat

 $Seating-electronically-adjustable\ helm\ bench\ seat$

Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/amplifier &

fold down mstorage - satellite ready; speakers - aft (2), bow (2) & helm (2)

Stern eves - heavy-duty 316 stainless steel

Storage - aft box

Storage - forward anchor locker w/rode storage

Storage - port bow box

Storage - starboard console storage drawer

Storage - starboard lockable storage area w/service light

Table - bow (doubles in cockpit area)

Transom door - fiberglass

Washdown - freshwater Washdown - pressurized raw water w/hose

Water tank - 32-gallon (121.1 l) freshwater Wet bar w/sink, storage tray, storage drawer and

trash compartment

Windshield - walk-through tempered glass windshield

Windshield washer - freshwater Windshield wiper (starboard)

OPTIONAL FEATURES

Air conditioning - 3500 BTU

Bow thruster

CE certification package

Convenience package - battery charger & dockside power

w/galvanic isolator Deluxe bar w/grill, inverter & refrigerator (replaces sink) Hardtop w/radio box, storage net, spreader lights &

outrigger plates

Hardtop speakers (2) in lieu of helm speakers

Hardtop top-mounted rod holders
Head - marine head w/electric flush (10-gallon) (37.9 l)

International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)
Livewell - 32-gallon (121.1 l) aft insulated raw water
livewell w/light, full column distribution inlet &

ob drain (1100 GPH pump) (4164 LPH) Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted

(hardtop option only)

Painted hull Seating - starboard sleeper seat

Sirius satellite radio system

71.: ...I...

Steering - power assist (standard w/TF300 & TF350 pkgs)

Sun platform insert w/cushion Wet bar w/refrigerator

CANVAS OPTIONS

(Available in ivory or navy)
Aft curtain (hardtop or vista top)

Bow cover

Drop curtain (hardtop or vista top)

Hardtop front & side curtains Lounge seat cover

Tonneau cover

Vista top w/boot

Vista top front & side curtains Wet bar cover

45



Express 330

33' Express Cabin

Beam Amidships: 11'7" (3.53 m) Bridge Clearance w/Hardtop: 9'10" (3 m) Center Line Length: 33'6" (10.21 m) Cockpit Depth: 29" (0.74 m) Cockpit Area: 80 sq. ft. (7.4 m²) Hull Draft: 25" (0.64 m) Length Overall (w/pulpit): 35'10" (10.92 m) Maximum HP: 700 (522 kW) Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 350 gal. (1325 l) Transom Width: 10'6" (3.20 m) Weight w/o Engines: 10,840 lb. (4917 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH) Basic flotation Bow rail - 316 grade stainless steel Cockpit toe rails Companion grab rail Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V Air conditioning - 12,000 BTU Berth - aft double berth Berth - forward vee berth Flat screen 15" LCD TV w/DVD player & audio visual inputs Forward hatch - low profile acrylic hatches w/retractable screen & shade (2) Forward hatch curtains Galley - port side galley w/sink, light & Corian® cutting board

Head - enclosed ventilated head area w/sink, shower,

lamps, storage cabinet & VacuFlush® marine head w/10-gallon (37.9 I) holding tank & pump out

Lighting - dome lights (4) Lighting - recessed (2) Lighting - reading

Lockable door w/screen & companionway hatch

Microwave oven Mirrors Refrigerator Rod storage racks

Stereo system w/MP3/auxiliary audio connections/ amplifier & fold down storage - satellite ready; speakers - cabin (2), cockpit (2) & helm (2)

Storage - cherry galley cabinets Storage - under berth compartments

Storage nets Stove - electric glass top Table - cherry Teak & holly sole Water heater - 6-gallon (22.7 I), 120V Water tank - 44-gallon (166.6 l) freshwater

Cockpit & Deck 100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass w/remote switches at helm & windlass Batteries (4) Battery charger system Battery select switches w/extra batteries Bow pulpit w/roller Cockpit bolsters Cockpit freshwater shower (recessed) Cockpit lights - LED lighting Compass Cooler - 56-qt. (53 I) port helm seat cooler

Deck hardware - 316 grade stainless steel through-bolted Dockside power w/galvanic isolator

Drink holders - stainless steel (8) Factory engine pre-rigging Fighting chair reinforcement

Fish box - 254-qt. (240.4 l) aft insulated fish box w/ob drain

Footrest - helm (adjustable) Fuel capacity - 350 gallons (150-gallon tank, 200-gallon tank) (1325 l)

Generator - 4kW diesel, 13-gallon (49.2 I) fuel capacity Hardtop w/radio box, storage net, spreader lights, rod holders (6), outrigger plates, low profile acrylic hatch & canvas (canvas available in navy or ivory)

Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim

platform & ladder International lighting

Livewell - 45-gallon (170.3 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station w/freshwater sink & pullout faucet Rod holders - gunwale (4)

Rod storage racks - horizontal (4) Rubrail - high density PVC w/stainless steel insert

Seating - fold away aft bench seat w/cushion Seating - helm area surround seat

Seating - vertically & horizontally adjustable

deluxe helm chair Spring line cleats

Steering - hydraulic tilt Steering wheel - 316 grade stainless steel

Stern eves - heavy-duty 316 stainless steel Storage - aft deck lift out box Storage - electromechanically operated

electronics enclosure

Storage - forward anchor locker w/rode storage Storage - under helm area surround seating

Storage nets Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose

Windshield - ventilated tempered glass windshield

Windshield washer - freshwater Windshield wiper

OPTIONAL FEATURES

Air conditioning - 12,000 BTU at helm Bow thruster CE certification package Cockpit shower w/hot water Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain

Hardtop enclosure - integrated painted aluminum frame w/ safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers, rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (canvas available in navy or ivory) International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out) Painted hull

Seating - Deluxe III helm chair w/flip-up bolster Seating - Deluxe Platinum vertically & horizontally

adjustable helm chair Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs)



Canyon 336

33' Center Console

Beam Amidships: 11'7" (3.53 m) Bridge Clearance: 8' (2.44 m) w/T-Top: 9'2" (2.79 m) Center Line Length: 33'6" (10.21 m)

Cockpit Depth: 29" (0.74 m)

Cockpit Area: 80 sq. ft. (7.4 m²) Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m) Standard Fuel Capacity: 350 gal. (1325 |)

Transom Width: 10'6" (3.20 m)

Weight w/o Engines: 9200 lb. (4173 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11356 LPH) Basic flotation Bow rail - low profile 316 grade stainless steel Cockpit toe rails Console grab rail (2) Fire extinguisher holder Nonskid fiberglass liner Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck Anchor windlass w/remote switches at helm & windlass Battery charger Battery select switches w/extra batteries Cleats - flushmount (pop up) Cockpit bolsters

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Cutting boards (2)

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator Drink holders - stainless steel (7) Factory engine pre-rigging

Fish box - 165-qt. (156.1 I) port & starboard insulated fish boxes w/ob drain

Fish box - 291-gt. (275.4 I) aft insulated fish box w/ob drain Forward bolsters

Fuel capacity - 350 gallons (1325 I) Hydraulic trim tabs w/indicator & retractor Integrated outboard mounting system w/swim platform & ladder

International lighting Rod storage racks-horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions Stern eves - heavy-duty 316 stainless steel

Storage - aft transom drop in box Storage - forward anchor locker w/rode storage

Storage nets Transom door - fiberglass Washdown - freshwater

Washdown - pressurized raw water w/hose (2 outlets)

Water tank - 44-gallon (166.6 l) freshwater

Console

Accessory outlet - 12V (2) Berth Compass Console ventilator Drink holders - stainless steel (3) Head - lockable console w/stand up head area, dome light,

shower, sink, bulk storage, drawers, VacuFlush® head, 10-gallon (37.9 I) holding tank & pump out

Rod storage - vertical lockable storage for 6 rods Seating - molded forward console seat w/cushion (3)

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stereo system w/MP3/auxiliary audio connections/amplifier &

fold down storage - satellite ready; speakers - console forward (2) & helm (2)

Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest Storage pockets (3)

Window - opening window w/screen Windshield - tempered glass windshield

Windshield washer - freshwater Windshield wiper

Deluxe Lean Bar

Knife & pliers holders (2)

Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station - lean bar station w/freshwater washdown & 104-qt. (98.4 l) cooler

Rod holders (6)

Seating - lean bar mounted Deluxe III helm chairs w/footrest & flip-up bolsters (3)

Storage - lockable bulk storage Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning in console w/2 outlets at helm (6,000 BTU) Bow thruster Casting platform insert w/cushions CE certification package

Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain

Generator - 4kW diesel, 12-gal. (45.4 l) fuel capacity International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)

Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)

Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (w/T-top option only)

Painted hull

Painted lean bar rod holders

Painted T-top frame (requires T-top option)

Sirius satellite radio system

Steering - power assist (standard w/TF300 & TF350 pkgs) T-top (fiberglass) w/radio box, antenna flats, dome light, storage net, fore/aft spreader lights, rod holders (5), outrigger plates & stereo speakers (2)

Water heater - 6 gal. (22.7 l) (includes hot water cockpit shower)

CANVAS OPTIONS

(Available in ivory or navy) T-top front & side curtains

Express 360

36' Express Cabin

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/Hardtop: 10'6" (3.20 m) Center Engine: 30" (0.76 m)

Center Line Length: 36'7" (11.15 m)

Cockpit Depth: 28" (0.71 m)

Cockpit Area: 96 sq. ft. (8.9 m²)

Hull Draft: 29" (0.74 m)

Length Overall (w/pulpit): 39'3" (11.96 m)

Maximum HP: 1050 (783 kW) **Outboard Shaft Length:**

Port & Starboard Engines: 25" (0.64 m)

Center Engine: 30" (0.76 m)

Standard Fuel Capacity: 370 gal. (1401 |)

Transom Width: 11'4" (3.45 m) Weight w/o Engines: 14,919 lb. (6767 kg)

STANDARD FEATURES

Fire extinguisher holder

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH) **Basic flotation** Bow rail - 316 grade stainless steel Cockpit toe rails Companion hand rails

Nonskid fiberglass surfaces Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Accessory outlet - 110V duplex outlet (3) Accessory outlet - 12V Air conditioning - 16,000 BTU

Berth - aft double berth w/mattress Berth - convertible dinette area Berth - forward vee berth w/mattress

Cable TV inlet

Cherry cedar-lined pullout hanging closet

Cherry dinette table w/adjustable stainless steel base (seats 4) Corian® shelf w/Drink holders - stainless steel behind dinette Flat screen 15" LCD TV w/DVD player & audio visual inputs Forward hatch - low profile acrylic hatches w/retractable screen shade (2)

Illuminated etched glass in bulkhead

Lighting - dome light Lighting - reading light Lighting - recessed (2) Lighting - skylight Lighting - step lights (2)

Lockable sliding door w/separate screen door

Rod storage racks - aft berth (6)

Seating - premium vinyl surface dinette surround cushions Sirius satellite service

Stereo system w/MP3/auxiliary audio connections/amplifier & flip-down storage; speakers - cabin (2), cockpit (2) &

Storage - cherry dinette storage cabinet

Storage - molded-in fiberglass storage under dinette

Storage - molded-in fiberglass under berth compartments (3)

Storage - shelves

Storage - stacked cherry drawers under forward berth (2)

Teak and holly sole

Water heater - 11-gallon (41.6 l) 120V

Water level indicator gauge

Water tank - 54-gallon (204.4 I) freshwater

Electric glass top stove w/2 burners Freezer drawer w/ice maker

Lighting - galley rail light

Microwave oven - 1.1 cu. ft. (0.03 m³) convection microwave oven - 120V 60Hz

Refrigerator drawer - stainless steel

Sinks - stainless steel w/Corian® counter surface (2)

Storage - cabinet w/cherry doors over galley

Storage - premium cherry drawers & doors under galley

Storage - cherry pull out trash container area

Head

Enclosed ventilated head area Full length mirror located on door Shower area w/deluxe curtain & cherry floor drain cover Sink w/Corian® counter surface Storage - fiberglass cabinet below sink Storage - cherry shelves (2) VacuFlush® marine head w/18-gallon (68 I) holding tank Vanity w/mirror & lamps

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 110V outlet Accessory outlet - 12V (2) Air conditioning - 16,000 BTU at helm Anchor windlass w/chain & rode w/remote switches

at helm & windlass Battery select switches w/extra batteries Bow pulpit w/roller

Bow thruster - Lewmar 185TT 4.5 kW/6.0 HP Cleats - 316 stainless steel 10-inch (25.4 cm) (6)

Cockpit freshwater shower (recessed) (hot & cold)

Cockpit lights - LED lighting

Compass w/light

Cooler - 55-qt. (52.0 l) port side refrigerator/freezer cooler w/digitally controlled thermostat & ob drain

Deck hardware - 316 grade stainless steel through-bolted

Dockside water inlet

Drink holders - stainless steel (10) Fighting chair reinforcement area

Fish box - 291-qt. (275.41) aft refrigerator/freezer fish box w/digitally controlled thermostat & ob drain

Footrests - adjustable port & helm

Fuel capacity - 370 gallons (190-gallon tank, 180-gallon tank) (1401 I)

Generator - 8 kW diesel, 23-gallon (87.1 l) fuel capacity Hardtop w/storage net, recessed spreader lights, recessed stereo speakers, rod holders (6 horizontal, 6 vertical), outrigger plates, low profile acrylic hatches (2) & canvas (canvas available in navy or ivory)

Hydraulic trim tabs (recessed) w/indicator & retractor Integrated outboard mounting system w/swim platform & stainless steel telescoping ladder

International lighting

Livewell - 48-gallon (181.7 l) starboard insulated raw water livewell w/ light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station w/freshwater sink, pullout faucet, insulated bait box, knife/pliers/bait rigs holder & lockable drawers (4)

Rod holders - gunwale (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert Seating - Deluxe Platinum vertically & horizontally

adjustable helm chair

Seating - fold away aft bench seat w/cushion

Seating - port lounge seat w/enclosed storage below

Seating - starboard lounge seat w/convertible configurations & hideaway folding table

Steering - hydraulic tilt w/power assist

Steering wheel - 15-in. (38.1 cm) 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - chart storage at helm

Storage - drawers under starboard seat (2)

Storage - electromechanically operated electronics enclosure

Storage - removable transom storage bin

Storage - under helm footrest

Storage net

Transom door - fiberglass

Washdown - freshwater Washdown - pressurized raw water w/hose & remote switch Windshield - heavy duty welded aluminum windshield

w/tempered glass & electromechanically operated center vent

Windshield washers - freshwater (3) Windshield wipers - self parking w/heavy-duty pantograph arms w/separate controls (3)

Electrical

Batteries (5)

Battery charger system (2)

Battery select switches (2)(3 with triple engines)

Dockside power w/galvanic isolator & 30 amp service outlets w/shore power cords (2)

Factory engine pre-rigging

OPTIONAL FEATURES CE certification package

Hardtop enclosure - integrated painted aluminum frame

w/ safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers. rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (canvas available in navy or ivory) International AC electrical conversion - 220V (50Hz)

Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out) Painted hull



Canyon 366

36' Center Console

Beam Amidships: 13'2" (4.01 m) Bridge Clearance w/T-top: 9' (2.74 m) Center Line Length: 36' 7" (11.15 m) Cockpit Depth: 28" (0.71 m)

Cockpit Area: 85 sq. ft. (7.9 m²)

Hull Draft: 29" (0.74 m) Maximum HP: 1050 (783 kW)

Outboard Shaft Length:

Port & Starboard Engines: 25" (0.64 m) Center Engine: 30" (0.76 m)

Standard Fuel Capacity: 420 gal. (1590 l)

Transom Width: 11' 4" (3.45 m) Weight w/o Engines: 12,850 lb. (5829 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)

Basic flotation Bow rail - low profile 316 stainless steel

Cockpit toe rails

Console grab rail (2) Fire extinguisher holder

Lean bar grab rails (2) Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (6) Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Anchor windlass w/remote switches at helm & windlass Battery charger

Battery select switches w/extra batteries

Bow thruster

Cleats - flushmount (pop up) Cockpit bolsters

Cockpit freshwater shower (recessed) Cockpit lights - LED lighting

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders - stainless steel (6)

Factory engine pre-rigging

Fish box - 263-qt. (248.9 l) port & starboard insulated

fish boxes w/ob drain

Fish box - 291-qt. (275.4 I) aft insulated fish box w/ob drain

Forward bolsters

Fuel capacity - 420 gallons (1589.8 l) Hvdraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

Lighting - international LED

Rod holders - deck mounted (10) Rod storage racks - horizontal (10)

Rubrail - high density PVC w/stainless steel insert

Seating - fold away aft bench seat w/cushion Seating - port & starboard fish box cushions

Sirius satellite radio system

Stern eyes - heavy-duty 316 stainless steel

Storage - aft transom drop-in box

Storage - forward anchor locker w/rode storage

Storage - rod pods with nets, LED lighting, and Drink holders -

stainless steel (4) Transom door - fiberglass

Washdown - freshwater Washdown - pressurized raw water w/hose (2 outlets) Water tank - 54-gallon (204.4 I) freshwater

Console

Accessory outlet - 110V Accessory outlet - 12V (2)

Drink holders - stainless steel - stainless steel (4) Seating - molded forward console seat w/cushion

Steering - hydraulic tilt w/power assist Steering wheel - 316 grade stainless steel

Stereo system w/MP3/auxiliary audio connections/ amplifier - satellite ready; speakers - aft (2), console (2) &

console forward (2) Storage - electromechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest T-top - integrated painted aluminum frame w/radio box,

LED down lights (4), storage net, LED spreader lights (3), outrigger plates, stereo speakers (2) & hatch

T-top canvas - port & starboard wings

T-top chart bag (ivory) Ventilator - solar powered Water level indicator gauge

Window - tinted frameless acrylic

Windshield - tempered glass, integrated w/T-top Windshield washer - freshwater Windshield wiper

Console Interior

Berth - aft bulk storage

Berth cushion w/electrically adjustable bolster

Cherry flooring

Cherry wall w/mirrored storage cabinet, magazine rack &

rigging access Drink holders - stainless steel (2)

Head - stand up head area, shower, storage drawer,

sink w/Corian counter surface, VacuFlush® head w/fold down lid & cushion, 10-gallon (37.9 l) holding tank & pump out Lighting - dome light

Lighting - tinted glass skylight Mirror

Refrigerator Rod storage - vertical lockable (5)

Lighting - LED recessed (3)

Storage - bulk storage pockets

Deluxe Lean Bar

Drink holders - stainless steel - stainless steel (4)

Footrests - fold down (2) Knife & pliers holders (2)

Livewell - 41-gallon (155.2 l) insulated raw water livewell w/see-through lid, light, full column distribution inlet & ob drain (110 GPH pump) (4164 LPH)

Rigging station - lean bar station w/freshwater sink &

164-at. (155.2 l) cooler

Rod holders (6)

Seating - lean bar mounted Deluxe III helm chairs

w/flip-up bolsters (3) Storage - lockable bulk storage

Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning in console w/2 outlets at helm (6,000 BTU)

Casting platform insert w/cushions

CE certification package

Flat screen 15" LCD TV w/DVD player & audio visual inputs

Freezer - refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain

Generator - 4 kW diesel, 12-gal (45.4 l) fuel capacity

Grill - 1300 W (replaces lean bar sink) International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)

Livewell - 41-gallon (155.2 l) livewell w/see-through lid

(replaces lean bar cooler)

Microwave Outrigger kit - 15-ft. (4.6 m) radial T-top mounted

Steering - power assist (standard w/T300 & TF350 pkgs) Table - motorized bow table w/cover (converts to forward

platform w/ cushion) Water heater - 6-gallon (22.7 I) (includes hot water

cockpit shower)

CANVAS OPTIONS T-top drop curtains (ivory)

The ultimate in boating satisfaction. The ultimate in versatility, ease of use, comfort, safety and convenience.

- The bow anchor locker allows quick access to the anchor for safety. Many models have power windlasses with remote switches.
- Flush mount electronics areas are standard on most models.
- **3. Comfortable seating** throughout the boat is second to none. Our deluxe seating is fully adjustable for additional comfort. Flip up seat bolsters are available on many models.
- **4. Sound systems** are available on nearly all Grady-Whites. They are standard on our larger models.
- 5. Dry storage. Every Grady has plenty, just what you need to enjoy many activities on the water. Room for tow tools and toys, fishing and dive gear, picnic supplies, towels, extra clothing, personal items and more.
- **6. Easy to maintain and clean stainless steel lined drink holders** are everywhere you need them. Convenient, and fewer slippery spills for safety!
- 7. Storage net is easy to use, easy to get to and perfect for stowing lots of items you can see and quickly locate, especially personal flotation devices (PFDs) in the bigger ones!
- **8. Enclosed head area.** Every Grady-White 20 feet and over offers a head or head option. That's great comfort for all-day adventures.
- Toe rails are easy to maintain and provide additional safety when you lean over the gunwale.
- 10. Take the rods along every trip! There's room for plenty of rods on every Grady-White. Cabin models, T-tops and hardtops often have additional rod racks.
- 11. Patented fold away aft seating is available on most models, opening up more cockpit room. Big cockpits are a Grady-White feature.



- **12. Grady-White's nonskid surfaces** are everywhere you step and really provide traction.
- **13. Tackle storage** and rigging areas are located on most models.
- **14. Insulated ice boxes and fish boxes** drain directly overboard by gravity on every Grady-White.
- 15. Handholds are where you naturally reach.
- **16. Safety windshield** (some models have unbreakable acrylic)
- 17. True self-bailing boat directs water overboard by gravity whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on most models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.
- 18. All Grady-Whites have foam sprayed into the hull for level or basic flotation, even though not required in boats 20 feet and over. This foam also adds strength, thermal insulation and deadens sounds. There is no boat brand with better flotation properties.
- **19. Through-bolted 316 stainless steel hardware** is secured with locking nuts.
- 20. Heavy-duty fiberglass transom door is not only for big fish, but is a safety feature and provides easy access for tow sports, swimming, snorkeling, and more. Solid, 316 stainless transom door hardware is highlighted by a destroyer-sized latch with a positive locking mechanism for added safety.
- 21. Aluminum transom brace is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

You're in command. Boat Smart from the Start! Take a boating education course, and get a vessel safety check for your boat. For more information, contact: U.S. Coast Guard Auxiliary 877-875-6296/800-368-5647 or www.cgaux.org and U.S. Power Squadrons 888-367-8777 or www.usps.org.







