


· 1 9 9 7 ·

Grady-White





You are serious about quality.

That's why you're considering a Grady-White boat. Our craftsmanship is legendary: we build seaworthy boats

that open up a world of adventures on big water for


anglers and their families to enjoy with complete confidence.



Your continuing satisfaction is ensured by our 5-year structural hull warranty. Each layer of a Grady-White hull is

100% hand laid fiberglass for strength and durability. We use superior materials such as 316L stainless steel hardware and Duratrim trimwork—low maintenance, long lasting materials that add to the high resale value.

Come visit our plant and meet the people who create your boat. Our mission is to provide you with the best equipment for the ultimate boating experience.



All fish boxes drain overboard.

You don't compromise safety.

True self-bailing cockpits are a Grady-White hallmark. Any water that comes into the cockpit drains by gravity through large aft scuppers. All fish boxes drain above the waterline. Automatic bilge pumps are standard on all Grady-Whites, and each boat—even those over 20

feet—has enough foam flotation to keep the boat, motor and listed capacity of people from sinking in the unlikely event the boat becomes completely swamped.



The continuously variable vee cuts through waves while the flatter stern provides stability.

You want comfort. Only Grady-White offers the smooth, exciting ride made possible by our exclusive SeaV² hull designs standard for all models 19 feet and up. SeaV² hulls provide side-to-side stability, maximum lift and efficiency, greater maneuverability (even docking is easier!) and less spray for a

drier ride. Every inch of a Grady-White is designed with your comfort and convenience in mind: there are hand holds where you naturally reach, toe rails to secure your feet when you lean over the side, rod holders and racks are standard, and storage is everywhere.

You need a Grady-White because you want a tough, safe, quality boat that maintains value year after year. You need a Grady-White because your family wants comfort. You know you want the best. So go ahead. Get the Grady!



You need because



Anchor locker with rope storage

Safety glass windshields are ventilated for comfort.

Grab rails are at your fingertips at the helm, in the cockpit, walkaround area and when you climb back onboard after a swim.

Solid 100% hand laid hulls and decks provide uniform laminate structure, strength and durability.

Stainless steel screws and blindside fasteners join the hull and liner to the deck with water-tight gaskets sealed with silicone. Stainless screws secure the heavy duty gunwale molding.

Liner is bonded to the stringer system and hull with fiberglass.


All Grady-Whites have foam sprayed into the hull for level (models 175, 192) or basic flotation, even though not required in boats over 20 feet. This foam also adds strength, thermal insulation and deadens sounds.

Stringer system is encapsulated in resin and fiberglassed to the hull.

Protected rigging with factory installed PVC tubing—

Transducer mounting flats are molded in on some models.

a Grady-White boat you want the best.



Double through bolting on threshold of cabin

Automobile type adjustable seats have integrated hand holds.

Insulated fishboxes and iceboxes are above the waterline and drain overboard, never into the bilge. Gutter systems are built into all exterior storage spaces.

Toe rails secure your feet when you lean over the side.

Weather resistant polyethylene rod racks

Through bolted upright rod holders are chrome over bronze.

Engine pre-rigging is installed at the factory and custom fitted to your boat.

Through bolted 316L stainless steel hardware is secured with locking nuts.



Compass standard with pre-rigging

You want your power of choice.

You're not limited to one engine brand when you buy a Grady-White.

Whatever engine you choose, you can be confident by choosing Grady-White's quality factory pre-rigging.

Factory pre-rigging means that engine controls, wiring and instrumentation are installed while your boat is built. Grady-White's craftspeople and stringent quality controls ensure your engine installation delivers optimum performance. We stand behind our work: pre-rigging is covered under Grady-White's factory warranty.

Ensure top quality with Grady-White factory pre-rigging. You deserve your power of choice.



Your engine of choice will be pre-rigged by Grady-White to meet every standard of the National Marine Manufacturers Association, The American Boating and Yacht Council and the United States Coast Guard.

Nonskid self-bailing cockpit directs water overboard whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on cabin models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.

5/16" aluminum transom brace is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

Spirit 175

17' CENTER CONSOLE



SPIRIT 175

- Beam Amidships 7'5"
- Bridge Clearance 4'9"
- Center Line Length 17'5"
- Cockpit Depth 23"
- Cockpit Square Footage 33 sq. ft.
- Hull Draft 12"
- Maximum HP 140 hp
- Standard Fuel Capacity 48 gal.
- Transom Width 7'4"
- Weight w/o Engine 1500 lb.

STANDARD FEATURES

SAFETY

- Automatic bilge pump (1100 GPH)
- Console grab rail

- Level flotation
- Nonskid fiberglass liner
- Self-bailing cockpit w/2 cockpit drains
- Stainless steel, 316 grade bow rail

COCKPIT AND DECK


- 100% hand laid hull and deck
- Bow anchor locker (vertical)
- Fish box - 104-quart insulated fish box/storage area w/ob drain
- Heavy-duty gunwale molding
- International lighting
- Outboard shaft length - 20"
- Raised casting platform
- Rod holders (2)
- Rod storage racks (6 horizontal)
- Seating - pedestal chairs (2)
- Stainless steel, 316 grade through bolted deck hardware
- Storage - 2 aft deck lift out boxes
- Storage - 2 aft rigging compartments

CONSOLE

- Livewell - 48-quart forward aerated livewell
- Plexiglass windshield w/handrail
- Rod storage holders (6 vertical)
- Seating - forward console seat
- Steering - no feedback mechanical
- Steering - stainless steel, 316 grade steering wheel
- Storage - lockable electronics box
- Storage - 2 lockable storage compartments

OPTIONAL FEATURES

- 12-volt accessory outlet
- Bow lifting ring
- Compass
- Folding Bimini top w/boot
- Livewell - raw water
- Seating - bench seat w/reversible back
- Seating - forward platform cushions
- Steering - mechanical tilt
- Stereo/cassette system
- Swim platform w/ladder




Forward console storage



TOURNAMENT 192

Beam Amidships	8'
Bridge Clearance	4'9"
Center Line Length	19'2"
Cockpit Depth	24"
Cockpit Square Footage	37 sq. ft.
Hull Draft	14"
Maximum HP	200 hp
Standard Fuel Capacity	60 gal.
Transom Width	7'8"
Weight w/o Engine	2075 lb.



STANDARD FEATURES

SAFETY

Automatic bilge pump (1100 GPH)
Cockpit toe rails
Companion grab rail
Level flotation
Nonskid fiberglass liner
Self-bailing cockpit w/2 cockpit drains
Stainless steel, 316 grade bow rail

COCKPIT AND DECK

100% hand laid hull and deck
Cockpit lights
Cutting board
Drink holders (6)
Duratrim trim work
Heavy-duty gunwale molding
Integrated outboard mounting system w/swim platform and ladder
International lighting
Outboard shaft length - 25"
Rod holders (4)
Rod storage racks (6 horizontal)
Seating - starboard pedestal chair
Seating - port sleeper seat
Seating - 2 aft seats
Seating - bow cushions
Stainless steel, 316 grade through bolted deck hardware
Steering - no feedback mechanical
Steering - stainless steel, 316 grade steering wheel
Storage - forward anchor locker w/rope storage
Storage - 2 bow seat compartments
Storage - lockable electronics box
Storage - lockable glove box
Storage - 2 lockable console storage compartments
Storage - 53-quart insulated box
Walk through windshield
Windshield wiper (starboard)

OPTIONAL FEATURES

12-volt accessory outlet
Battery select switch
Bow lifting ring
Cockpit shower w/10-gallon fresh water tank
Compass
Gunwale mounted freshwater system
Head - portable
Livewell - aerated
Livewell - raw water
Outrigger kit 15-ft. (gunwale mount)
Seating - deluxe helm & companion chairs
Seating - ice box cushion
Seating - port pedestal chair
Steering - hydraulic
Steering - mechanical tilt
Stereo/cassette system

CANVAS OPTIONS

Aft curtain
Bow cover
Covers for pedestal chairs
Mooring cover
Vista top w/side curtains and boot



Cockpit forward

Tournament 192

19' DUAL CONSOLE



NEW Adventure 208

20' WALKAROUND CABIN



Optional vista top




Helm area with side panel



Cabin interior

ADVENTURE 208

Beam Amidships	8'1"
Bridge Clearance	5'9"
w/Hardtop	7'6"
Center Line Length	20'4"
Cockpit Depth	23"
Cockpit Square Footage	41 sq. ft.
Hull Draft	14"
Maximum HP	230 hp
Standard Fuel Capacity	82 gal.
Transom Width	7'10"
Weight w/o Engine	2650 lb.



STANDARD FEATURES

SAFETY

Automatic bilge pump (1100 GPH)
Basic flotation
Cockpit toe rails
Companion grab rail
Fold down motorwell bulkhead
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/4 cockpit drains
Stainless steel, 316 grade bow rail

CABIN

Berths - 2 forward vee berths
Cabin light
Forward hatch
Lockable door w/screen & companionway hatch
Rod storage holders (4)
Storage - 3 under berth compartments
Storage - marine head compartment
Windows - 2 opening port windows w/screens

COCKPIT AND DECK

100% hand laid hull and deck
Cockpit lights
Drink holders (4)
Duratrim trim work

Fish box - 103-quart port fish box w/ob drain
Fish box - 106-quart starboard fish box w/ob drain
Footrests (helm & companion)
Heavy-duty gunwale molding
International lighting
Outboard shaft length - 25"
Rod holders (4)
Rod storage racks (6 horizontal)
Seating - 2 pedestal chairs
Seating - 2 aft seats
Seating - foredeck cushions
Spring line cleats
Stainless steel, 316 grade through bolted deck hardware
Steering - no feedback mechanical
Steering - stainless steel, 316 grade steering wheel
Storage - forward anchor locker w/rope storage
Storage - lockable electronics box
Storage - lockable storage under helm chair
Storage - 2 tackle drawers under companion chair
Ventilated windshield
Windshield wiper (starboard)

OPTIONAL FEATURES

12-volt accessory outlet
Battery select switch
Bow lifting ring
Bow pulpit
Cockpit shower w/ 10-gallon fresh water tank
Compass
Gunwale mounted freshwater system
Hard top w/radio box & spreader lights
Hard top rod holders
Head - portable
Head - portable w/in-line macerator
Head - w/deck pump out
Hydraulic trim tabs*
Livewell - aerated
Livewell - raw water
Outtrigger kit 15-ft. (gunwale mount)
Outtrigger kit 15-ft. (hardtop mount)
Seating - port & starboard fish box cushions
Steering - hydraulic
Stereo/cassette system
Swim platform w/ladder
Washdown - pressurized sea water w/hose
Windshield wiper (port)

CANVAS OPTIONS


Covers for pedestal chairs
Drop curtain
Hardtop curtains
Helm station cover
Mooring cover
Vista top w/side curtains and boot

*Recommended for offshore use



Escape 209

20' CENTER CONSOLE



Insulated bow fish boxes



Head compartment and livewell




Optional Bimini top



Optional lean bar

ESCAPE 209

- Beam Amidships 8'1"
- Bridge Clearance 5'9"
- Center Line Length 20'4"
- Cockpit Depth 23"
- Cockpit Square Footage 51 sq. ft.
- Hull Draft 14"
- Maximum HP 230 hp
- Standard Fuel Capacity 82 gal.
- Transom Width 7'10"
- Weight w/o Engine 2450 lb.



STANDARD FEATURES

SAFETY

- Automatic bilge pump (1100 GPH)
- Basic flotation
- Cockpit toe rails
- Console grab rail
- Fold down motor well bulkhead
- Nonskid fiberglass liner
- Self-bailing cockpit w/2 cockpit drains
- Stainless steel, 316 grade bow rail

COCKPIT AND DECK

- 100% hand laid hull and deck
- Cockpit lights
- Fish box - 83-quart port fish box w/ob drain
- Fish box - 120-quart starboard fish box w/ob drain
- Heavy-duty gunwale molding
- International lighting
- Outboard shaft length - 25"
- Raised casting platform
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - 2 aft seats
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Storage - forward anchor locker w/rope storage
- Storage - 2 aft rigging compartments

CONSOLE

- Drink holders (2)
- Livewell - 38-quart forward raw water livewell
- Plexiglass windshield w/handrail
- Rod storage holders (6 vertical)
- Seating - forward console seat w/cushion
- Steering - no feedback mechanical
- Steering - stainless steel, 316 grade steering wheel
- Storage - forward compartment for storage or portable head
- Storage - lockable electronics box
- Storage - 2 lockable storage compartments

OPTIONAL FEATURES

- 12-volt accessory outlet
- Battery select switch
- Bow lifting ring
- Bow pulpit
- Cockpit bolsters
- Cockpit shower w/10-gallon fresh water tank
- Compass
- Gunwale mounted freshwater system
- Head - portable
- Hydraulic trim tabs*
- Livewell (lean bar option only) - 23-gallon raw water w/cushion seat
- Outrigger kit 15-foot (gunwale mount)
- Outrigger kit 15-foot (Top Gun T-top mount)
- Rod storage holders on deluxe lean bar (4)
- Seating - forward platform cushions
- Seating - bench seat w/reversible back
- Seating - deluxe lean bar w/backrest
- Seating - deluxe helm and companion chairs
- Steering - hydraulic
- Steering - mechanical tilt
- Stereo/cassette system
- Swim platform w/ladder
- T-top w/rod holders and radio box
- T-top spreader light
- Washdown - pressurized sea water w/hose

CANVAS OPTIONS

- Bimini top w/boot
- Casting platform privacy curtain
- Casting platform sprayhood w/boot
- Connector top to sprayhood
- Console cover
- Covers for pedestal chairs
- Mooring cover

*Recommended for offshore use



Tournament 22

22' DUAL CONSOLES



Helm area with lockable electronics box




Optional vista top and side curtains



Cockpit forward

TOURNAMENT 22

- Beam Amidships 8'
- Bridge Clearance 5'5"
- Center Line Length 22'2"
- Cockpit Depth 26"
- Cockpit Square Footage 49 sq. ft.
- Hull Draft 15"
- Maximum HP 230 hp
- Standard Fuel Capacity 92 gal.
- Transom Width 7'11"
- Weight w/o Engine
 - 223 2875 lb.
 - 225G 3000 lb.



STANDARD FEATURES

	223	225G
SAFETY		
Automatic bilge pump (1500 GPH)	X	X
Basic flotation	X	X
Cockpit toe rails	X	X
Companion grab rail	X	X
Fold down motor well bulkhead	X	
Nonskid fiberglass liner	X	X
Self-bailing cockpit w/4 cockpit drains ...	X	X
Stainless steel, 316 grade bow rail	X	X
COCKPIT AND DECK		
100% hand laid hull and deck	X	X
Bait rigging area w/cutting board and drink holders	X	X
Cockpit lights	X	X
Drink holders (6)	X	X
Duratrims trim work	X	X
Fish box - 190-quart starboard fish box w/ob drain	X	X
Fish box - divided port fish box (90-quart & 45-quart sections, both w/ob drain)	X	X
Fish box - 60-quart aft fish box	X	X
Footrests (helm & companion)	X	X
Heavy-duty gunwale molding	X	X

Ice box - 30-quart bow seat starboard ice box	X	X
International lighting	X	X
Outboard shaft length - 25"	X	X
Rod holders (4)	X	X
Rod storage holders (4 vertical)	X	X
Rod storage racks (6 horizontal)	X	X
Seating - 2 pedestal chairs	X	X
Seating - port & starboard fish box cushions	X	X
Seating - 2 aft seats	X	X
Seating - bow cushions	X	X
Spring line cleats	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X
Steering - hydraulic	X	X
Steering - no feedback mechanical	X	X
Steering - stainless steel, 316 grade steering wheel	X	X
Storage - forward anchor locker w/rope storage	X	X
Storage - bow seat port storage compartments	X	X
Storage - lockable electronics box	X	X
Storage - lockable glove box	X	X
Storage - lockable console storage compartment	X	X
Storage - lockable console tackle drawers	X	X
Walk through windshield	X	X
Windshield wiper (starboard)	X	X

OPTIONAL FEATURES

12-volt accessory outlet	X	X
Auxiliary fuel capacity - 56-gallon	X	X
Battery select switch	X	X
Bow lifting ring	X	X
Bow pulpit	X	X
Cockpit bolsters	X	X
Cockpit shower w/10-gal. freshwater tank	X	X
Compass	X	X
Gunwale mounted freshwater system	X	X
Hydraulic trim tabs*	X	X
Livewell - raw water	X	X
Outrigger kit 15-ft. (gunwale mount)	X	X
Seating - deluxe helm & companion chairs	X	X
Seating - sleeper seat (port)	X	X
Steering - hydraulic	X	X
Stereo/cassette system	X	X
Swim platform w/ladder	X	X
Swim platform w/ladder (full width)	X	X
Washdown - pressurized sea water w/hose	X	X

CANVAS OPTIONS

Bow cover	X	X
Covers for pedestal chairs	X	X
Drop curtain	X	X
Mooring cover	X	X
Vista top w/side curtains and boot	X	X

*Recommended for offshore use




225G aft cockpit



SEAFARER 22

Beam Amidships	8'
Bridge Clearance	6'2"
w/Hardtop	7'11"
Center Line Length	22'2"
Cockpit Depth	26"
Cockpit Sq. Footage	49 sq. ft.
Hull Draft	15"
Maximum HP	280 hp
Standard Fuel Capacity	92 gal.
Transom Width	7'11"
Weight w/o Engine	
226	2875 lb.
228G	3000 lb.



STANDARD FEATURES

SAFETY	226	228G
2 automatic bilge pumps (total 2200 GPH)	X	X
Basic flotation	X	X
Cockpit toe rails	X	X
Companion grab rail	X	X
Fold down motorwell bulkhead	X	X
Nonskid fiberglass liner	X	X
Nonskid recessed walkaround	X	X
Self-bailing cockpit w/4 cockpit drains ...	X	X
Stainless steel, 316 grade bow rail	X	X
CABIN	226	228G
Berths - 2 forward vee berths	X	X
Cabin light	X	X
Forward hatch	X	X
Lockable door w/screen & companionway hatch	X	X
Rod storage holders (4)	X	X
Storage - 3 under berth compartments ...	X	X
Storage - cabinet	X	X
Storage - marine head compartment	X	X
Windows - 2 front windows	X	X
Windows - 2 sliding side windows w/screens	X	X

COCKPIT AND DECK	226	228G
100% hand laid hull and deck	X	X
Bait rigging area w/cutting board & drink holders	X	X
Cockpit lights	X	X
Drink holders (4)	X	X
Duratrим trim work	X	X
Fish box - 190-quart starboard fish box w/ob drain	X	X
Fish box - divided port fish box (80-quart & 45-quart sections, both w/ob drain)	X	X
Fish box - 60-quart aft fish box	X	X
Footrests (helm & companion)	X	X
Heavy-duty gunwale molding	X	X
International lighting	X	X
Outboard shaft length - 25"	X	X
Rod holders (4)	X	X
Rod storage holders (4 vertical)	X	X
Rod storage racks (6 horizontal)	X	X
Seating - 2 pedestal chairs	X	X
Seating - port aft facing seat	X	X
Seating - starboard fish box cushion	X	X
Seating - 2 aft seats	X	X
Seating - foredeck cushions	X	X
Spring line cleats	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X
Steering - hydraulic	X	X
Steering - no feedback mechanical	X	X
Steering - stainless steel, 316 grade steering wheel	X	X
Storage - forward anchor locker w/rope storage	X	X
Storage - lockable helm station radio box	X	X
Storage - tackle drawers under helm & companion chairs	X	X
Ventilated windshield	X	X
Windshield wiper (starboard)	X	X

OPTIONAL FEATURES

	226	228G
12-volt accessory outlet	X	X
Auxiliary fuel capacity - 56-gallon	X	X
Battery select switch	X	X
Bow lifting ring	X	X
Bow pulpit	X	X
Cockpit bolsters	X	X
Cockpit shower w/10-gal. freshwater	X	X
Compass	X	X
Gunwale mounted freshwater system	X	X
Hard top w/radio box & spreader lights ..	X	X
Hard top rod holders	X	X
Head - portable	X	X
Head - portable w/in line macerator	X	X
Head - w/deck pump out	X	X
Hydraulic trim tabs*	X	X
Livewell - aerated	X	X
Livewell - raw water	X	X
Outrigger kit 15-ft. (gunwale mount)	X	X
Outrigger kit 15-ft. (hardtop mount)	X	X
Seating - deluxe helm & companion chairs	X	X
Steering - hydraulic	X	X
Steering - tilt	X	X
Stereo/cassette system	X	X
Swim platform w/ladder	X	X
Swim platform w/ladder (full width)	X	X
Washdown - pressurized sea water w/hose ..	X	X
Windshield wiper (port)	X	X

CANVAS OPTIONS	226	228G
Covers for pedestal chairs	X	X
Drop curtain	X	X
Folding top & side curtains w/boot ...	X	X
Hardtop curtains	X	X
Helm station cover	X	X
Mooring cover	X	X

*Recommended for offshore use



Cabin interior

Seafarer 22

22' WALKAROUND CABIN



Vista top




Cockpit shower



Fold down bulkhead

NEW Gulfstream 232

23' WALKAROUND CABIN



Aft bench seat




Helm station with lockable electronics box



Cabin interior

GULFSTREAM 232

Beam Amidships	9'3"
Bridge Clearance	6'5"
w/Hardtop	8'2"
Center Line Length	23'5"
Cockpit Depth	27"
Cockpit Square Footage	56 sq. ft.
Hull Draft	17"
Maximum HP	350 hp
Standard Fuel Capacity	148 gal.
Transom Width	8'10"
Weight w/o Engine	
232G	4025 lb.
232GT	4092 lb.



STANDARD FEATURES

SAFETY

2 Automatic bilge pumps (total 2600 GPH)
Basic flotation
Cockpit toe rails
Companion grab rail
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/4 cockpit drains
Stainless steel, 316 grade bow rail

CABIN

Cabin lights
Berths - 2 berths (upper & lower)
Forward hatch
Ice box - insulated ice box w/ob drain
Lockable door w/screen & companionway hatch
Mirror
Port side galley w/sink
Rod storage holders (2)
Storage - forward compartment
Storage - port compartment
Storage - marine head compartment
Storage - under berth compartment
Storage - under sink compartment
Storage - under step compartment
Windows - 2 front windows
Windows - 2 opening port windows w/screens

COCKPIT AND DECK

100% hand laid hull and deck
Cockpit lights
Drink holders (4)
Duratrim trim work
Ice box - 38-quart port insulated
ice box w/ob drain
Fish box - 265-quart starboard insulated
fish box w/ob drain
Fish box - 38-quart insulated aft
deck boxes w/ob drains (2)
Footrests (helm & companion)
Fuel tanks - 92-gallon tank, 56-gallon tank
Heavy duty gunwale molding

Hydraulic trim tabs
International lighting
Livewell - 104-quart port insulated raw water
livewell w/ob drain
Outboard shaft length - 25"
Rod holders (4)
Rod storage racks (6 horizontal)
Seating - foredeck cushions
Seating - 2 pedestal chairs
Seating - port aft facing seat
Seating - starboard fish box cushion
Seating - molded in aft bench seat
Spring line cleats
Stainless steel, 316 grade through bolted
deck hardware
Steering - hydraulic
Steering - stainless steel, 316 grade steering wheel
Storage - forward anchor locker w/rope storage
Storage - lockable electronics box
Storage - 2 tackle trays under helm chair
Storage - 2 tackle drawers under companion seat
Ventilated windshield
Washdown - pressurized sea water w/hose
Water tank (fresh) - 10-gallon
Windshield wipers

OPTIONAL FEATURES

12-volt accessory outlet
Battery select switch
Bow lifting ring
Bow pulpit
Cockpit bolsters
Cockpit shower
Compass
Cushions - lower berth filler cushions
Fuel option twins only - 182-gallon total capacity
(90-gallon tank, 92-gallon tank)
Gunwale mounted freshwater system
Hard top w/radio box & spreader lights
Hard top rod holders
Head - w/deck pump out
Head - portable
Head - portable w/in line macerator
Outrigger kit 15-ft. (gunwale mount)
Outrigger kit 15-ft. (hardtop mount)
Outrigger kit 18-ft. (Lee Jr. cabin side mount)
Rod storage - folding cabin rack (6)
Seating - deluxe helm & companion chairs
Steering - tilt
Stereo/cassette system
Swim platform w/ladder
Swim platform w/ladder (full width)
Windshield washer - starboard (freshwater)


CANVAS OPTIONS

Covers for pedestal chairs
Drop curtain
Hardtop curtains
Helm station cover
Vista top w/side curtains and boot



Advance 247

24' CENTER CONSOLE



Optional t-top with radio box




Aft seat with transom door



Lockable enclosed head

ADVANCE 247

Beam Amidships	8'6"
Bridge Clearance	6'10"
w/T-top	8'5"
Center Line Length	24'9"
Cockpit Depth	26"
Cockpit Square Footage	62 sq. ft.
Hull Draft	15"
Maximum HP	350 hp
Standard Fuel Capacity	151 gal.
Transom Width	7'10"
Weight w/o Engine	3500 lb.



STANDARD FEATURES

SAFETY

- Automatic bilge pump (1500 GPH)
- Basic flotation
- Cockpit toe rails
- Console grab rail
- Nonskid fiberglass liner
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

COCKPIT AND DECK

- 100% hand laid hull and deck
- Cockpit lights
- Fish box - 120-quart divided port fish box w/ob drain
- Fish box - 120-quart starboard fish box w/ob drain
- Heavy-duty gunwale molding
- Hydraulic trim tabs
- Integrated outboard mounting system w/swim platform & ladder
- International lighting
- Outboard shaft length (twin) - 25"
- Outboard shaft length (single) - 30"
- Raised casting platform

- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - molded in aft bench seat w/cushion
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Storage - forward anchor locker w/rope storage
- Transducer mounting flats
- Transom door

CONSOLE

- Console ventilator
- Drink holders (2)
- Head - lockable console w/stand-up head area
- Plexiglass windshield w/handrail
- Steering - hydraulic
- Steering - stainless steel, 316 grade steering wheel
- Storage - lockable electronics box
- Storage - under footrest

OPTIONAL FEATURES

- 12-volt accessory outlet
- Battery select switch
- Bow lifting ring
- Bow pulpit
- Cockpit bolsters
- Cockpit shower w/20-gallon fresh water tank
- Compass
- Electronics flush mount kit
- Gunwale mounted freshwater system
- Head - w/ deck pump out
- Head - portable
- Head - portable w/in-line macerator
- Livewell - 23-gallon raw water w/cushion seat
- Outrigger kit 15-ft. (gunwale mount)
- Outrigger kit 15-ft. (Top Gun T-top mount)
- Rod storage holders on deluxe lean bar (4)
- Seating - deluxe helm & companion chairs
- Seating - deluxe lean bar w/backrest
- Seating - forward platform cushions
- Steering - tilt
- Stereo/cassette system
- Storage - lockable storage in lean bar seat
- Storage - lockable tackle trays in lean bar seat
- T-top spreader light
- T-top w/rod holders & radio box
- Washdown - pressurized sea water w/hose

CANVAS OPTIONS

- Bimini top w/boot
- Casting platform privacy curtain
- Casting platform sprayhood w/boot
- Connector top to sprayhood
- Console cover
- Covers for pedestal chairs




Center console with flush mount electronics



VOYAGER 248

- Beam Amidships 8'6"
- Bridge Clearance 7'
w/Hardtop 8'9"
- Center Line Length 24'9"
- Length of Running Bottom 22'2"
- Cockpit Depth 26"
- Cockpit Square Footage 55 sq. ft.
- Hull Draft 15"
- Maximum HP 350 hp
- Standard Fuel Capacity 105 gal.
- Transom Width 7'10"
- Weight w/o Engine 4043 lb.



STANDARD FEATURES

SAFETY

- 2 automatic bilge pumps (total 2600 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Cabin light
- Carpet
- Berths - 2 forward vee berths
- Forward translucent hatch w/screen
- Lockable door w/screen & companionway hatch
- Rod storage holders (4)
- Storage - 5 under berth compartments
- Storage - marine head compartment
- Windows - 2 opening port windows w/screens

COCKPIT AND DECK

- 100% hand laid hull and deck
- Cockpit lights
- Drink holders (3)
- Duratrims trim work
- Fish box - 154-quart starboard insulated fish box w/ob drain
- Fish box - 102-quart port insulated w/ob drain
- Footrest (helm & companion)
- Heavy-duty gunwale molding
- Hydraulic trim tabs
- Ice box - 46-quart port insulated ice box w/ob drain
- Integrated outboard mounting system w/swim platform and ladder
- International lighting
- Outboard shaft length (single) - 30"
- Outboard shaft length (twin) - 25"
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - port & starboard fish box cushions
- Seating - molded in aft bench seat
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Steering - stainless steel, 316 grade steering wheel
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable helm station electronics box
- Storage - lockable storage under helm seat
- Storage - tackle drawer under companion seat
- Storage - aft deck lift out box
- Transducer mounting flats
- Ventilated windshield
- Windshield wiper (starboard)

OPTIONAL FEATURES

- 12-volt accessory outlet
- Auxiliary fuel capacity - 56-gallon
- Battery select switch
- Bow lifting ring
- Bow pulpit
- Cockpit bolsters
- Cockpit shower w/10-gallon fresh water tank
- Compass
- Gunwale mounted freshwater system
- Hard top w/radio box & spreader lights
- Hard top rod holders
- Head - w/deck pump out
- Head - marine w/electric flush
- Head - marine w/holding tank, pump out
- Head - portable
- Head - portable w/in line macerator
- Livewell - aerated
- Livewell - raw water
- Outrigger kit 15-ft. (gunwale mount)
- Outrigger kit 15-ft. (hardtop mount)
- Rod storage - folding cabin rack (6)
- Seating - deluxe helm & companion chairs
- Steering - tilt
- Stereo/cassette system
- Washdown - pressurized sea water w/hose
- Windshield wiper (port)

CANVAS OPTIONS

- Covers for pedestal chairs
- Drop curtain
- Hardtop curtains
- Helm station cover
- Vista top w/side curtains and boot



Voyager 248

24' WALKAROUND CABIN



Cabin interior



Cockpit forward



Helm station side panel

NEW
F-26 Tigercat
 26' CATAMARAN



Cabin with storage, sink and enclosed head




Cabin/auxiliary berth cushions





F-26 TIGERCAT

Beam Amidships	8'6"
Bridge Clearance	7'7"
w/Hardtop	9'7"
Center Line Length	25'11"
Cockpit Depth	28"
Cockpit Square Footage	57 sq. ft.
Hull Draft	14"
Maximum HP	400 hp
Standard Fuel Capacity	202 gal.
Transom Width	8'6"
Weight w/o Engines	5475 lb.



STANDARD FEATURES

SAFETY

- 4 automatic bilge pumps (total 3200 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Cabin lights
- Forward berth
- Forward hatch w/screen
- Head - enclosed head area w/sink and lamp
- Lockable sliding companionway hatch door
- Mirror
- Sink
- Rod storage holders (4)
- Storage - 3 under berth compartments
- Water tank (fresh) - 20-gallon
- Windows - 2 opening port windows w/screens

COCKPIT AND DECK

- 100% hand laid hull and deck
- Bow lifting ring
- Cockpit bolsters
- Cockpit lights
- Drink holders (2)
- Duratrim trim work
- Fish box - 288-quart starboard insulated fish box w/ob drain
- Footrest (helm)
- Fuel tanks - two 101-gallon tanks
- Heavy-duty gunwale molding
- Ice box - 40-quart center insulated ice box w/ob drain
- Integrated outboard mounting system w/center swim platform & dive ladder
- International lighting
- Livewell - 180-quart port insulated raw water livewell w/ob drain
- Outboard shaft length - 25"

- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 1 pedestal chair (starboard)
- Seating - convertible bench seat (port)
- Seating - port and starboard fish box cushions
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Steering - stainless steel, 316 grade steering wheel
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable electronics box
- Storage - lockable storage under helm seat
- Storage - 2 tackle drawers under companion seat
- Transom recess w/ covering board
- Ventilated windshield
- Washdown - pressurized sea water w/hose
- Windshield wiper

OPTIONAL FEATURES

- 12-volt accessory outlet
- Anchor windlass
- Battery charger
- Bow pulpit
- Cabin shower
- Cockpit shower
- Compass
- Cushions - auxiliary berth
- Dockside power w/galvanic isolator
- Gunwale mounted freshwater system
- Hard top w/radio box & spreader lights
- Hard top rod holders
- Head - w/deck pump out
- Head - portable
- Head - portable w/in line macerator
- Head - marine head w/electric flush
- Head - marine head w/holding tank, pump out
- Hot water heater (110V) requires dockside power
- Outtrigger kit 15-ft. (gunwale mount)
- Outtrigger kit 15-ft. (hardtop mount)
- Outtrigger kit 15-ft. (Top Gun mount)
- Outtrigger kit 18-ft. (Lee Jr. cabin side mount)
- Refrigerator
- Seating - deluxe helm chair
- Seating - folding aft bench seat
- Steering - tilt
- Stereo/cassette system
- Windshield washer - starboard (freshwater)

CANVAS OPTIONS

- Covers for pedestal chair
- Drop curtain
- Folding top & side curtains w/boot
- Hardtop curtains
- Helm station cover
- Vista top w/side curtains and boot



Helm station and sliding companionway door



Chase 263

26' CENTER CONSOLE



Cockpit forward with optional livewell




Insulated bow fish boxes



Lockable enclosed head

CHASE 263

Beam Amidships	8'6"
Bridge Clearance	6'10"
w/T-Top	8'5"
Center Line Length	26'11"
Cockpit Depth	29"
Cockpit Square Footage	65 sq. ft.
Hull Draft	15"
Maximum HP	400 hp
Standard Fuel Capacity	203 gal.
Transom Width	7'10"
Weight w/o Engine	3975 lb.



STANDARD FEATURES

SAFETY

Automatic bilge pump (1500 GPH)
Basic flotation
Cockpit toe rails
Console grab rails
Nonskid fiberglass liner
Self-bailing cockpit w/4 cockpit drains
Stainless steel, 316 grade bow rail

COCKPIT AND DECK

100% hand laid hull and deck
Cockpit lights
Drink holder (1)
Fish box - 120-quart divided port fish box w/ob drain
Fish box - 120-quart starboard fish box w/ob drain
Heavy-duty gunwale molding
Hydraulic trim tabs
Integrated outboard mounting system w/swim platform & ladder
International lighting
Lockable side storage for 6 rods
Outboard shaft length (twin) - 25"
Outboard shaft length (single) - 30"
Raised casting platform
Rod holders (4)
Rod storage holders on deluxe lean bar (4)

Rod storage racks (6 horizontal)
Seating - deluxe lean bar w/backrest
Seating - molded in aft bench seat w/cushion
Spring line cleats
Stainless steel, 316 grade through bolted deck hardware
Storage - forward anchor locker w/rope storage
Storage - aft deck lift out box
Storage - lockable storage in lean bar seat
Storage - lockable tackle trays in lean bar seat
Transducer mounting flats
Transom door

CONSOLE

Console ventilator
Drink holders (2)
Head - lockable console w/stand up head area, storage shelves, hanging locker
Plexiglass windshield w/handrail
Seating - molded forward console seat w/cushion
Steering - hydraulic
Steering - stainless steel, 316 grade steering wheel
Storage - lockable plexiglass console door
Storage - lockable electronics box
Storage - under footrest

OPTIONAL FEATURES

12-volt accessory outlet
Anchor windlass
Battery select switch
Bow lifting ring
Bow pulpit
Cockpit bolsters
Cockpit shower w/20-gallon fresh water tank
Compass
Electronics flush mount kit
Freshwater system mounted on lean bar
Head - w/deck pump out
Head - portable
Head - portable w/in-line macerator
Livewell - aerated
Livewell - 23-gallon raw water w/cushion seat
Outrigger kit 15-ft. (gunwale mount)
Outrigger kit 15-ft. (Top Gun T-top mount)
Seating - forward platform cushions
Steering - tilt
Stereo/cassette system
T-top w/rod holders & radio box
T-top spreader light
Washdown - pressurized sea water w/hose

CANVAS OPTIONS

Bimini top w/boot
Casting platform privacy curtain
Casting platform sprayhood w/boot
Connector top to sprayhood
Console cover



Single engine option



Islander 268

26' WALKAROUND CABIN



Recessed walkaround




Head enclosure





ISLANDER 268

- Beam Amidships 8'6"
- Bridge Clearance 7'
w/Hardtop 8'9"
- Center Line Length 26'11"
- Cockpit Depth 27"
- Cockpit Square Footage 57 sq. ft.
- Hull Draft 15"
- Maximum HP 400 hp
- Standard Fuel Capacity 134 gal.
- Transom Width 7'10"
- Weight w/o Engine 4660 lb.



STANDARD FEATURES

SAFETY

- 2 automatic bilge pumps (total 2600 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Cabin lights
- Carpet
- Berths - 2 forward vee berths
- Forward hatch w/screen
- Head - enclosed head area w/sink and lamp
- Lockable door w/screen & companionway hatch
- Mirror
- Port side galley w/sink
- Refrigerator
- Rod storage holders (2)
- Storage - 3 under berth compartments
- Storage - galley area
- Stove - butane
- Table
- Water tank (fresh) - 32-gallon
- Windows - 2 front windows
- Windows - 2 sliding side windows w/screens

COCKPIT AND DECK

- 100% hand laid hull and deck
- Cockpit lights
- Drink holders (6)
- Duratrims trim work
- Fish box - 186-quart starboard insulated fish box w/ob drain
- Fish box - 104-quart port insulated w/ob drain
- Footrest (helm)
- Heavy-duty gunwale molding
- Hydraulic trim tabs
- Ice box - 38-quart port insulated ice box w/ob drain
- Integrated outboard mounting system w/swim platform and ladder
- International lighting

- Outboard shaft length (single) - 30"
- Outboard shaft length (twin) - 25"
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 1 pedestal chair (starboard)
- Seating - convertible bench seat (port)
- Seating - port & starboard fish box cushions
- Seating - molded in aft bench seat
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Steering - stainless steel, 316 grade steering wheel
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable electronics box
- Storage - lockable storage behind companion seat
- Storage - 2 tackle drawers under helm seat
- Storage - aft deck lift out box
- Transducer mounting flats
- Transom door
- Ventilated windshield
- Windshield wipers

OPTIONAL FEATURES

- 12-volt accessory outlet
- Anchor windlass
- Auxiliary fuel capacity - 26-gallon (single only)
- Auxiliary fuel capacity - 71-gallon (twins only)
- Battery select switch
- Battery charger
- Bow lifting ring
- Bow pulpit
- Cockpit bolsters
- Cockpit shower
- Compass
- Dockside power w/galvanic isolator
- Gunwale mounted freshwater system
- Hard top w/radio box & spreader lights
- Hard top rod holders
- Head - w/deck pump out
- Head - portable
- Head - portable w/in line macerator
- Head - marine head w/electric flush
- Head - marine head w/holding tank, pump out
- Hot water heater (110V) requires dockside power
- Livewell - aerated
- Livewell - raw water
- Microwave oven
- Outrigger kit 15-ft. (gunwale mount)
- Outrigger kit 15-ft. (hardtop mount)
- Outrigger kit 18-ft. (Lee Jr. cabin side mount)
- Rod storage - folding cabin rack (6)
- Seating - deluxe helm chair
- Shower
- Steering - tilt
- Stereo/cassette system
- Washdown - pressurized sea water w/hose
- Windshield washer - starboard (freshwater)

CANVAS OPTIONS

- Cover for pedestal chair
- Drop curtain
- Hardtop curtains
- Helm station cover
- Vista top w/side curtains and boot



Cabin interior




Sailfish 272

27' WALKAROUND CABIN



Cabin with enclosed head




Cockpit forward





SAILFISH 272

Beam Amidships	9'6"
Bridge Clearance	7'7"
w/Hardtop	9'4"
Center Line Length	27'10"
Cockpit Depth	28"
Cockpit Square Footage	59 sq. ft.
Hull Draft	18"
Maximum HP	450 hp
Standard Fuel Capacity	202 gal.
Transom Width	9'
Weight w/o Engines	5500 lb.



STANDARD FEATURES

SAFETY

- 2 automatic bilge pumps (total 3000 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Cabin lights
- Carpet
- Berths - 2 forward vee berths
- Berth - 1 aft berth
- Forward hatch w/screen
- Head - enclosed head area w/sink and lamp
- Lockable door w/screen & companionway hatch
- Mirror
- Port side galley w/sink
- Refrigerator
- Rod storage holders (4)
- Storage - 3 under berth compartments
- Storage - galley area
- Stove - butane
- Table
- Water tank (fresh) - 32-gallon
- Windows - 2 front windows
- Windows - 2 sliding side windows w/screens

COCKPIT AND DECK

- 100% hand laid hull and deck
- Anchor windlass wiring
- Cockpit bolsters
- Cockpit lights
- Drink holders (4)
- Duratrim trim work
- Fish box - 260-quart starboard insulated fish box w/ob drain
- Fish box - 104-quart port insulated fish box w/ob drain
- Footrests (helm & companion)
- Fuel tanks - 150-gallon tank, 52-gallon tank
- Heavy-duty gunwale molding
- Hydraulic trim tabs

- Ice box - 38-quart port insulated ice box w/ob drain
- Integrated outboard mounting system w/swim platform & ladder
- International lighting
- Livewell - 80-quart aft deck insulated raw water livewell w/ob drain
- Outboard shaft length - 25"
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - port & starboard fish box cushions
- Seating - molded in aft bench seat
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade through bolted deck hardware
- Steering - stainless steel, 316 grade steering wheel
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable electronics box
- Storage - lockable storage under helm seat
- Storage - 2 tackle drawers under companion seat
- Transducer mounting flats
- Transom door
- Ventilated windshield
- Washdown - pressurized sea water w/hose
- Windshield wipers

OPTIONAL FEATURES


- 12-volt accessory outlet
- Air conditioning
- Anchor windlass
- Battery select switch
- Battery charger
- Bow lifting ring
- Bow pulpit
- Cabin curtains
- Cockpit shower
- Compass
- Dockside power w/galvanic isolator
- Gunwale mounted freshwater system
- Hard top w/radio box & spreader lights
- Hard top rod holders
- Head - w/deck pump out
- Head - portable
- Head - portable w/in line macerator
- Head - marine head w/electric flush
- Head - marine head w/holding tank, pump out
- Hot water heater (110V) requires dockside power
- Microwave oven
- Outrigger kit 15-ft. (gunwale mount)
- Outrigger kit 15-ft. (hardtop mount)
- Outrigger kit 18-ft. (Lee Jr. cabin side mount)
- Rod storage - folding cabin rack (6)
- Seating - deluxe helm & companion chairs
- Shower
- Steering - tilt
- Stereo/cassette system
- Windshield washer - starboard (freshwater)

CANVAS OPTIONS

- Covers for pedestal chairs
- Drop curtain
- Hardtop curtains
- Helm station cover
- Vista top w/side curtains and boot



Aft bench seat, transom door and livewell



Marlin 300

30' WALKAROUND CABIN



Cabin with enclosed head




Aft bench seat, transom door and livewell





MARLIN 300

Beam Amidships	10'7"
Bridge Clearance	8'3"
w/Hardtop	10'
Length Overall (w/ Pulpit)	32'7"
Center Line Length	30'6"
Cockpit Depth	29"
Cockpit Square Footage	74 sq. ft.
Hull Draft	19"
Maximum HP	500 hp
Standard Fuel Capacity	306 gal.
Transom Width	9'6"
Weight w/o Engines	7000 lb.



STANDARD FEATURES

SAFETY

2 automatic bilge pumps (total 3000 GPH)
 Basic flotation
 Cockpit toe rails
 Companion grab rail
 Nonskid fiberglass liner
 Nonskid recessed walkaround
 Self-bailing cockpit w/4 cockpit drains
 Stainless steel, 316 grade bow rail

CABIN

Berths - 2 forward vee berths
 Berth - 1 aft double berth
 Cabin lights
 Carpet
 Curtains
 Forward hatch w/screen
 Head - enclosed head area w/sink and lamp
 Head - manual head, macerator, holding tank, and pump out
 Hot water heater
 Lockable door w/screen & companionway hatch
 Microwave oven
 Mirror
 Port side galley w/sink
 Refrigerator
 Rod storage racks (10)
 Rod storage - aft berth
 Shower
 Stereo/cassette system
 Storage - under berth compartments
 Storage - galley cabinets
 Stove - alcohol/electric
 Table
 Water tank - 39-gallon
 Windows - 2 front windows
 Windows - 2 sliding side windows w/screens
 Windows - aft berth window w/screen

COCKPIT AND DECK

100% hand laid hull and deck
 Anchor windlass wiring
 Battery select switch

Batteries (4)
 Battery charger system
 Battery isolator
 Bow pulpit w/anchor davit
 Cockpit bolsters
 Cockpit lights
 Cockpit shower (recessed)
 Compass
 Dockside power
 Drink holders
 Duratrim trim work
 Dynaplate
 Fighting chair reinforcement
 Fish box - 275-quart port insulated fish box w/o drain
 Footrests (helm & companion)
 Fuel tanks - 150-gallon tank, 156-gallon tank
 Heavy-duty gunwale molding
 Hydraulic trim tabs
 Integrated outboard mounting system w/swim platform and ladder
 International lighting
 Livewell - 80-quart aft deck insulated raw water livewell w/o drain
 Outboard shaft length - 25"
 Rod holders (4)
 Rod storage racks (6 horizontal)
 Seating - deluxe helm & companion chairs
 Seating - port fish box cushion
 Seating - starboard tackle station cushion
 Seating - foredeck cushions
 Seating - molded in aft bench seat
 Spring line cleats
 Stainless steel, 316 grade through bolted deck hardware
 Steering - hydraulic
 Steering - stainless steel, 316 grade steering wheel
 Storage - forward anchor locker w/rope storage
 Storage - lockable electronics box
 Storage - lockable storage under helm & companion seat
 Storage - under step compartment
 Tackle station behind helm chair w/freshwater sink, insulated bait box w/o drain, lockable drawers
 Transducer mounting flats
 Transom door
 Ventilated windshield
 Washdown - pressurized sea water w/hose
 Windshield wipers

OPTIONAL FEATURES


12-volt accessory outlet
 Air conditioning
 Anchor windlass
 Generator
 Hard top w/radio box & spreader lights
 Hard top rod holders
 Head - marine head w/electric flush
 Outtrigger kit 24-ft. (Lee Sr. fold down)
 Outtrigger kit 19-ft. (Lee Jr. cabin side mount)
 Rod storage - folding cabin rack (6)
 Steering - tilt
 Windshield washer - starboard (freshwater)

CANVAS OPTIONS

Drop curtain
 Hardtop front & side curtains
 Helm station cover



Tackle station





Your best options for sportfishing, comfort & fun.

You'll enjoy your new Grady-White even more with factory options that enhance your favorite recreations. Outriggers, cabin rod racks and livewells for fishing...deluxe seating, heads, canvas for comfort...swim platforms and stereo/cassette systems for fun...and lots more.

Canvas options are made from the finest acrylic fabric providing excellent water resistance. The fabric breathes to avoid trapping moisture which means more comfort and longer life. Every canvas option is custom fitted to each boat before removal for shipping, and comes with corrosion resistant fasteners.

Consult the optional features listing under model specifications to determine which are available for your boat.

Sportfishing FACTORY OPTIONS



▲ Outrigger kit 15 ft. (Top Gun T-top mount)



▲ Trim tabs



▲ Outrigger kit 15 ft. (gunwale mount)



▲ 9.9 hp auxiliary kicker engine



▲ Outrigger kit (cabin side mount)



▲ Cabin rod racks



▲ Hardtop w/radio box, spreader lights & rod holders



▲ Richie compass



▲ Raw water livewell



▲ Bow pulpit and Simpson-Lawrence windlass



▲ Gunwale mounted freshwater system



Comfort & Fun
FACTORY OPTIONS



▲ Center console Bimini top



▲ Center console sprayhood



▲ Hardtop front, side drop curtains



▲ Drop curtains



▲ Walkaround series vista top and side curtains



▲ Tournament series vista top and side curtains



▲ Tilt steering



▲ Deluxe helm chair



▲ Freshwater cockpit shower



▲ Portable head



▲ Head w/ holding tank



▲ Bow lifting ring



▲ Small swim platform



▲ Large swim platform

Our job is to make sure you get the best boat you can buy.

Hi there—

We appreciate your interest in Grady-White boats. There are as many ways to enjoy your Grady-White as there are choices in models and options. No question about it, we build premiere off-shore fishing boats. Yet more and more we see folks doing other fun things with their Gradys in addition to fishing. Like diving and snorkeling. Skiing. Clamming and crabbing. Camping. Joining

“Grady Bunch” groups for cruises and get-togethers.

Enjoying entertaining family and friends on the water.

**GRADY
WHITE**



Eddie Smith and Kris Sheppard

There is one unmistakable similarity among all Grady-White owners: a demand for excellence. Grady-White owners want lasting value. That's what all of us here at the plant in Greenville, North Carolina, strive to deliver with every boat. Come visit us and see how focused we are on providing the ultimate boating experience. As are our dealers. That's why they sell Grady-Whites, and why they represent us.

If you are serious about quality, you need a Grady-White. You deserve it. Once you own one of our boats, you will always go for a Grady.

Happy boating!

Eddie Smith, Jr.

Eddie C. Smith, Jr., CEO

Kris Sheppard

Kris Sheppard, President



Grady-White Boats • PO Box 1527 • Greenville, NC 27835 • (919) 752-2111

Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, colors, or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.

