

1994

Grady-White Boats



The Ultimate Ride.

The Ultimate Ride. Sophisticated Simple Results: Comfort, Performance

What makes Grady-White's ride so much better than others? It's the level of comfort, performance and, most of all, confidence, you experience in our boats. We engineer boats

fun and adventure is the exceptional performance of Grady-White's exclusive SeaV² hull designs available in all our boats from 19 to 28 feet. Our




SeaV² hulls have a continuously sharpening vee from stern to bow for a softer, drier, better tracking ride — and extraordinary stability at any speed. So you and your family will be eager to go boating even on days others stay in port.

No one but Grady-White has the SeaV² hull designs. They were created for us by the naval architects who originated the offshore deep vee over 30 years ago: C. Raymond Hunt Associates. Whereas conventional vee hulls have a constant deadrise, the continuously variable SeaV² allows more vee to slice through waves without sacrificing stability at the aft section. SeaV² hulls are to boats

for big water so you can enjoy great boating adventures no matter where, when, or how long you go out. Grady-White boats handle the water and weather so your family and friends can relax and enjoy the ultimate ride with comfort, safety,

what shock absorbers are to cars. They deliver a softer, more stable ride in every boat length.


Another advantage of Grady-White's ultimate ride is the dryness. The conventional convex shaped hulls in other boats cause water to spray out and up. The SeaV² hull, a series of



With Grady-White's exclusive SeaV² hull designs, the continuously variable vee cuts through waves with the sharp bow while the flatter stern provides stability and efficiency.

and assurance. Weekends are too important to wait for perfect weather. The

secret of turning rough seas into more



As shown in this cross section, a SeaV² hull's straight surfaces direct spray down for a much drier ride. In conventional hulls, the areas between the chines are convex, which throws spray out and up.



ed SeaV² Hull Engineering With nce, And Confidence On The Water.



straight surfaces from keel to chine, knocks spray straight down for the driest ride on the water.




the stability of modified vee hulls along with the wave cutting seaworthiness of traditional deep vee hulls. Because the continuously variable vee flattens aft, it creates a great lift at speed that traditional vee

A conventional hull's convex shape is like a ball in the water: it "knows" no upright position. A SeaV² hull can be thought of as a series of wedges, providing upright stability. Our boats track through seas as if on rails. Even in quartering seas, a SeaV² hull runs straight and true. It also tracks well at slow speed, so docking is easier — making boating more fun for everyone in the family.


hulls do not. This lift makes Grady-Whites efficient as any vee hull boat anywhere.

When you combine Grady-White's tough construction with our next-generation hull technology, the result is simply the best boat for you and your family. Sophisticated engineering translated into more boating performance, confidence, and fun.

It's the ultimate ride.



It's incredible how a Grady-White SeaV² hull tracks through the water — even in quartering seas — as if the boat is on rails.



One way to look at how the SeaV² hull works is to envision a series of wedges. The flatter aft sections create lift, stability, and efficiency as the boat drives through the water.

the myth that a dry, stable boat doesn't ride well and a good riding boat isn't dry and stable. The SeaV² gives

The SeaV² designs explode



The Ultimate In Seaworthy Design And

Grady-White's ultimate ride results from application of the highest technology and engineering. But it starts with our commitment to principles developed over many years with a consistent purpose. That purpose is to build boats that are so solid, safe, and well thought out that even novice boaters aboard feel a confidence that makes boating more enjoyable for everyone.




Unlike most other boat manufacturers, Grady-White is family-owned and has enjoyed continuous ownership and management for the last quarter century. We are not part of a

huge conglomerate. Building offshore recreational boats is all we do. Our existence depends on building boats that so far exceed your expectations that your family will never settle for anything less.

For instance, we know that only 100% hand laid fiberglass provides the uniform laminate structure necessary for durable strength. That's why all our hulls and decks are 100% hand laid fiberglass mat and woven



Each fiberglass layer of a Grady-White hull is 100% hand laid. It's the best way — and for us that means the only way.



Construction For Your Family's Safety.

material. We could use chopped glass in alternate layers and claim hand laid glass like many builders. But as a principle, we know 100% is best and that's that.


Another Grady-White principle: offshore boats should have foam flotation and true, sealed self-bailing cockpits with nothing draining into the bilge. Foam isn't required on boats over 20 feet, but every Grady-White including the 28-foot Marlin has foam flotation.

You'll notice that Grady-White boats never have fish boxes or hatches in the cockpit floor. First, these take up space needed for foam flotation. Secondly, fish boxes in the cockpit floor have drains below the waterline. That means they drain into the bilge where water or fish remains can accumulate. Raising insulated boxes above the waterline so that water drains by gravity directly overboard is a much better system.



In every Grady-White, wide chines ensure stability and scuppers drain overboard.

When you own a Grady-White you'll discover a series of useful design elements we've evolved over the years. You'll find handholds are placed where you naturally reach. You'll enjoy



It's a matter of principle. Every insulated fish box is above the floor, and every box drains overboard.

the fact that your "teak" trimwork is actually a solid, low maintenance product called Duratrim. And you'll find toe rails that secure your feet when you reach over the side to gaff a fish or grab a ski.

Details which aren't apparent to the eye yet contribute to the boat's performance are a Grady-White hallmark. You'll have to visit us at the plant to see details like balsa-cored hull sides for stiffness in wide bodied boats, an angled aluminum brace in outboard transoms to distribute torque, and aircraft-type locking nuts on through-bolted hardware.

Comfort on rough seas, confidence to broaden your family's boating horizons, thoughtful layout and design, and tough durability if this is your idea of what a boat is supposed to deliver, you've found the ultimate ride.

GRADY-WHITE





SPiRiT 175

Beam Amidships	7'5"
Bridge Clearance	4'9"
Center Line Length	17'5"
Cockpit Depth	23"
Cockpit Square Footage	33 sq. ft.
Hull Draft	12"
Maximum H.P.	140 h.p.
O/B Shaft Length	20"
Transom Width	7'4"
Weight w/o Engine	1500 lbs.

STANDARD FEATURES

SAFETY

Automatic bilge pump (1100 GPH)
Level flotation
Nonskid fiberglass liner
Self-bailing cockpit
Stainless steel, 316 grade bow rail

COCKPIT & DECK

100% Hand laid hull and deck
Bow anchor locker (vertical)
Fish box - 104 quart insulated fish box/storage area w/ob drain

Fuel capacity - 48 gallons
Heavy-duty gunwale molding
International lighting
Pedestal chairs (2)
Raised casting platform
Rod holders (2)
Rod storage racks (6 horizontal)
Stainless steel, 316 grade steering wheel
Stainless steel, 316 grade through bolted deck hardware
Steering - no feedback mechanical
Storage - 2 aft deck lift out boxes
Storage - 2 aft rigging compartments

CONSOLE

Livewell - 48 quart forward aerated livewell
Plexiglass windshield w/handrail
Rod storage holders (6 vertical)
Seating - console seat
Storage - lockable radio box
Storage - 2 lockable storage compartments

OPTIONAL FEATURES

Bow lifting ring
Compass
Folding bimini top w/boot
Livewell - raw water
Seating - bench seat w/reversible back
Seating - bow cushions
Swim platform w/ladder

ESCAPE 209

Beam Amidships	8'1"
Bridge Clearance	5'9"
Center Line Length	20'4"
Cockpit Depth	23"
Cockpit Square Footage	51 sq. ft.
Hull Draft	14"
Maximum H.P.	230 h.p.
O/B Shaft Length	25"
Transom Width	7'10"
Weight w/o Engine	2450 lbs.

STANDARD FEATURES

SAFETY

Automatic bilge pump (1100 GPH)
Basic flotation
Cockpit toe rails
Fold down motor well bulkhead
Nonskid fiberglass liner
Self-bailing cockpit w/4 cockpit drains
Stainless steel, 316 grade bow rail

COCKPIT & DECK

100% Hand laid hull and deck
Cockpit lights
Duratrim trim work
Fish box - 83 quart port fish box w/ob drain
Fish box - 120 quart starboard fish box w/ob drain
Fuel capacity - 82 gallons
Heavy-duty gunwale molding
International lighting
Raised casting platform
Rod holders (4)
Rod storage racks (6 horizontal)
Seating - 2 pedestal chairs
Seating - 2 aft seats
Spring line cleats
Stainless steel, 316 grade steering wheel

Stainless steel, 316 grade through bolted deck hardware
Steering - no feedback mechanical
Storage - forward anchor locker w/rope storage
Storage - 2 aft rigging compartments

CONSOLE


Drink holders (2)
Livewell - 38 quart forward raw water livewell
Plexiglass windshield w/handrail
Rod storage holders (6 vertical)
Seating - console seat
Storage - forward compartment for storage or portable head
Storage - lockable radio box
Storage - 2 lockable storage compartments

OPTIONAL FEATURES

Battery select switch
Bow lifting ring
Bow pulpit
Cockpit shower
Compass
Gunwale mounted fresh water system
Head - portable
Hydraulic trim tabs
Lean bar
Outrigger kit 15 ft. (gunwale mount)
Seating - bench seat w/reversible back
Seating - bow cushions
Steering - hydraulic
Swim platform w/ladder
Wash down pump w/hose
Yamaha/OMC/Merc single binnacle control

CANVAS OPTIONS

Casting platform privacy curtain
Casting platform sprayhood w/boot
Connector top to sprayhood
Console cover
Covers for pedestal chairs
Drop curtain
Folding top & side curtains w/boot
Mooring cover



OUTBOARD



*Spirit 17
available with
outboard power*



Escape 20 aft cockpit



20' CENTER CONSOLE
Escape 20



*Bench seat available
on both models*



*Escape 20 available with
outboard power*

OUTBOARD



TOURNAMENT 192

Beam Amidships	8'
Bridge Clearance	4'9"
Center Line Length.....	19'2"
Cockpit Depth	24"
Cockpit Square Footage	37 sq. ft.
Hull Draft	14"
Maximum H.P.	200 h.p.
O/B Shaft Length	25"
Transom Width	7'8"
Weight w/o Engine	2075 lbs

STANDARD FEATURES

SAFETY

Automatic bilge pump (1100 GPH)
Cockpit toe rails
Companion grab rail
Level flotation
Nonskid fiberglass liner
Self-bailing cockpit w/2 cockpit drains
Stainless steel, 316 grade bow rail

COCKPIT & DECK

100% Hand laid hull and deck
Cockpit lights
Cutting board
Drink holders (6)
Duratrim trim work
Fuel capacity - 60 gallons
Heavy-duty gunwale molding
Ice box - 53 quart insulated ice box
Integrated outboard mounting system w/swim platform and ladder
International lighting
Rod holders (4)
Rod storage racks (6 horizontal)

Seating - starboard pedestal chair
Seating - port sleeper seat
Seating - 2 aft seats
Seating - bow cushions
Stainless steel, 316 grade steering wheel
Stainless steel, 316 grade through bolted deck hardware
Steering - no feedback mechanical
Storage - forward anchor locker w/rope storage
Storage - 2 bow seat compartments
Storage - lockable helm station radio box
Storage - lockable glove box
Storage - 2 lockable console storage compartments
Walk through windshield
Windshield wiper (starboard)

OPTIONAL FEATURES

Battery select switch
Bow lifting ring
Cockpit shower
Compass
Gunwale mounted fresh water system
Head - portable
Livewell - aerated
Livewell - raw water
Outrigger kit 15 ft. (gunwale mount)
Seating - deluxe helm & companion chairs
Seating - port pedestal chair
Steering - hydraulic
Stereo / cassette system

CANVAS OPTIONS

Aft curtain
Bow cover
Covers for pedestal chairs
Folding top & side curtains w/boot
Mooring cover

OUTBOARD



Available with outboard power





19' DUAL CONSOLE

Tournament 19



Cockpit forward



ADVENTURE 208

Beam Amidships	8'1"
Bridge Clearance	5'9"
w/hardtop	6'6"
Center Line Length	20'4"
Cockpit Depth	23"
Cockpit Square Footage	41 sq. ft.
Hull Draft	14"
Maximum H.P.	230 h.p.
O/B Shaft Length	25"
Transom Width	7'10"
Weight w/o Engine	2650 lbs.

- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - 2 aft seats
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade steering wheel
- Stainless steel, 316 grade through bolted deck hardware
- Steering - no feedback mechanical
- Storage - forward anchor locker w/rope storage
- Storage - lockable helm station radio box
- Storage - lockable storage under helm chair
- Storage - 2 tackle drawers under companion chair
- Ventilated windshield
- Windshield wiper (starboard)
- Yamaha/OMC/Merc single binnacle control

OUTBOARD



Available with outboard power

STANDARD FEATURES

SAFETY

- Automatic bilge pump (1100 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Fold down motorwell bulkhead
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Berths - 2 forward vee berths
- Cabin light
- Forward hatch
- Lockable door w/screen
- Rod storage holders (4)
- Storage - 3 under berth compartments
- Storage - marine head compartment
- Windows - 2 sliding side windows w/screens

COCKPIT & DECK

- 100% Hand laid hull and deck
- Cockpit lights
- Drink holders (4)
- Duratrims trim work
- Fish box - 103 quart port fish box w/ ob drain
- Fish box - 106 quart starboard fish box w/ob drain
- Footrests (helm & companion)
- Fuel capacity - 82 gallons
- Heavy-duty gunwale molding
- International lighting

OPTIONAL FEATURES

- Battery select switch
- Bow lifting ring
- Bow pulpit
- Cockpit shower
- Combination washdown/raw water livewell
- Compass
- Gunwale mounted fresh water system
- Hard top w/radio box
- Hard top rod holders
- Hard top spreader lights
- Head - portable
- Head - portable win-line macerator
- Head - deck pump out
- Hydraulic trim tabs
- Livewell - raw water
- Outrigger kit 15 ft. (gunwale mount)
- Outrigger kit 15 ft. (hardtop mount)
- Seating - port & starboard fish box cushions
- Steering - hydraulic
- Swim platform w/ladder
- Washdown pump w/hose
- Windshield wiper (port)

CANVAS OPTIONS

- Covers for pedestal chairs
- Drop curtain
- Folding top & side curtains w/boot
- Hardtop curtains
- Helm station cover
- Mooring cover





Aft cockpit



Cabin interior



20' WALKAROUND CABIN
Adventure 20



Cockpit forward





22' DUAL CONSOLE

Tournament 22



Cockpit forward





TOURNAMENT 22

OUTBOARD

GRADY-DRIVE



Available with outboard and Grady-Drive power



Beam Amidships	8'	223	225G
Bridge Clearance	5'5"		
Center Line Length	22'2"		
Cockpit Depth	26"		
Cockpit Square Footage	49 sq. ft.		
Hull Draft	15"		
Maximum H.P.	230 h.p.		
O/B Shaft Length	25"		
Transom Width	7'11"		
Weight w/o Engine			
223	2875 lbs.		
225G	3000 lbs.		

STANDARD FEATURES

SAFETY	223	225G
Automatic bilge pump (1500 GPH)	X	X
Basic flotation	X	X
Cockpit toe rails	X	X
Companion grab rail	X	X
Fold down motor well bulkhead	X	X
Nonskid fiberglass liner	X	X
Self-bailing cockpit w/4 cockpit drains	X	X
Stainless steel, 316 grade bow rail	X	X

COCKPIT & DECK	223	225G
100% Hand laid hull and deck	X	X
Bait rigging area w/cutting board and drink holders	X	X
Bow lifting ring	X	X
Cockpit lights	X	X
Drink holders (6)	X	X
Duratrims trim work	X	X
Fish box - 190 quart starboard fish box w/ob drain	X	X
Fish box - divided port fish box (90 quart & 45 quart sections, both w/ob drain)	X	X
Fish box - 60 quart aft fish box	X	X
Footrests (helm & companion)	X	X
Fuel capacity - 92 gallons	X	X
Heavy duty gunwale molding	X	X
Ice box - 30 quart bow seat starboard ice box	X	X
International lighting	X	X
Rod holders (4)	X	X
Rod storage holders (4 vertical)	X	X
Rod storage racks (6 horizontal)	X	X
Seating - 2 pedestal chairs	X	X

Seating - port & starboard fish box cushions	X	X
Seating - 2 aft seats	X	X
Seating - bow cushions	X	X
Spring line cleats	X	X
Stainless steel, 316 grade steering wheel	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X
Steering - hydraulic	X	X
Steering - no feedback mechanical	X	X
Storage - forward anchor locker w/rope storage	X	X
Storage - bow seat port storage compartments	X	X
Storage - lockable helm station radio box	X	X
Storage - lockable glove box	X	X
Storage - lockable console tackle drawers	X	X
Storage - lockable console storage compartment	X	X
Walk through windshield	X	X
Windshield wiper (starboard)	X	X

OPTIONAL FEATURES

	223	225G
Auxiliary fuel capacity - 56 gallons	X	X
Battery select switch	X	X
Bow pulpit	X	X
Cockpit bolsters	X	X
Cockpit shower	X	X
Combination wash down/raw water livewell	X	X
Compass	X	X
Gunwale mounted fresh water system	X	X
Hydraulic trim tabs	X	X
Livewell - aerated	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X
Seating - deluxe helm & companion chair	X	X
Seating - sleeper seat (port)	X	X
Steering - hydraulic	X	X
Stereo	X	X
Swim platform w/ladder	X	X
Swim platform w/ladder (full width)	X	X
Yamaha/OMC/Merc binnacle control	X	X

CANVAS OPTIONS


	223	225G
Bow cover	X	X
Covers for pedestal chairs	X	X
Drop curtain	X	X
Folding top & side curtains w/boot	X	X
Mooring cover	X	X





Cabin interior

22' WALKAROUND CABIN
Seafarer 22



Cockpit forward



OUTBOARD



STERN DRIVE



GRADY-DRIVE



Available with outboard, stern drive, and Grady-Drive power



SEAFARER 22

Beam Amidships	8'
Bridge Clearance	6'2"
w/hardtop	7'11"
Center Line Length	22'2"
Cockpit Depth	26"
Cockpit Square Footage	49 sq. ft.
Hull Draft	15"
Maximum H.P.	280 h.p.
O/B Shaft Length	25"
Transom Width	7'11"
Weight w/o Engine	
226	2875 lbs.
227 w/180 H.P.	3705 lbs.
228G	3000 lbs.

STANDARD FEATURES

SAFETY	226	227	228G
2 Automatic bilge pumps (total 2200 GPH)	X	X	X
Basic flotation	X	X	X
Cockpit toe rails	X	X	X
Companion grab rail	X	X	X
Fold down motorwell bulkhead	X		
Nonskid fiberglass liner	X	X	X
Nonskid, recessed walkaround	X	X	X
Self-bailing cockpit w/4 cockpit drains	X	X	X
Stainless steel, 316 grade bow rail	X	X	X

CABIN	226	227	228G
Berths - 2 forward vee berths	X	X	X
Cabin light	X	X	X
Forward hatch	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Rod storage holders (4)	X	X	X
Storage - 3 under berth compartments	X	X	X
Storage - cabinet	X	X	X
Storage - marine head compartment	X	X	X
Windows - 2 front windows	X	X	X
Windows - 2 sliding side windows w/screens	X	X	X

COCKPIT & DECK	226	227	228G
100% Hand laid hull and deck	X	X	X
Bait rigging area w/cutting board & drink holders		X	X
Bow lifting ring	X	X	X
Cockpit lights	X	X	X
Drink holders	4	6	4
Duratrirm trim work	X	X	X
Fish box - 190 quart starboard fish box w/ob drain	X	X	X

	226	227	228G
Fish box - divided port fish box (80 quart & 45 quart sections, both w/ob drain)	X	X	X
Fish box - 60 quart aft fish box			X
Footrests (helm & companion)	X	X	X
Fuel capacity - 92 gallons	X	X	X
Heavy duty gunwale molding	X	X	X
Insulated engine box w/drink holders	X		
International lighting	X	X	X
Rod holders (4)	X	X	X
Rod storage holders (4 vertical)	X	X	X
Rod storage racks (6 horizontal)	X	X	X
Seating - 2 pedestal chairs	X	X	X
Seating - port aft facing seat	X	X	X
Seating - starboard fish box cushion ...	X	X	X
Seating - 2 aft seats	X	X	X
Seating - foredeck cushions	X	X	X
Spring line cleats	X	X	X
Stainless steel, 316 grade steering wheel	X	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X	X
Steering - hydraulic			X
Steering - no feedback mechanical	X		
Steering - power		X	
Storage - forward anchor locker w/rope storage	X	X	X
Storage - lockable helm station radio box	X	X	X
Storage - tackle drawers under helm & companion chairs	X	X	X
Ventilated windshield	X	X	X
Windshield wiper (starboard)	X	X	X

OPTIONAL FEATURES	226	227	228G
Auxiliary fuel capacity - 56 gallon	X		X
Battery select switch	X	X	X
Bow pulpit	X	X	X
Cockpit bolsters	X	X	X
Cockpit shower	X	X	X
Combination washdown/raw water livewell	X	X	X
Compass	X	X	X
Gunwale mounted fresh water system	X	X	X
Hard top w/radio box	X	X	X
Hard top rod holders	X	X	X
Hard top spreader lights	X	X	X
Head - portable	X	X	X
Head - portable w/in-line macerator	X	X	X
Head - w/deck pump out	X	X	X
Hydraulic trim tabs	X	X	X
Livewell - aerated	X	X	X
Livewell - raw water	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Seating - deluxe helm & companion chairs	X	X	X
Steering - hydraulic	X		
Steering - tilt			X
Swim platform w/ladder	X	X	X
Swim platform w/ladder (full width)		X	X
Windshield wiper (port)	X	X	X
Yamaha/OMC/Merc binnacle control ...	X		

CANVAS OPTIONS	226	227	228G
Covers for pedestal chairs	X	X	X
Drop curtain	X	X	X
Folding top & side curtains w/boot	X	X	X
Hardtop curtains	X	X	X
Helm station cover	X	X	X
Mooring cover	X	X	X






Cabin interior



23' WALKAROUND CABIN
Gulfstream 23



Cockpit forward



232G Aft bench seat





GULFSTREAM 23

OUTBOARD

STERN DRIVE

GRADY-DRIVE



Available with outboard, stern drive, and Grady-Drive power



Beam Amidships	9'3"	230	231	232G
Bridge Clearance	6'5"			
w/hardtop	8'2"			
Center Line Length	23'5"			
Cockpit Depth	27"			
Cockpit Square Footage	56 sq. ft.			
Hull Draft	17"			
Maximum H.P.	350 h.p.			
O/B Shaft Length	25"			
Transom Width	8'10"			
Weight w/o Engine				
230	3900 lbs.			
231 w/260 H.P.	5000 lbs.			
232G	4025 lbs.			
232GT	4092 lbs.			

STANDARD FEATURES

SAFETY	230	231	232G
2 Automatic bilge pumps (total 2600 GPH)	X	X	X
Basic flotation	X	X	X
Cockpit toe rails	X	X	X
Companion grab rail	X	X	X
Fold down motor well bulkhead	X		
Nonskid fiberglass liner	X	X	X
Nonskid recessed walkaround	X	X	X
Self-bailing cockpit w/4 cockpit drains	X	X	X
Stainless steel, 316 grade bow rail	X	X	X

CABIN	230	231	232G
Cabin lights	X	X	X
Berths - 2 berths (upper & lower)	X	X	X
Forward hatch w/screen	X	X	X
Ice box - insulated ice box w/ob drain	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Mirror	X	X	X
Port side galley w/sink (10 gallon fresh water system)	X	X	X
Rod storage holders (4)	X	X	X
Storage - forward compartment	X	X	X
Storage - port compartment	X	X	X
Storage - marine head compartment	X	X	X
Storage - under berth compartment	X	X	X
Storage - under sink compartment	X	X	X
Storage - under step compartment	X	X	X
Windows - 2 front windows	X	X	X
Windows - 2 sliding side windows w/screens	X	X	X

COCKPIT AND DECK	230	231	232G
100% Hand laid hull and deck	X	X	X
Bow lifting ring	X	X	X
Cockpit lights	X	X	X
Drink holders	2	4	4
Duratrims trim work	X	X	X
Ice box - 38 quart port insulated ice box w/ob drain	X	X	X
Fish box - 265 quart starboard insulated fish box w/ob drain	X	X	X
Fish box - 92 quart aft deck fish box		X	
Fish box - 2 - 38 quart insulated aft deck boxes w/ob drains	X		X
Footrests (helm & companion)	X	X	X
Fuel capacity (diesel) - 90 gallons		X	
Fuel capacity (gas) - 146 gallons (90 gallon tank, 56 gallon tank)		X	
Fuel capacity (gas) - 148 gallons (92 gallon tank, 56 gallon tank)	X		X

Heavy duty gunwale molding	X	X	X
Hydraulic trim tabs	X	X	X
Insulated engine box w/drink holders		X	
International lighting	X	X	X
Livewell - 104 quart port insulated raw water livewell w/ob drain	X	X	X
Rod holders (4)	X	X	X
Rod storage holders (4 vertical)		X	
Rod storage racks (6 horizontal)	X	X	X
Seating - 2 pedestal chairs	X	X	X
Seating - port aft facing seat	X	X	X
Seating - starboard fish box cushion	X	X	X
Seating - molded in aft bench seat			X
Seating - foredeck cushions	X	X	X
Spring line cleats	X	X	X
Stainless steel, 316 grade steering wheel	X	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X	X
Steering - hydraulic	X		X
Steering - power		X	
Storage - forward anchor locker w/rope storage	X	X	X
Storage - lockable helm station radio box	X	X	X
Storage - 2 tackle trays under helm chair	X	X	X
Storage - 2 tackle drawers under companion seat	X	X	X
Storage - aft deck lift out box		X	X
Ventilated windshield	X	X	X
Washdown pump w/hose	X	X	X
Windshield wiper (starboard)	X	X	X

OPTIONAL FEATURES	230	231	232G
Auxiliary fuel capacity - 182 gallons	X		X
Battery select switch	X	X	X
Bow pulpit	X	X	X
Cockpit bolsters	X	X	X
Cockpit shower	X	X	X
Compass	X	X	X
Cushions - lower berth filler cushions	X	X	X
Grady drive (twins)			X
Gunwale mounted fresh water system	X	X	X
Hard top w/radio box	X	X	X
Hard top rod holders	X	X	X
Hard top spreader lights	X	X	X
Head - w/deck pump out	X	X	X
Head - portable	X	X	X
Head - portable w/in-line macerator	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr. cabin side mount)	X	X	X
Rod storage - folding cabin rack (6)	X	X	X
Seating - deluxe helm & companion chairs	X	X	X
Steering - tilt	X		X
Swim platform w/ladder	X	X	X
Swim platform w/ladder (full width)		X	X
Transom modification (single)	25"		
Windshield wiper (port)	X	X	X
Yamaha/OMC/Merc binnacle control	X	X	X
Yamaha/OMC/Merc dual bin. control	X		X

CANVAS OPTIONS	230	231	232G
Covers for pedestal chairs	X	X	X
Drop curtain	X	X	X
Folding top & side curtains w/boot	X	X	X
Hardtop curtains	X	X	X
Helm station cover	X	X	X





24' WALKAROUND CABIN

Explorer 24



Cockpit forward





EXPLORER 24



Available with outboard, stern drive, and Grady-Drive power



Beam Amidships	8'3"
Bridge Clearance	6'4"
w/hardtop	8'1"
Center Line Length	24'1"
Cockpit Depth	28"
Cockpit Square Footage	55 sq. ft.
Hull Draft	15"
Maximum H.P.	300 h.p.
O/B Shaft Length	25"
Transom Width	7'10"
Weight w/o Engine	
244	3400 lbs.
245 w/260 H.P.	4500 lbs.
246G	3525 lbs.
246GT	3592 lbs.

STANDARD FEATURES

SAFETY	244	245	246G
2 Automatic bilge pumps (total 2600 GPH)	X	X	X
Basic flotation	X	X	X
Cockpit toe rails	X	X	X
Companion grab rail	X	X	X
Fold down motor well bulkhead	X		
Nonskid fiberglass liner	X	X	X
Nonskid recessed walkaround	X	X	X
Self-bailing cockpit w/4 cockpit drains	X	X	X
Stainless steel, 316 grade bow rail	X	X	X
CABIN	244	245	246G
Cabin lights	X	X	X
Berths - 2 forward vee berths	X	X	X
Forward hatch	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Mirror	X	X	X
Rod storage holders (4)	X	X	X
Sink w/10 gallon fresh water system	X	X	X
Storage - 2 under berth compartments	X	X	X
Storage - marine head compartment	X	X	X
Storage - under sink compartment	X	X	X
Windows - 2 front windows	X	X	X
Windows - 2 sliding side windows w/screens	X	X	X
COCKPIT AND DECK	244	245	246G
100% Hand laid hull and deck	X	X	X
Bait rigging area w/cutting board and drink holders		X	X
Bow lifting ring	X	X	X
Cockpit lights	X	X	X
Drink holders (6)	X	X	X
Duratrims trim work	X	X	X
Fish box - 190 quart starboard fish box w/ob drain	X	X	X
Fish box - divided port fish box (104 quart & 25 quart sections, both w/ob drains)	X	X	X
Fish box - 60 quart aft insulated fish box			X
Footrests (helm & companion)	X	X	X
Fuel capacity - 92 gallons	X	X	X
Fuel capacity - 107 gallons (GT only)			X
Heavy duty gunwale molding	X	X	X

	244	245	246G
Hydraulic trim tabs	X	X	X
Insulated engine box w/drink holders		X	
International lighting	X	X	X
Pedestal chairs	X	X	X
Rod storage holders (4 vertical)		X	X
Rod storage racks (6 horizontal)	X	X	X
Seating - 2 pedestal chairs	X	X	X
Seating - port aft facing seat	X	X	X
Seating - starboard fish box cushion	X	X	X
Seating - 2 aft seats	X	X	X
Seating - foredeck cushions	X	X	X
Spring line cleats	X	X	X
Stainless steel, 316 grade steering wheel	X	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X	X
Steering - hydraulic			X
Steering - no feedback mechanical	X		
Steering - power		X	
Storage - forward anchor locker w/rope storage	X	X	X
Storage - lockable helm station radio box	X	X	X
Storage - dry storage under helm seat	X	X	X
Storage - 2 tackle drawers under companion seat	X	X	X
Ventilated windshield	X	X	X
Windshield wiper (starboard)	X	X	X

OPTIONAL FEATURES

	244	245	246G
Auxiliary fuel capacity - 56 gallon	X		X
Battery select switch	X	X	X
Bow pulpit	X	X	X
Cockpit bolsters	X	X	X
Cockpit shower	X	X	X
Compass	X	X	X
Grady Drive (twins)			X
Gunwale mounted fresh water system	X	X	X
Hard top w/radio box	X	X	X
Hard top rod holders	X	X	X
Hard top spreader lights	X	X	X
Head - w/deck pump out	X	X	X
Head - portable	X	X	X
Head - portable w/in-line macerator	X	X	X
Livewell - aerated	X	X	X
Livewell - raw water	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr. cabin side mount)	X	X	X
Rod storage - folding cabin rack (6)	X	X	X
Seating - deluxe helm & companion chairs	X	X	X
Steering - hydraulic	X		
Steering - tilt	X	X	X
Swim platform w/ladder	X	X	X
Swim platform w/ladder (full width)		X	X
Washdown/raw water livewell	X	X	X
Windshield wiper (port)	X	X	X
Yamaha/OMC/Merc single binnacle control	X		X
Yamaha/OMC/Merc dual bin. control			X

CANVAS OPTIONS

	244	245	246G
Covers for pedestal chairs	X	X	X
Drop curtain	X	X	X
Folding top & side curtains w/boot	X	X	X
Hardtop curtains	X	X	X
Helm station cover	X	X	X

Cabin interior





Cabin and galley



*Transom door,
bench seat,
and livewell*

25' WALKAROUND CABIN **Sailfish 25**



Cockpit forward





SAILFISH 252

OUTBOARD



Available with outboard power



Beam Amidships	9'6"
Bridge Clearance	7'7"
w/hardtop	9'4"
Center Line Length	25'4"
Cockpit Depth	28"
Cockpit Square Footage	59 sq. ft.
Hull Draft	18"
Maximum H.P.	450 h.p.
O/B Shaft Length	25"
Transom Width	9'
Weight w/o Engines	5500 lbs.

STANDARD FEATURES

SAFETY

- 2 Automatic bilge pumps (total 3000 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid, recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Cabin lights
- Carpet
- Berths - 2 forward vee berths
- Berth - 1 aft berth
- Forward hatch w/screen
- Head - enclosed head area w/sink and lamp
- Lockable door w/screen & companionway hatch
- Mirror
- Port side galley w/sink
- Refrigerator
- Rod storage holders (4)
- Storage - 3 under berth compartments
- Storage - galley area
- Stove - butane
- Table
- Water tank - 32 gallon
- Windows - 2 front windows
- Windows - 2 sliding side windows w/screens

COCKPIT AND DECK

- 100% Hand laid hull and deck
- Anchor windlass wiring
- Bow lifting ring
- Cockpit lights
- Cockpit bolsters
- Combination livewell/washdown
- Drink holders (4)
- Duracore trim work
- Fish box - 260 quart starboard insulated fish box w/ob drain

- Fish box - 104 quart port insulated fish box w/ob drain
- Footrests (helm & companion)
- Fuel capacity - 202 gallons (150 gallon tank, 52 gallon tank)
- Heavy duty gunwale molding
- Hydraulic trim tabs
- Ice box - 38 quart port insulated ice box w/ob drain
- Integrated outboard mounting system w/swim platform and ladder
- International lighting
- Livewell - 60 quart aft deck insulated raw water livewell w/ob drain
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - 2 pedestal chairs
- Seating - port & starboard fish box cushions
- Seating - molded in aft bench seat
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade steering wheel
- Stainless steel, 316 grade through bolted deck hardware
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable helm station radio box
- Storage - lockable storage under helm seat
- Storage - 2 tackle drawers under companion seat
- Transducer mounting flats
- Ventilated windshield
- Washdown pump w/hose
- Windshield wiper (starboard)

OPTIONAL FEATURES

- Anchor windlass
- Battery select switch
- Battery charger
- Bow pulpit
- Cockpit shower
- Compass
- Dockside power w/galvanic isolator
- Gunwale mounted fresh water system
- Hard top w/radio box
- Hard top rod holders
- Hard top spreader lights
- Head - w/deck pump out
- Head - portable
- Head - portable w/in-line macerator
- Head - marine head w/electric flush
- Head - marine head w/holding tank, pump out
- Hot water heater (110V) requires dockside power
- Microwave oven
- Outtrigger kit 15 ft. (gunwale mount)
- Outtrigger kit 15 ft. (hardtop mount)
- Outtrigger kit 18 ft. (Lee Jr. cabin side mount)
- Rod storage - folding cabin rack (6)
- Seating - deluxe helm & companion chairs
- Shower
- Steering - tilt
- Windshield washer - starboard (fresh water)
- Windshield wiper (port)
- Yamaha/OMC Merc dual binnacle control

CANVAS OPTIONS

- Covers for pedestal chairs
- Drop curtain
- Folding top & side curtains w/boot
- Hardtop curtains
- Helm station cover



DOLPHIN 25

Beam Amidships	9'6"
Bridge Clearance	7'10"
w/hardtop	9'7"
Center Line Length	25'4"
Cockpit Depth	28"
Cockpit Square Footage	56 sq. ft.
Hull Draft	18"
Maximum H.P.	450 h.p.
O/B Shaft Length	25"
Transom Width	9'
Weight w/o Engines	
250	5125 lbs.
251 w/260 H.P.	6025 lbs.
253GT	5300 lbs.

STANDARD FEATURES

SAFETY 250 251 253GT

2 Automatic bilge pumps (total 2600 GPH)	X	X	X
Basic flotation	X	X	X
Cockpit toe rails	X	X	X
Companion grab rail	X	X	X
Fold down motor well bulkhead	X		
Nonskid fiberglass liner	X	X	X
Nonskid recessed walkaround	X	X	X
Self bailing cockpit w/4 cockpit drains	X	X	X
Stainless steel, 316 grade bow rail	X	X	X

CABIN 250 251 253GT

Cabin lights	X	X	X
Berths - 2 forward vee berths	X	X	X
Forward hatch w/screen	X	X	X
Ice box - insulated ice box w/ob drain	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Mirror	X	X	X
Rod storage holders (2)	X	X	X
Sink w/10 gallon fresh water system	X	X	X
Storage - forward storage compartment	X	X	X
Storage - port storage compartment	X	X	X
Storage - under berth compartment	X	X	X
Storage - marine head compartment	X	X	X
Storage - under sink compartment	X	X	X
Storage - under step compartment	X	X	X
Windows - 2 front windows	X	X	X
Windows - 2 sliding side windows w/screens	X	X	X

COCKPIT AND DECK 250 251 253GT

100% Hand laid hull and deck	X	X	X
Anchor windlass wiring	X	X	X
Battery select switch (gas model)	X		
Bow lifting ring	X	X	X
Cockpit lights	X	X	X
Drink holders	2	4	2
Duratrим trim work	X	X	X
Fish box - 192 quart starboard insulated fish box w/ob drain	X	X	X
Fish box - 92 quart aft deck insulated fish box		X	X
Fish box - 2 - 38 quart insulated aft deck boxes w/ob drain	X		
Footrests (helm & companion)	X	X	X
Fuel capacity (diesel) - 124 gallons	X		
Fuel capacity (gas) - 240 gallons (150 gallon tank, 90 gallon tank)	X	X	X

	250	251	253GT
Heavy duty gunwale molding	X	X	X
Hydraulic trim tabs	X	X	X
Ice box - 38 quart port insulated ice box w/ob drain	X	X	X
International lighting	X	X	X
Livewell - 104 quart port insulated raw water livewell w/ob drain	X	X	X
Rod holders (4)	X	X	X
Rod storage holders (4 vertical)	X		
Rod storage racks (6 horizontal)	X	X	X
Seating - 2 pedestal chairs	X	X	X
Seating - port aft facing seat	X	X	X
Seating - starboard fish box cushion	X	X	X
Seating - fold down bench seat/rigging table			X
Seating - foredeck cushions	X	X	X
Spring line cleats	X	X	X
Stainless steel, 316 grade steering wheel	X	X	X
Stainless steel, 316 grade through bolted deck hardware	X	X	X
Steering - hydraulic	X	X	X
Steering - power		X	
Storage - forward anchor locker w/rope storage	X	X	X
Storage - lockable helm station radio box	X	X	X
Storage - lockable storage under helm seat	X	X	X
Storage - 2 tackle drawers under companion seat	X	X	X
Storage - dry storage under aft facing seat	X	X	X
Tackle station w/lockable drawers & fresh water sink	X	X	X
Ventilated windshield	X	X	X
Washdown pump w/hose	X	X	X
Windshield wiper (starboard)	X	X	X

OPTIONAL FEATURES 250 251 253GT

Anchor windlass	X	X	X
Battery select switch	X	X	X
Bow pulpit	X	X	X
Cockpit bolsters	X	X	X
Compass	X	X	X
Cushions - lower berth filler cushions	X	X	X
Dockside power w/galvanic isolator	X	X	X
Hard top w/radio box	X	X	X
Hard top rod holders	X	X	X
Hard top spreader lights	X	X	X
Head - portable	X	X	X
Head - portable w/in-line macerator	X	X	X
Head - w/deck pump out	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr. cabin side mount)	X	X	X
Rod storage - folding cabin rack (6)	X	X	X
Seating - deluxe helm & companion chairs	X	X	X
Steering - tilt	X	X	
Swim platform w/ladder	X	X	X
Swim platform w/ladder (full width)	X	X	X
Windshield washer	X	X	X
Windshield wiper (port)	X	X	X
Yamaha/OMC/Merc dual binnacle control	X		X

CANVAS OPTIONS 250 251 253GT

Covers for pedestal chairs	X	X	X
Drop curtain	X	X	X
Folding top & side curtains w/boot	X	X	X
Hardtop curtains	X	X	X
Helm station cover	X	X	X

OUTBOARD



STERN DRIVE



GRADY-DRIVE




Available with outboard, stern drive,
and Grady-Drive power





Tackle station



25' WALKAROUND CABIN
Dolphin 25



Cockpit forward



Cabin interior





MARLIN 280

Beam Amidships	10'7"
Bridge Clearance	8'3"
w/hardtop	10'
Center Line Length	28'
Cockpit Depth	29"
Cockpit Square Footage	74 sq. ft.
Hull Draft	19"
Length Overall (w/pulpit)	32'7"
Maximum H.P.	500 h.p.
O/B Shaft Length	25"
Transom Width	9'6"
Weight w/o Engines	7000 lbs.

STANDARD FEATURES

SAFETY

- 2 Automatic bilge pumps (total 3000 GPH)
- Basic flotation
- Cockpit toe rails
- Companion grab rail
- Nonskid fiberglass liner
- Nonskid recessed walkaround
- Self-bailing cockpit w/4 cockpit drains
- Stainless steel, 316 grade bow rail

CABIN

- Berths - 2 forward vee berths
- Berth - 1 aft double berth
- Cabin lights
- Carpet
- Forward hatch w/screen
- Fresh water system (41 gallon)
- Head - enclosed head area w/sink and lamp
- Head - manual head, macerator, holding tank, and pump out
- Hot water heater
- Lockable door w/screen & companionway hatch
- Microwave oven
- Mirror
- Port side galley w/sink
- Refrigerator
- Rod storage racks (10)
- Rod storage - aft berth
- Shower
- Stereo cassette system
- Storage - under berth compartments
- Storage - galley cabinets
- Stove - alcohol electric
- Table
- Windows - 2 front windows
- Windows - 2 sliding side windows w/screens
- Windows - aft berth window w/screen

COCKPIT AND DECK

- 100% Hand laid hull and deck
- Anchor windlass wiring
- Battery select switch
- Batteries (4)
- Battery charger system
- Battery isolator
- Bow pulpit w/anchor davit
- Cockpit bolsters
- Cockpit lights
- Cockpit shower (recessed)
- Compass
- Dockside power

- Drink holders
- Duratrим trim work
- Dynaplate
- Fighting chair reinforcement
- Fish box - 275 quart port insulated fish box w/ob drain
- Footrests (helm & companion)
- Fuel capacity - 306 gallon
- Heavy duty gunwale molding
- Hydraulic trim tabs
- Integrated outboard mounting system w/swim platform and ladder
- International lighting
- Livewell - 30 gallon aft deck insulated raw water livewell w/ob drain
- Rod holders (4)
- Rod storage racks (6 horizontal)
- Seating - deluxe helm & companion chairs
- Seating - port fish box cushion
- Seating - starboard tackle station cushion
- Seating - foredeck cushions
- Spring line cleats
- Stainless steel, 316 grade steering wheel
- Stainless steel, 316 grade through bolted deck hardware
- Steering - hydraulic
- Storage - forward anchor locker w/rope storage
- Storage - lockable helm station radio box
- Storage - lockable storage under helm & companion seats
- Storage - under step compartment
- Storage - aft deck lift out box
- Tackle station behind helm chair w/fresh water sink, insulated bait box w/ob drain, lockable drawers
- Transducer mounting flats
- Transom door
- Ventilated windshield
- Washdown system & hose w/livewell backup capacity
- Windshield wipers

OPTIONAL FEATURES

- Air conditioning
- Anchor windlass
- Generator
- Hard top w/radio box
- Hard top rod holders
- Hard top spreader lights
- Head - marine head w/electric flush
- Outrigger kit 24 ft. (Lee Sr. fold down)
- Outrigger kit 18 ft. (Lee Jr. cabin side mount)
- Outrigger kit 19 ft. (Lee Jr. cabin side mount)
- Seating - fold down bench seat/rigging table
- Steering - tilt
- Windshield washer - starboard (fresh water)

CANVAS OPTIONS

- Drop curtain
- Hardtop front & side curtains
- Helm station cover



Tackle station





Cabin and galley



Aft berth



28' WALKAROUND CABIN
Marlin 28

Available with outboard power

OUTBOARD



Cockpit forward



FACTORY OPTIONS

Customize your Grady-White with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Canvas options are made from the finest acrylic fabric. This handsome fabric provides excellent water resistance and breathes to avoid trapping moisture for a longer life and more comfortable use. Each canvas option comes with corrosion-resistant fasteners and is custom-fit to every boat at the factory, then removed for shipping.



▲ Fold-up aft seat/cutting board – up and down



▲ Hardtop front, side, drop curtains



▲ Walkaround series vista top and side curtains



▲ Tournament series vista top and side curtains



▲ Drop curtains



▲ Fiberglass swim platform (large)



▲ Fiberglass swim platform (small)




▲ Compass



▲ Raw water livewell



▲ Hardtop with radio box, spreader lights, and rod holders



▲ Bow pulpit



◀ Gunwale mount outriggers



▲ Cabin side mount outriggers



▲ Tilt steering

▼ Deluxe helm chair



▲ Auxiliary berth cushions



▲ Gunwale mounted fresh water system



▲ 9.9 hp auxiliary kicker engine



▲ Factory rigged for Evinrude, Johnson, Mercury, and Yamaha outboard engines



▲ Anchor windlass



▲ Marine head with holding tank




▲ Marine head with portable tank



▲ 209 Bimini top

▼ Fresh water cockpit shower



▲ Cabin rod rack

Hello,

Thanks for considering Grady-White in this, our 35th anniversary year. Our company's mission is to provide you and your family with the ultimate offshore boating experience. We aim to exceed your expectations in boat design, performance, durability, and service. If you enjoy boating on large bodies of water, there's a Grady-White that's right for you.



At the helm (l to r): Wiley Corbett, Eddie Smith, and Kris Sheppard

Since the launch of our original, wood lapstrake boats in the late 1950s, the name Grady-White has meant seaworthy safety and tough durability. The 1994

Grady-Whites reflect all the refinements of our 35 years in boat building.

The 1994 Grady-Whites combine the best manufacturing and testing technology, today's durable materials, and the next-generation naval architecture of our SeaV² hulls. The results are boats that are tough, durable, and designed to give you and your family the comfort and confidence to expand your boating horizons.

The safety and integrity of your Grady-White hull is covered by our 5-year limited warranty. Moreover, it's administered by your Grady-White dealer. We know your dealer personally, and there is none finer in the marine industry.



As a privately held company with 25 years of uninterrupted ownership and management, we're proud of our products and grateful to the thousands of dedicated Grady-White owners around the world. If you are ever in Eastern North Carolina, we hope you'll personally inspect our commitment to craftsmanship in our 300,000-square foot, air conditioned facility.

Once you see how we build our boats, you and your family will always own a Grady-White.

Happy boating!

Sincerely,



Eddie C. Smith, Jr. *Wiley B. Corbett* *Kris Sheppard*

Eddie C. Smith, Jr., CEO

Wiley B. Corbett, president

Kris Sheppard, executive vice president/general manager



Grady-White Boats P.O. Box 1527 Greenville, NC 27835 (919) 752-2111

Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, colors, or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.