

GRADY WHITE



1 9 9 3

The 1993 Grady-Whites: A new level of off



At the helm (l to r): Wiley Corbett, Eddie Smith, and Kris Sheppard

Hello,
Thanks for considering a Grady-White boat. Our mission is to provide your family with a boat that exceeds your performance, design, and durability expectations. If you enjoy boating on large bodies of water, there's a safe, seaworthy Grady-White that's right for you.

A family-owned tradition

Since our original wooden lapstrake boats of the late '50s, the name Grady-White has represented seaworthy safety and tough durability. Today's 1993 Grady-Whites combine all the refinements of 25 years of continuous ownership and management.

Exclusive SeaV² hull technology takes offshore performance to a new level

Grady-White offshore boats from 20 to 28 feet incorporate SeaV² continuously variable deadrise vee hull designs. Model for model, they are the softest, driest, and best tracking boats you've ever ridden. The result is more comfort and safety for you and your family.

Reinforced by our 5-year structural hull warranty

The seaworthy safety and structural integrity of your Grady-White hull is covered by our 5-year limited warranty. Moreover, it's administered by your dealer personally and Grady-White dealers are the best in the business.

1992 Marine Matrix Boat Ownership Satisfaction Survey

Our dedication to owner satisfaction is confirmed by the 1992 Marine Matrix study of over 10,000 boat owners. This study of 1987-1991 model year owners ranked us tops among coastal fishing boats in customer satisfaction and we were the only offshore boat in the top five among over 60 brands.

Incredibly, the introduction of our new SeaV² hull technology and many other refinements make the 1993 Grady-Whites an even better value.

We want you to personally inspect our dedication to craftsmanship in our 300,000 square foot facility in Greenville, North Carolina. If you are ever in our area, please arrange for a guided tour.

Once you see how a Grady-White is built, you'll own a Grady-White.

Happy boating!

Sincerely,

Eddie C. Smith Jr., CEO

Wiley B. Corbett, president

Kris Sheppard, executive vice president, GM



Exclusive SeaV²


Softer ride. The SeaV² vee increases continuously from the transom, putting more wave piercing vee forward for the softest 20- to 28-foot ride on the water. SeaV² hulls do for boats what shock absorbers did for cars.



1 The smooth, durable gel coat finish is sprayed into the highly polished molds in dust free booths. This polyester resin forms the outer surface and color of a Grady-White.



2 Fiberglass is painstakingly hand laid on the gel coat surface. Though labor intensive and expensive, hand lay-up assures the computer monitored glass-to-resin ratios and uniform thickness that make Grady-Whites stronger and more durable.



3 Stringer systems are encapsulated in resin and fiberglassed to the hull before the foam flotation is sprayed into strategic cavities. This gives a Grady-White lasting strength, safety, and shape.




4 The boat "cures" in its mold, allowing the heat of the polymer reaction to dissipate for many hours. This ensures that your Grady-White will always retain its original shape for optimum performance and lasting durability, and is fundamental to our limited production.

shore performance and customer satisfaction

Hull designs advance your level of comfort and confidence.

Stability at any speed. The continuously variable vee SeaV² has incredible vertical stability on plane, and tracks through quartering seas as if on rails. Plus, wide chines and weight and trim balance mean stability at rest.



Drier ride. Since the SeaV² hull shape has no convex, egg-shaped sections, water peels straight up the hull to the running strakes and chines. This means more spray is knocked down for the driest ride you've ever experienced.



In the 300,000-square foot, dust free, air conditioned Grady-White plant, we combine advanced production technology with a dedication to quality that is the hallmark of our boat building tradition.



5 Standard deck hardware is 316L stainless steel with much more nickel and chromium than the 304 stainless steel used by competitive boats. Even the through-bolts and locking nuts used to secure hardware are laboratory grade stainless to resist the elements.



6 Maintenance free Duratrim is installed, cabin interiors are fitted by hand, and bulkheads are carefully through-bolted. Every Grady-White is an original work of the boatbuilders' art.



7 Windshield systems, hardtops and canvas options are installed. Each strap and fastener is fitted at the factory before the canvas is repacked for shipment.



8 As many as 150 checkpoints are passed before the boat is ready for shipment, plus each cabin boat receives a 15 minute shower to check for leaks. The result is a safe, durable craft you and your family will enjoy for years to come.

Spirit 17

175 SPIRIT



Outboard mounted on transom

Center Line Length	17'5"
Beam Amidships	7'5"
O/B Shaft Length	20"
Transom Width	7'4"
Hull Draft	12"
Bridge Clearance	49"
Maximum H.P.	140 h.p.
Weight	1500 lbs.



STANDARD FEATURES

COCKPIT & DECK

- 316 Stainless steel, through-bolted deck hardware
- Heavy-duty gunwale molding
- 316 Stainless steel bow rail
- Bow vertical anchor locker
- Insulated fish box or dry storage area w/overboard drain
- Raised casting platform
- 316 Stainless steel steering wheel
- Pedestal chairs w/cushions
- Automatic bilge pump (1100 GPH)
- 2 Aft rigging compartments
- 2 Aft deck lift-out boxes
- 48 Gallon aluminum gas tank
- No feedback mechanical steering
- 2 Flush mounted rod holders
- Horizontal rod racks
- Self bailing cockpit
- NMMA approved
- International lighting
- Level flotation

CONSOLE FEATURES

- Forward fish box w/aerated livewell
- Forward seat w/cushions
- 2 Lockable storage compartments
- Lockable helm station radio box
- Plexiglass windshield w/handrail
- 6 Vertical rod holders


FACTORY OPTIONS

GENERAL

- Bow lifting ring
- Folding Bimini top with boot
- Swim platform w/ladder
- Bench seat w/reversible back
- Raw water live well option
- Bow cushions



▲ Optional bench seat with reversible back



Tournament 19



Outboard mounted on transom

190 TOURNAMENT

Center Line Length	18'11"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'8"
Hull Draft	14"
Bridge Clearance	6'4"
Maximum H.P.	200 h.p.
Weight	2075 lbs.

STANDARD FEATURES

COCKPIT & DECK

316 Stainless steel, through-bolted deck hardware
 Heavy-duty gunwale molding
 Duratrim trimwork
 316 Stainless steel bow rail
 Forward anchor locker w/rope storage
 Bow seat port storage compartment
 Bow seat starboard icebox
 2 Removable bow cushions
 Lockable console storage compartments
 Walk thru windshield
 Windshield wiper
 316 Stainless steel steering wheel
 316 Stainless steel horn
 Covered instrument panel
 Pedestal chairs w/cushions
 Compass mount pad
 Lockable helm station radio box
 6 Drink holders
 Lockable glove box
 Companion grab rail
 Cockpit lights
 Helm & companion side shelves
 Removable aft cushioned seats
 Automatic bilge pump (1100 GPH)
 60 Gallon aluminum gas tank
 No feedback mechanical steering
 NMMA approved

International lighting
 Level flotation

FISHING

Non-skid fiberglass liner
 Self-bailing cockpit
 4 Flush mounted rod holders
 Removable fishwell in cockpit floor
 Cockpit toe rails
 Horizontal rod racks


FACTORY OPTIONS

GENERAL

Deluxe helm chairs
 Compass
 Portable head
 Bow lifting ring
 Outrigger kit 15 ft. (gunwale mount)
 Chair gimbal
 Sleeper seat
 Swim platform w/ladder
 Aerated livewell
 Battery select switch
 Hydraulic steering

CANVAS

Folding top & side curtains w/boot
 Aft curtain
 Bow cover
 Mooring cover
 Covers for pedestal chairs



20' WALKAROUND CABIN

Adventure 20




▲ Cockpit forward

208 ADVENTURE

Center Line Length	20'4"
Beam Amidships	8'1"
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Bridge Clearance	5'9"
Maximum H.P.	230 h.p.
Weight	2650 lbs.



▲ Outboard mounted on transom






▲ Helm station



▲ Insulated fishbox



▲ Horizontal rod racks



▲ Cabin interior



▲ Walkaround cabin with bow anchor locker



STANDARD FEATURES

CABIN

Recessed, non-skid walkway around entire cabin
 Forward hatch w/seat cushions
 2 Sliding side windows w/screens
 Headliner
 4 Rod storage holders
 2 Berths
 3 Underberth storage compartments
 Lamp
 2 Side storage shelves
 Forward storage shelf
 Storage compartment for marine head
 Fabric-covered foam berth cushions
 Lockable door w/screen

COCKPIT & DECK

316 Stainless steel, through-bolted deck hardware
 Heavy-duty gunwale molding
 Duratrim trimwork
 316 Stainless steel bow rail
 Ventilated windshield
 Windshield wiper
 316 Stainless steel steering wheel
 Forward anchor locker w/rope storage
 316 Stainless steel horn
 Compass mount pad
 Covered instrument panel

Pedestal chairs w/cushions
 Helm & companion footrests
 Helm & companion side shelves
 4 Drink holders
 Companion grab rail
 Lockable helm station radio box
 Cockpit lights
 Spring line cleats
 Removable aft cushioned seats w/handrails
 Automatic bilge pump (1100 GPH)
 2 Battery compartments
 82 Gallon aluminum gas tank
 No feedback mechanical steering
 NMMA approved
 International lighting
 Basic flotation

FISHING

Non-skid fiberglass liner
 Self-bailing cockpit w/4 floor drains
 Fold down motorwell bulkhead
 Lockable storage under helm chair
 2 tackle drawers under companion chair
 106 Qt. starboard fish box w/ob drain
 103 Qt. port fish box w/optional raw water livewell
 4 Flush mounted rod holders
 Horizontal rod racks
 Cockpit toe rails, port and starboard

FACTORY OPTIONS


GENERAL

Compass
 Hardtop w/radio box
 Hardtop rod holders
 Hardtop spreader lights
 Windshield wiper (port)
 Outrigger kit 15 ft. (gunwale mount)
 Outrigger kit 15 ft. (hardtop mount)
 Fiberglass bow pulpit
 Portable head
 Portable head w/in line macerator
 Head w/deck pump out
 Bow lifting ring
 Chair gimbal
 Combination washdown/raw water livewell
 Swim platform w/ladder
 YAMAHA/OMC/MERC single binnacle control
 Hydraulic steering
 Hydraulic trim tabs
 Battery select switch
 Gunwale mounted freshwater system w/10 gallon tank
 Wash down pump with hose

CANVAS

Hardtop curtains
 Drop curtain
 Helm station cover
 Folding top & side curtains w/boot
 Covers for pedestal chairs
 Mooring cover

Escape 20



209 ESCAPE



Outboard mounted on transom

Center Line Length	20'4"
Beam Amidships	8'1"
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Bridge Clearance	5'9"
Maximum H.P.	230 h.p.
Weight	2450 lbs.



STANDARD FEATURES

COCKPIT & DECK

316 Stainless steel, through-bolted deck hardware
 Heavy-duty gunwale molding
 316 Stainless steel bow rail
 Forward anchor locker w/rope storage
 316 Stainless steel steering wheel
 316 Stainless steel horn
 Pedestal chairs w/cushions
 2 Drink holders
 Cockpit lights
 Spring line cleats
 Automatic bilge pump (1100 GPH)
 2 Battery storage compartments
 82 Gallon aluminum gas tank
 No feedback mechanical steering
 Removable aft cushioned seats w/handrails
 NMMA approved
 International lighting
 Basic flotation

FISHING

Non-skid fiberglass liner
 Fold-down motor well bulkhead
 Raised casting platform
 2 Forward fish boxes w/ob drains
 Self-bailing cockpit
 Horizontal rod racks
 4 Flush mounted rod holders
 120 Qt. starboard fish box w/ob drain
 83 Qt. port fish box w/ob drain

Recirculating livewell
 Cockpit toe rails, port and starboard

CONSOLE

Forward cushioned seat
 Forward compartment for storage or a portable head
 Forward fish box w/ Recirculating livewell
 2 Lockable storage compartment
 2 Drink holders
 Lockable radio box
 Plexiglass windshield w/handrail
 6 Vertical rod holders
 Covered instrument/accessory panel


FACTORY OPTIONS

GENERAL

Deluxe helm chairs
 Compass
 Outrigger kit 15 ft. (gunwale mount)
 Portable head
 Bow lifting ring
 Chair gimbal
 Raw water livewell
 Washdown pump w/hose
 Swim platform w/ladder
 YAMAHA/OMC/MERC single binnacle control
 Hydraulic steering
 Hydraulic trim tabs
 Battery select switch
 Freshwater system w/10 gallon tank
 Bow cushions
 Fiberglass bow pulpit
 Bench seat w/reversible back
 Lean bar

CANVAS

Mooring cover
 Covers for pedestal chairs
 Folding Bimini top w/boot
 Casting platform sprayhood w/boot
 Casting platform privacy curtain
 Connector top to sprayhood
 Console cover



Tournament 22




TOURNAMENT 22 (Model 223 looking aft)



Outboard mounted on transom

Center Line Length	22'
Beam Amidships	8'4"
O/B Shaft Length	25"
Transom Width	7'11"
Hull Draft	15"
Bridge Clearance (add 21" for hardtop)	6'4"
Maximum H.P.	230 h.p.
Weight 223	2875 lbs.
Weight 225G	3000 lbs.



Tournament 225G Grady Drive model shown. Also available as Tournament 223 outboard model (aft cockpit pictured at left).

STANDARD FEATURES

COCKPIT & DECK	223	225G
316 Stainless steel, through-bolted deck hardware	X	X
Heavy-duty gunwale molding	X	X
Duratrims trimwork	X	X
Bow lifting ring	X	X
316 Stainless steel bow rail	X	X
Forward anchor locker w/rope storage	X	X
Bow seat port storage compartment	X	X
Bow seat starboard ice box	X	X
2 Removable bow cushions	X	X
Lockable console tackle drawers	X	X
Walk-thru windshield	X	X
Windshield wiper	X	X
316 Stainless steel steering wheel	X	X
316 Stainless steel horn	X	X
Covered instrument panel	X	X
Helix footrest	X	X
Pedestal chairs w/cushions	X	X
Lockable helm station radio box	X	X
6 Drink holders	X	X
Lockable glove box	X	X
Companion grab rail	X	X
Cockpit lights	X	X
Lockable console storage compartments	X	X


	223	225G
Spring line cleats	X	X
2 Fish box cushions	X	X
Removable aft cushioned seats	X	X
Removable aft cushion seats w/handrails	X	X
Automatic bilge pump (1500 GPH)	X	X
2 Battery storage compartments	X	X
91 Gallon aluminum gas tank	X	X
Hydraulic steering	X	X
Mechanical steering	X	X
NMMA Approved	X	X
International lighting	X	X
Basic foam flotation	X	X
FISHING	223	225G
Non-skid fiberglass liner	X	X
Self-bailing cockpit w/4 floor drains	X	X
4 Vertical rod storage holders	X	X
Horizontal rod racks	X	X
4 Flush mounted rod holders	X	X
190 Qt. fish box or storage compartment behind helm chair w/ob drain	X	X
Divided fish boxes behind companion chair, both w/ob drain	X	X
1-90 Qt. section	X	X
Cockpit toe rails, port and starboard	X	X
Rigging area w/cutting board and drink holders	X	X
1-60 Qt. aft fish box	X	X
Fold-down motor well bulkhead	X	X

FACTORY OPTIONS

GENERAL	223	225G
Deluxe helm chairs	X	X
Sleeper seat	X	X
Compass	X	X
Fiberglass bow pulpit	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X
Chair gimbal	X	X
Cockpit bolsters	X	X
Swim platform w/ladder	X	X
Transom width platform w/ladder	X	X
56 Gallon auxiliary gas tank	X	X
YAMAHA/OMC/MERC binnacle control	X	X
Battery select switch	X	X
Gunwale mounted freshwater system	X	X
Hydraulic trim tabs	X	X
Combination washdown/raw water livewell	X	X
CANVAS	223	225G
Folding top and side curtain w/boot	X	X
Drop curtain	X	X
Covers for pedestal chairs	X	X
Bow cover	X	X
Mooring cover	X	X

22' WALKAROUND CABINS

Seafarer 22



▲ Cockpit forward

STANDARD FEATURES

CABIN	226	227	228G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
2 Berths	X	X	X
3 Underberth storage compartments	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam berth cushions	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Storage cabinet	X	X	X
COCKPIT & DECK	226	227	228G
316 Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrim trimwork	X	X	X
Bow lifting ring	X	X	X
316 Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
316 Stainless steel steering wheel	X	X	X
316 Stainless steel horn	X	X	X
Compass mount pad	X	X	X



SEAFARER 22

(All Three Models)

Center Line Length	22'2"
Beam Amidships	8'
Transom Width	7'11"
Hull Draft	15"
Bridge Clearance (add 21" w/hardtop)	6'2"

226 SEAFARER

(Outboard model looking aft)



Outboard mounted on transom

O/B Shaft Length	25"
Maximum H.P.	280 h.p.
Weight	2875 lbs.

227 SEAFARER

(Stern Drive model looking aft)



Motor in motorbox

Weight (w/180 h.p.)	3705 lbs.
---------------------	-----------

228G SEAFARER

(Grady Drive model looking aft)



Outboard on bracket behind transom

O/B Shaft Length	25"
Maximum H.P.	280 h.p.
Weight	3000 lbs.



▲ Helm station



▲ Insulated fish box/livewell



▲ Rod storage and toe rail



▲ Cabin interior

▲ Cabin model Grady-Whites 22'-25' are available with reliable stern drive power.

	226	227	228G
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	4	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Starboard fish box cushion	X	X	X
Removable aft cushioned seats w/handrails	X	X	X
Port aft facing cushioned seat	X	X	X
2 Automatic bilge pumps (total 2200 GPH)	X	X	X
2 Battery storage compartments	X	X	X
91 Gallon aluminum gas tank	X	X	X
No feedback mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	226	227	228G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
4 Vertical rod storage holders	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
Tackle drawers under both helm and companion chairs	X	X	X

	226	227	228G
190 Qt. fish box or storage compt. behind helm chair w/ob drain	X	X	X
Divided fish boxes behind companion chair, both w/ob drain			
1-80 qt. section			X
1-80 qt. section w/optional raw water livewell	X	X	
1-45 qt. section w/optional aerated livewell	X	X	X
Cockpit toe rails, port and starboard	X	X	X
Insulated engine box w/drink holders		X	
Rigging area w/cut. board & drink holders		X	X
Fold-down motor well bulkhead	X		
60 Qt. aft fish box w/optional raw water livewell			X

FACTORY OPTIONS

GENERAL	226	227	228G
Tilt steering	X		X
Deluxe helm chairs	X	X	X
Hardtop w/radio box	X	X	X
Compass	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Windshield wiper (portside)	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Portable head	X	X	X
Portable head w/in line macerator	X	X	X
Head w/deck pump out	X	X	X
Chair gimbals	X	X	X
Cockpit bolsters	X	X	X


	226	227	228G
Aerated livewell	X	X	X
Combination washdown/raw water livewell	X	X	X
Gunwale mounted fresh water system w/10 gallon tank	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X	X	X
Auxiliary gas tank—56 gallon	X	X	X
YAMAHA/OMC/MERC binnacle control	X	X	X
Hydraulic trim tabs	X	X	X
Hydraulic steering	X	X	X
Battery select switch	X	X	X

CANVAS	226	227	228G
Hardtop curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Folding top & side curtains w/boot	X	X	X
Covers for pedestal chairs	X	X	X
Mooring cover	X	X	X

Gulfstream 23



▲ Cockpit forward



STANDARD FEATURES

CABIN	230	231	232G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
Rod storage holders	X	X	X
Sink w/fresh water system	X	X	X
2 Berths (upper and lower)	X	X	X
Fabric-covered foam berth cushions	X	X	X
Underberth storage compartment	X	X	X
Forward storage compartment	X	X	X
Storage compartment (portside)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamps	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/companionway hatch	X	X	X
Cabin door screens	X	X	X
Mirror	X	X	X
COCKPIT & DECK	230	231	232G
316 Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим trimwork	X	X	X
Bow lifting ring	X	X	X
316 Stainless steel bow rail	X	X	X



GULFSTREAM 23

(All Three Models)

Center Line Length	23'5"
Beam Amidships	9'3"
Transom Width	8'10"
Hull Draft	17"
Bridge Clearance (add 21" w/hardtop)	6'5"

230 GULFSTREAM

(Outboard model looking aft)



Outboard mounted on transom

O/B Shaft Length	25"
Maximum H.P.	350 h.p.
Weight	3900 lbs.

231 GULFSTREAM

(Stern Drive model looking aft)



Motor in motorbox

Weight (w/260 h.p.)	5000 lbs.
---------------------	-----------

232G GULFSTREAM

(Grady Drive model looking aft)



Outboard on bracket behind transom

O/B Shaft Length	25"
Maximum H.P.	350 h.p.
Weight (232G-single)	4025 lbs.
Weight (232GT-twin)	4092 lbs.



▲ Helm station



▲ Insulated livewell/fish box



▲ Cabin interior, berth raised



▲ Starboard tackle drawers

	230	231	232G
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
316 Stainless steel steering wheel	X	X	X
316 Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Covered accessory switch panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Starboard fish box cushion	X	X	X
Port aft facing cushioned seat	X	X	X
2 Automatic bilge pumps (total 2600 GPH)	X	X	X
2 Battery storage compartments	X	X	X
146 Gallon aluminum gas tank capc.	X	X	
147 Gallon aluminum gas tank capc.	X		X
1-91 gal. tank	X		X
1-90 gal. tank		X	
1-56 gal. tank	X	X	X
Power steering		X	
Hydraulic steering	X	X	X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	230	231	232G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	X	4	
2 Tackle drawers under comp. chair	X	X	X
2 Tackle trays under helm chair	X	X	X
265 Qt. insulated fish box behind helm chair	X	X	X
38 Qt. insulated ice box behind companion chair w/ob drain	X	X	X
104 Qt. insulated raw water livewell/fish box behind companion chair w/ob drain	X	X	X
Fold-down bench seat/rigging table	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
Cockpit toe rails, port and starboard	X	X	X
1 Removable aft deck well		X	X
2 Insulated aft deck wells w/ob drain	X		
Fold down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5-Foot aft-deck fish box	X	X	

FACTORY OPTIONS

GENERAL	230	231	232G
Tilt steering	X	X	X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (portside)	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X


	230	231	232G
Outriggers 18 ft. (Lee Jr., cabin side mount)	X	X	X
Folding cabin racks for 6 rods	X	X	X
Portable head	X	X	X
Portable head w/in line macerator	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Removable aft cushioned seat			X
Removable aft cushioned seats w/back	X		
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X	X	X
Lower berth filler cushions	X	X	X
YAMAHA/OMC/MERC binnacle control	X	X	X
YAMAHA/OMC/MERC dual bin. control	X	X	X
Transom modification (single)	25"		
Grady Drive (twins)			X
181 Gallon aluminum gas tank capc.			
91 and 90 gal. tanks (twins only)	X	X	X
Battery select switch	X	X	X
Gunwale mounted fresh water system w/10 gal. tank	X	X	X
90 Gallon diesel fuel tank	X		

CANVAS	230	231	232G
Hardtop curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Folding top & side curtains w/boot	X	X	X
Covers for pedestal chairs	X	X	X

Explorer 24



▲ Cockpit forward



STANDARD FEATURES

CABIN	244	245	246G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/cushioned seat	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
Sink w/10 gallon fresh water system	X	X	X
Under sink storage	X	X	X
2 Forward vee berths	X	X	X
Underberth storage compartments	X	X	X
Lamps	X	X	X
2 Side storage shelves	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam berth cushions	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Mirror	X	X	X
COCKPIT AND DECK	244	245	246G
316 Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим trimwork	X	X	X
Bow lifting ring	X	X	X
316 Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X



EXPLORER 24

(All Three Models)

Center Line Length	24'1"
Beam Amidships	8'3"
Transom Width	7'10"
Hull Draft	15"
Bridge Clearance (add 21" w/hardtop)	6'4"

244 EXPLORER

(Outboard model looking aft)



Outboard mounted on transom

O/B Shaft Length	25"
Maximum H.P.	300 h.p.
Weight	3400 lbs.

245 EXPLORER

(Stern Drive model looking aft)



Motor in motorbox

Weight (w/260 h.p.)	4500 lbs.
---------------------	-----------

246G EXPLORER

(Grady Drive model looking aft)



Outboard on bracket behind transom

O/B Shaft Length	25"
Maximum H.P.	300 h.p.
Weight (246G-single)	3525 lbs.
Weight (246GT-twin)	3592 lbs.



▲ Helm station



▲ Port livewell/bait box with aft facing seat



▲ Insulated fish box



▲ Cabin interior w/optional rod racks

	244	245	246G
316 Stainless steel steering wheel	X	X	X
316 Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm and companion footrests	X	X	X
Helm and companion side shelves	X	X	X
6 Drink holders	X	X	X
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Port aft facing cushioned seat	X	X	X
Starboard fish box cushion	X	X	X
Removable aft cushioned seats w/handrails	X		
Removable aft cushioned seats w/handrails		X	X
2 Automatic bilge pumps (total 2600 GPH)	X	X	X
2 Battery storage compartments	X	X	X
91 Gallon aluminum gas tank	X	X	X
91 Gallon aluminum gas or diesel tank	X	X	X
107 Gallon aluminum gas tank (GT only)			X
No feedback mechanical steering	X		
Power steering		X	
Hydraulic steering			X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	244	245	246G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Tackle drawers under companion seat	X	X	X
Dry storage under helm seat	X	X	X
190 Qt. fish box or storage compartment behind helm chair w/ob drain	X	X	X
Divided fish boxes behind companion chair, both w/ob drain	X	X	X
1-104 qt. section w/optional raw water livewell	X	X	X
1-104 qt. section w/aerated livewell	X		X
1-25 qt. section w/optional aerated livewell	X	X	X
Cockpit toe rails, port & starboard	X	X	X
Insulated engine box w/drink holders		X	
Rigging area w/cutting board and drink holders		X	X
Fold-down motor well bulkhead	X		
60 Qt. aft insulated fish box w/optional raw water livewell			X

FACTORY OPTIONS

GENERAL	244	245	246G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Tilt steering	X		X

	244	245	246G
Windshield wiper (portside)	X	X	X
Folding cabin racks for 6 rods	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr. cabin side mount)	X	X	X
Portable head	X	X	X
Portable head w/in line macerator	X	X	X
Head w/deck pump out	X	X	X
Deluxe helm chairs	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Washdown/recirculating livewell	X	X	X
Gunwale mounted fresh water system	X	X	X
Swim platform w/ladder	X	X	X
Transom length swim platform w/ladder		X	X
Auxiliary gas tank—56 gallon	X		X
YAMAHA/OMC/MERC single bin. control	X		X
YAMAHA/OMC/MERC dual bin. control			X
Hydraulic steering	X		X
Grady Drive (twins)			X
Battery select switch	X	X	X


CANVAS	244	245	246G
Hardtop curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Folding top & side curtains w/boot	X	X	X
Covers for pedestal chairs	X	X	X

Sailfish 25

SPORTBRIDGE



▲ Cockpit forward



- Anchor locker
- Recessed, non-skid walkway
- Forward berths
- Galley
- Enclosed head
- Electronics box
- Raised helm area
- Storage
- 260 qt. fish box
- 104 qt. insulated livewell
- Underdeck gas tanks
- Self-bailing cockpit
- Rigging area
- Insulated fish box

STANDARD FEATURES

	255	254	252G
CABIN			
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/screen & seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
3 Underberth storage compartments	X	X	X
Bow compartment rope locker	X	X	X
Galley cabinets, port	X	X	X
2 Sinks w/pressurized water system	X	X	X
32 Gallon water tank	X	X	X
Fold-down alcohol stove	X	X	X
Built-in icebox	X	X	X
Table	X	X	X
Head enclosure w/lamp	X	X	X
Lamps in cabin	X	X	X
2 Side storage shelves	X	X	X
Vee berths forward w/fabric-covered cushions	X	X	X
Aft berth w/vinyl covered cushions	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
COCKPIT & DECK			
316 Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим trimwork	X	X	X



SAILFISH 25

(All Three Models)

Center Line Length	25'4"
Beam Amidships	9'6"
Transom Width	9'
Hull Draft	18"
Bridge Clearance (add 21" w/hardtop)	7'10"

255 SAILFISH

(Outboard model looking aft)



Outboards mounted on transom

O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight	5125 lbs.

254 SAILFISH

(Stern Drive model looking aft)




Motor in motorbox

Weight (w/260 h.p.)	6025 lbs.
---------------------	-----------

252G SAILFISH

(Grady Drive model looking aft)



Outboards on bracket behind transom

O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight (252GT-twin)	5300 lbs.



▲ Insulated livewell/fish box



▲ Head enclosure



▲ Cabin interior



▲ Cabin galley

	255	254	252G
Bow lifting ring	X	X	X
316 Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
316 Stainless steel steering wheel	X	X	X
316 Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails, port and starboard	X	X	X
2 Fish box cushions	X	X	X
2 Automatic bilge pumps (total 3000 GPH)	X	X	X
2 Battery storage compartments	X	X	X
150 Gallon aluminum gas tank			X
202 Gallon aluminum gas tank capacity			X
1-150 gal. tank, 1-52 gal. tank	X		X
Power steering		X	
Hydraulic steering	X		X
Hydraulic trim tabs	X	X	X
Windlass wiring	X	X	X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	255	254	252G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage under helm chair & 2 tackle drawers under comp. chair	X	X	X
38 Qt. insulated ice box behind companion chair w/ob drain	X	X	X
260 Qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 Qt. insulated livewell/fish box behind comp. chair w/ob drain	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft deck wells w/ob drain	X	X	X
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5-Foot aft-deck fish box		X	X
Battery select switch		X	

FACTORY OPTIONS


GENERAL	255	254	252G
Tilt steering	X		X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (port)	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X

	255	254	252G
Outriggers 18 ft. (Lee Jr. cabin side mount)	X	X	X
Portable head	X	X	X
Portable head w/in line macerator	X	X	X
Head w/deck pump out	X	X	X
Marine head w/holding tank, pump out	X	X	X
Marine head w/electric flush	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X	X	X
Removable aft cushioned seat			X
Removable aft cushioned seat w/back	X		
Fold-down bench seat/rigging table			X
Windlass option	X	X	
YAMAHA/OMC/MERC dual binnacle control	X	X	X
Shower	X	X	X
Hot water heater-110V-requires dockside power	X	X	X
Dockside power w/galvanic isolator	X	X	X
Battery select switch	X	X	X
Gunwale mounted fresh water system	X	X	X
Folding cabin racks for 6 rods	X	X	X
124 Gallon diesel fuel tank		X	


CANVAS	255	254	252G
Hardtop curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Folding top & side curtains w/boot	X	X	X
Covers for pedestal chairs	X	X	X

25' WALKAROUND CABINS

Dolphin 25



▲ Cockpit forward



STANDARD FEATURES


CABIN	250	251	253G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/screen & seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
2 Rod storage holders	X	X	X
Sink w/10 gallon fresh water system	X	X	X
2 Berths (upper and lower)	X	X	X
Fabric-covered foam berth cushions	X	X	X
Underberth storage compartment	X	X	X
Forward storage compartment	X	X	X
Storage compartment (portside)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamp	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/screen & companionway hatch	X	X	X
Mirror	X	X	X
COCKPIT & DECK	250	251	253G
316 Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим trimwork	X	X	X
Bow lifting ring	X	X	X
316 Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X




D O L P H I N 2 5
(All Three Models)
Center Line Length 25'4"
Beam Amidships 9'6"
Transom Width 9'
Hull Draft 18"
Bridge Clearance (add 21" w/hardtop) 7'10"



O/B Shaft Length 25"
Maximum H.P. 400 h.p.
Weight 5125 lbs.



Weight (w/260 h.p.) 6025 lbs.



O/B Shaft Length 25"
Maximum H.P. 400 h.p.
Weight (253GT-twin) 5300 lbs.



▲ Helm station



▲ Starboard cockpit sink, tackle drawers



▲ Aft insulated fish box



▲ Cabin interior, berth raised

	250	251	253G
Windshield wiper	X	X	X
316 Stainless steel steering wheel	X	X	X
316 Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails, port and starboard	X	X	X
Starboard fish box cushion	X	X	X
Port aft facing cushioned seat	X	X	X
2 Automatic bilge pumps (total 2600 GPH)	X	X	X
2 Battery storage compartments	X	X	X
240 Gallon aluminum gas tank capc.			
1-150 gallon tank, 1-90 gallon tank	X	X	X
Power steering		X	
Hydraulic steering	X		X
Hydraulic trim tabs	X	X	X
Windlass wiring	X	X	X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	250	251	253G
Non-skid fiberglass liner			

	250	251	253G
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage w/2 trays under helm sink	X	X	X
Lockable 2 drawer tackle storage under companion chair	X	X	X
Dry storage under aft facing seat	X	X	X
38 Qt. insulated ice box behind companion chair w/ob drain	X	X	X
192 Qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 Qt. insulated raw water livewell/fish box behind comp. chair w/ob drain	X	X	X
Cockpit sink w/ob drain & spray nozzle	X	X	X
Fold-down bench seat/rigging table			X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft deck wells w/ob drain	X	X	
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5-Foot aft deck fish box	X	X	X
Battery select switch			X

FACTORY OPTIONS


GENERAL	250	251	253G
Tilt steering	X		X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X

	250	251	253G
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr., cabin side mount)	X	X	X
Portable head	X	X	X
Portable head w/in line macerator	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder		X	X
Removable aft cushioned seat			X
Removable aft cushioned seat w/back	X		
YAMAHA/OMC/MERC binnacle control	X		X
Dockside power w/galvanic isolator	X	X	X
Battery select switch	X	X	X
Lower berth filler cushions	X	X	X
Folding cabin rod racks for 6 rods	X	X	X
Windshield wiper (port)	X	X	X
124 Gallon diesel fuel tank capc.			
Windlass option	X	X	X

CANVAS	250	251	253G
Hardtop curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Folding top & side curtains	X	X	X
Covers for pedestal chairs	X	X	X

28' WALKAROUND CABIN

Marlin 28




▲ Cockpit forward

280 MARLIN

Center Line Length	28'
Length Overall (w/pulpit)	32.7'
Beam Amidships	10.7'
O/B Shaft Length	25"
Transom Width	9.6"
Hull Draft	19"
Bridge Clearance (add 21" w/hardtop)	8.3'
Maximum H.P.	500 h.p.
Weight	7000 lbs.



▲ Integrated outboard mounting system






▲ Helm station



▲ Aft livewell/fish box




▲ Port side fish box and storage




▲ Starboard tackle station



▲ Enclosed head with shower



▲ Cabin galley and aft berth



▲ Cabin interior

STANDARD FEATURES

- ABIN**
- Recessed, non-skid walkway around entire cabin
 - Forward hatch w/screen & seat cushions
 - 2 Fixed front windows
 - 2 Sliding side windows w/screens
 - Headliner
 - Vee berths forward w/fabric-covered cushions, side bolsters
 - Underberth storage
 - Aft berth, double sleeper w/fabric-covered cushions
 - Aft berth window w/screen
 - Aft berth rod storage
 - Portside galley with sink
 - 41 Gallon fresh water system
 - Portside galley cabinets, storage
 - Refrigerator
 - Microwave oven
 - Alcohol electric stove
 - Forward, removable table
 - Enclosed head area w/sink and lamp
 - Manual head, macerator, holding tank and pump out
 - Shower
 - Stereo cassette system
 - Hot water heater
 - Cabin reading lamps
 - Cabin lamps

- 10 Rod racks
- 2 Side storage shelves
- Lockable door w/screen and companionway hatch
- Dockside power
- Battery charger system
- Battery isolator
- 4 Heavy-duty batteries
- Battery select switches
- Dynaplate

COCKPIT & DECK

- 316 Stainless steel, through-bolted deck hardware
- Heavy-duty gunwale molding
- Duratrim trimwork
- 316 Stainless steel bow rail
- Forward anchor locker w/rope storage
- Bow pulpit w/anchor davit
- Ventilated windshield
- Windshield wiper, port & starboard
- 316 Stainless steel steering wheel
- 316 Stainless steel horn
- Compass
- Covered instrument panel & switch panel
- Deluxe helm and companion chairs
- Helm and companion footrests
- Helm and companion side shelves
- Drink holders
- Companion grab rails

- Lockable helm radio box
- Cockpit lights
- Spring line cleats
- Fish box and tackle station cushions
- 2 Automatic bilge pumps (total 3000 GPH)
- Battery storage compartments
- 306 Gallon aluminum gas tank cap.
- Hydraulic steering
- Hydraulic trim tabs
- Integrated outboard mounting system w/swim platform and ladder
- Cockpit bolsters
- Windlass wiring
- NMMA approved
- International lighting
- Basic flotation

FISHING

- Non-skid fiberglass liner
- Self-bailing cockpit w/4 floor drains
- Lockable storage under helm and companion chairs
- 275 Qt. insulated fish box w/ob drain behind companion chair
- Tackle station behind helm chair w/fresh water sink, insulated bait box w/ob drain, lockable drawers
- Transom door
- Aft deck lift out box
- 4 Flush mounted rod holders

- 40 Gallon insulated, oval aft deck box w/30 gallon raw water livewell capc.
- Washdown system and hose w/livewell back-up capability
- Horizontal rod racks
- Transducer mounting flats
- Understep storage
- Cockpit toe rails, port and starboard
- Fighting chair reinforcement

FACTORY OPTIONS

GENERAL

- Tilt steering
- Hardtop w/radio box
- Hardtop rod holders
- Hardtop spreader lights
- Outriggers 24 ft. (Lee Sr., fold down)
- Outriggers 18 ft. (Lee Jr., cabin side mount)
- Air conditioning
- Marine head w/electric flush
- Generator
- Windlass option
- Removable aft cushioned seat
- Fold-down bench seat/rigging table

CANVAS

- Hardtop front and side curtains
- Drop curtain
- Helm station cover

FACTORY OPTIONS

Customize your Grady-White with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Canvas options are made from the finest acrylic fabric. This handsome fabric provides excellent water resistance and breathes to avoid trapping moisture for a longer life and more comfortable use. Each canvas option comes with corrosion-resistant fasteners and is custom-fit to every boat at the factory, then removed for shipping.



▲ Fold-up aft seat/cutting board — up and down



▲ Hardtop front and side curtains



▲ Walkaround series vista top and side curtains



▲ Tournament series vista top and side curtains



▲ Fiberglass swim platform (large)



▲ Fiberglass swim platform (small)



▲ Compass



▲ Raw water livewell



▲ Hardtop with radio box, spreader lights, and rod holders



▲ Bow pulpit

◀ Gunwale mount outriggers



▲ Cabin side mount outriggers



▲ Tilt steering




▼ Deluxe helm chair



▲ 9.9 hp auxiliary kicker engine



▲ Auxilliary berth cushions



▲ Gunwale mounted fresh water system



▶ Anchor windlass




▲ Factory rigged Yamaha outboard engines



▲ Marine head with holding tank (l), portable head (r)



▲ 209 Bimini top



◀ Cabin rod racks

Grady-White seaworth safety is built in.

Automobile-type adjustable seats have integrated hand holds.

Duratrим trimwork needs no oiling, sanding, or varnish.

Grab rails are at your fingertips.

Through-bolted 316L stainless steel deck hardware is secured with locking nuts.

Through-bolted rod holders are chrome over bronze.

Protected rigging with factory installed PVC tubing

Weather resistant polyethylene rod racks

Stainless steel screws and blindside stainless fasteners join the hull and liner to the deck with water-tight gaskets sealed with silicone. Stainless screws secure the heavy-duty gunwale molding.

All Grady-Whites have foam sprayed into the hull, deck, and liner for level (175 and 190) or basic flotation, even though it's not required in boats over 20 feet. This foam also adds strength, thermal insulation, and deadens sound.

Safety glass windshields are ventilated for comfort.

Insulated fish boxes and iceboxes are above water level and drain overboard, never into the bilge.

Gutter systems are built in to fish boxes, iceboxes, and exterior storage spaces.

Liner is bonded to hull with fiberglass

Solid, 100% hand laid hulls and decks provide uniform laminate structure, strength, and durability.

Stringer systems are encapsulated in resin and fiberglassed to the hull. Non-skid innerliners are also fiberglassed to the stringer system and hull sides for a unitized structural grid.

Non-skid, self-bailing cockpits direct water overboard whether your Grady-White is at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on all cabin boats over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.



Visit Your
Grady-White Dealer:

© 1992 Grady-White Boats

GRADY-WHITE BOATS P.O. Box 1527 Greenville, NC 27835
(919) 752-2111

Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, colors, or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.

\$2.00



Photography by Jerry Imber