Grady-White Freedom 325 (2018-)

(w/ 2 x Yamaha 300 Four Stroke)

Brief Summary

Grady-White has long been a company that improves on itself, and the Freedom 325 is another example of it doing just that. The company has had a great success story with both the Freedom 307 at 30'6" (9.30 m) and the Freedom 335 at 33'6" (10.21 m), but clearly needed to fill the gap between the two and make the product accessible to more people, without having to make that big of a jump. The Freedom 325 fills that gap. At 31'2" (9.50 m) when measured the same way, down the centerline to the transom, she falls nicely into the niche. This new model, however, also adds integrated swim platforms that the others do not, so her actual LOA is 33'1" (10.08 m). It fills a perfect spot that provides the creature comforts and space of the Freedom lineup, while at the same time, adding a few more amenities from the smaller version.

Key Features

- · Self-bailing cockpit with cockpit drains
- · Automatic bilge pumps (total 3,000 GPH) (11,356 LPH)
- Forward bolsters
- Stainless steel through-hull fittings
- 288-gallon (1,090 L) tank
- · Hydraulic trim tabs with indicator and retractor
- · Starboard console with cushioned berth, bulk storage, and indirect lighting
- · Anchor windlass with remote switches at helm and windlass

Specifications

	2014!!
Length Overall	33' 1" 10.1 m
Beam	10' 9" 3.28 m
Dry Weight	9,300 lbs. 4,218 kg
Tested Weight	11,708 lbs. 5,311 kg
- Draft Up	24" 61 cm
- Draft Down	N/A
- Air Draft	N/A
Deadrise/Transom	20 deg.
Max Headroom	N/A
Bridge Clearance	8' 10" 2.69 m
Weight Capacity	N/A
Person Capacity	N/A
Fuel Capacity	288 gal. 1,090 L
Water Capacity	30-gal. 114 L
Length on Trailer	N/A
Trailer Weight	N/A

Prices, features, designs, and equipment are subject to change. Please see your local dealer or visit the builder's website for the latest information available on this boat model.

Test Results - Change Measurement Unit

RPM	MPH	Knots	GPH	MPG	NMPG	Stat. Mile	NM	dBa
600	21.4	18.6	1.3	17.1	14.9	4427	3849.7	68
1000	6.2	5.4	2.6	2.4	2.1	618	537.5	66
1500	7.9	6.8	4.3	1.8	1.6	479	416.3	71
2000	9.0	7.8	6.8	1.3	1.2	344	298.9	75
2500	11.1	9.7	10.1	1.1	1.0	286	248.9	79
3000	18.2	15.8	13.2	1.4	1.2	359	311.9	84
3500	27.1	23.5	17.2	1.6	1.4	409	355.5	86
4000	31.9	27.7	22.4	1.4	1.2	370	321.7	89
4500	37.0	32.2	28.4	1.3	1.1	338	293.6	90
5000	41.6	36.2	36.1	1.2	1.0	299	259.7	92
5500	45.0	39.1	43.4	1.0	0.9	269	234.0	93
6000	48.1	41.8	53.4	0.9	0.8	233	203.0	95

All fuel consumption numbers are the total for all engines in the boat. Speeds are measured with Stalker ProSports radar gun or GPS. Fuel consumption (gallons per hour) measured with Floscan digital fuel-flow meter or by on-board factoryinstalled diagnostic instruments. Range is based on 90% of published fuel capacity. Sound levels determined using Radio Shack digital decibel meter on A scale. 68 dBA is the level of normal conversation. Time to plane is measured from start of acceleration to formation of rooster tail behind boat.

Performance Chart



Acceleration Times & Test Conditions

Time To Plane	3.5 sec.
0 to 30	8.2 sec.



Related Items



180 Fisherman (2011-)



Fisherman 180 (2015-)



191 CE (2015-)



Freedom 192 (2015-)



Fisherman 216 (2018-)



Freedom 225 (2015-)



Gulfstream 232 (2015-



Fisherman 236 (2016-)



Freedom 215 (2017-)

Engine Options

Std. Power	Not Available
Tested Power	2 x Yamaha 300 Four Stroke
Opt. Power	1 x 300-hp Yamaha Four- Stroke 1 x 350-hp Yamaha Four- Stroke

Ratio	N/A
Props	17TL 15 1/2 Saltwater
Load	2 persons, 1/2 load fuel, no water, 50 lbs. of gear
Climate	61 deg., 5 humid.; wind: 0-0 mph; seas: calm

Captain's Report




The Grady-White Freedom 325 has a LOA of 33'1" (10.08 m), a beam of 10'9" (3.28 m), and a draft of 24" (61 cm).

Overview

Grady-White has been building dual consoles for several decades and in fact was among the original pioneers in the design. It recognized early on that the layout would be, and has become, extremely popular and appealing with families looking to do more than just fish in the boat. The dual console design provides the day boat, fishing boat, cruising boat, and viable watersports platform that its customers and families were looking for, all with the space to take more people on the water at one time.

Regardless of the size or model, the boats always start with Grady-White's tried and tested SeaV2™ hull, providing the foundation and handling that is unique to the brand. Then it's a matter of mating the fishing features with the family amenities, to create the popular final product. The result is a full line of dual consoles, 10-strong now. They run from the 19'2" (5.84 m) Freedom 192 on up to the 36'7" (11.15 m) Freedom 375 and everywhere in between that a buyer's budget will allow.



The main features of the Grady-White Freedom 325 show plenty of advantages to the model.



Freedom 235 (2016-)



251 CE (2015-)



Freedom 255 (2015-)



Canyon 271 FS (2016-)



Freedom 275 (2016-)



Tournament 275



Freedom 285 (2016-)



Express 305



Canyon 306 (2017-)



Freedom 307 (2015-)



Marlin 300 (2017-)

Features Inspection

Cockpit

We enter the cockpit through a starboard transom door from the swim platform, through the port side door, or just by stepping on the caprail and dropping in, so to speak. The cockpit presents slightly more than 32 sq. ft. (2.97 sq. m) of open space, ready to be converted into whatever we choose.

Fishing

Fishing features start with the padded bolsters that start at 20" (51 cm) and top out at 25" (64 cm). Four caprail mounted rod holders surround the cockpit. At the transom, there's a 32-gallon (121 L) livewell with the usual features of blue interior, rounded edges, etc. The lid serves double-duty as a cutting board. In the center of the transom is a 254-quart (240 L) fishbox, saving us the trouble of opening a deck hatch to store our catch. When it gets limited out, another 180-quart (170.34L) insulated box is under the bow seating. Under the livewell is a pull-out panel holding a pair of tackle sorters.



The top of the livewell serves as a cutting board.



Here's a clever use of space. The narrow void area, just ahead of the livewell base, houses a pair of tackle sorters on a pull-out panel.

Mariin 300 (2017-)



Canyon 336



Express 330 Freedom 325 (2018-)



Freedom 335 (2013-)



Canyon 336 (2015-)



Express 330 (2015-)



Freedom 335 (2015-)



Canyon 366 (2009-



Canyon 366 (2011-)



We didn't believe them so we went to the factory to verify it ourselves. Sure enough, regardless of what model Grady-White you have, they all have true self-bailing cockpits. Even the rod holders, pull-up cleats (above), beverage holders, fishboxes, and all storage compartments are self-draining and channel water either overboard or into the self-draining cockpit and then overboard.



The main battery switches are just inside the cockpit entry.

To the starboard side there are under gunwale rod racks, a fresh and raw water washdown, and toe rails for added support when working a fish. Interestingly, these toe rails are slightly lower than those that we usually see. While we don't typically measure these things, we've always noticed that there's typically a lot of room to raise the feet before the rail starts to add its support. Here, the feet are snug to the rail even when flat on the deck.



Canyon 376 (2016-)



Express 370 (2017-)



Freedom 375 (2015-)



360 Express (2011-)



Under gunwale rod storage, fresh and raw water washdowns and a toe rail are all to the starboard bulwarks.



Notice how the toe rail is snug to the feet instead of being much higher like we normally see.

And then there are the four rod holders to the aft side of the hardtop supports, the aft-mounted spreader lights, and the reinforced sections of the hardtop for supporting outriggers. And of course it bears mentioning that virtually everything that can collect water on this boat is also designed to drain that water so that the whole boat transitions from hard fishing to family and entertaining, with little more than a few minutes with a hose.



The standard hardtop not only includes the fishing features mentioned, but also tri-color LED lighting, a storage bag, speakers, and an extendable awning that retracts flush with the trailing edge.



The hardtop also includes a retractable awning that is flush with the trailing edge when retracted. Fully extended it comes out 5'5" (1.65 m).

Entertaining

Of course, the Freedom 325 allows the "freedom" to engage the family in watersports. With this newest model of the Freedom lineup, the swim platforms are now integrated into the hull mold. This gives the 325 a longer LOA, but Grady-White also adds the centerline length to the boats' specs so they're clearly not going for fake measurements. It also allows for an apples-to-apples comparison with the other models.

There's a four-step reboarding ladder to the starboard swim platform. A retractable ski tow pylon is recessed into the aft side of the transom. And a wet storage area for those used towels is just aft of the transom gate.



The starboard swim platform has a four-step reboarding ladder. Just ahead is a wet storage compartment for dropping the used towels into. Like every other compartment, it's self-draining overboard.



The ski tow pylon retracts into the transom. Release the button to the side and lift. It then locks into the raised position.

As a dive platform, the standard hull side dive door to the port side of the cockpit will be a welcome addition. And we noticed that both this dive door and the aft cockpit door are fitted with latch handles that can easily be opened with one hand. Others require both hands to open, one to release a latch, the other to manipulate the handle. We suspect this will not go unnoticed by those other builders.



The hull side dive door is standard on the Freedom 325.



This easy to operate handle opens with a pull towards the operator, and then rotates down to open.

Seating is Another Aspect Where the Freedom 325 Shines. It has the pull-out transom bench seat in the usual position, but Grady-White seems to have a good take on the ease of use. Just pull up the bottom and it turns into a seat. No mussing or fussing. Even better is the way it stows. Grab the two sides at the rear and lift, and it can be dropped back down into the flush stowed position. At first attempt, this feels like the side frames are going to trap one's hand and crush their fingers, but it's not even close. It just takes one try to see that, and then it's sort of a relaxing feeling knowing how safe from harm it actually is.



Just grab the bottom of the seat and lift.

A lot of thought went into the comfort level of the seat, too. The seat base is angled slightly down in the back so it holds its occupants a little better. The seatback is also angled so it's more relaxing to sit in.

Next are the Two Aft-Facing Seats Just Ahead. They're double-wide so now we have room for six in opposing seats in the cockpit alone. Plus, both of these seats electrically, and individually, convert to aft-facing chaise lounges. This is a great idea and actually quite unique but we'd like to see a repositioning of the actuator switches. One is next to the starboard seat and the other is ahead of the observer's seat, which puts it out of view of the seat when activating. Having them together at the starboard seat position would be ideal.



These aft facing seats form an opposing seating environment in the cockoit.



They also convert to chaise lounges at the touch of a button... actually, two buttons, one for each seat.



The seat to the port side can be swapped out for an optional refreshment center that includes a sink, electric grill, refrigerator, counter prep area, and storage (artist rendering only).

Service Points

If we lift up the transom bench seat and open the deck hatch, we gain access to the large "mechanical room." It contains all of the mechanical equipment in one place for easy servicing of the boat's systems. It includes the 5 kW diesel generator, bilge pumps, macerator pumps, thru-hull fittings, seacocks, and handle extensions leading to those seacocks so we don't have to open the hatch to shut them off. Just pop off the round deck plate.

The generator is powered by a 12 gallon (45 L) tank and it averages just under .2 gallon/hour (3.79 L/hr) when running. Now, before doing the math and coming up with 60-hours run time, consider that the only time we'll need the generator is when we're using the optional electric grill, the refrigerator and/or the cabin air conditioner. So this supply could conceivably last for days, certainly throughout a long weekend. We can also power all of this from the 30-Amp shore power connection, bringing the endurance of that diesel tank even further.



By lifting the transom bench and opening this deck hatch, we have access to all mechanical components, including the diesel generator.



All of the mechanical components are easily accessible for servicing.



Notice the handle extensions on the thru-hull seacocks. This allows for quickly shutting them off by popping off a deck plate, rather than lifting the aft bench and then the deck hatch.

Observers Position

The observer gets a comfortable doublewide seat. To the port bulkhead there are beverage holders, a grab handle, an air conditioner vent, a padded storage shelf, and an accessory plug and USB connectivity. Further down is a speaker. Just below the vent is the switch for the port side chaise lounge adjustment. Ahead, and to the top of the console, is another recessed and padded area for putting stuff, plus another grab handle.



The observer's seat includes a flip-down footrest. Just above it is dedicated storage for the table pedestal.



Ahead of the observer is a place for laying items, which is in front of a grab handle.



To the side of the observer there's a shelf and connectivity for the smartphones.

Helm

The helm console is well laid out and nicely appointed. Our test boat had a pair of 17" (43.2 cm) displays but those were put in after-market. Grady-White is not in the electronics business, and as such, it is not married to any one brand. That is a decision best left to the owner.

The helm is, however, well represented by Grady-White's longtime business partner, Yamaha Outboards, and the Command Link display is nicely positioned to the left of the wheel. To the right of the console are the trim tab controls, lighted rocker switches and Helm Master joystick. Just behind is the binnacle for the engine controls. The steering wheel is stainless and includes a steering knob.

To the right of the helm seat is another storage area, similar to what we saw at the observer's station. The helm seat is doublewide, much like the observer's seat, only this time it is fitted with individual flip-up bolsters.



The helm does not include the displays, those are added by the owner.



The helm seat includes separate flip-up bolsters.



Here's another padded area for the cell phone, complete with connectivity. A beverage holder is just behind.

Consoles

One of the many changes that this version brings to the design table is a distinct reversal in the layout of the consoles. The head on previous models was to starboard and storage was to port. Now that is changed.

Grady-White correctly envisioned that the customer would be using the head far more than a sleeping area and as such, moved that space to the port compartment. In doing so, it was able to add many more amenities to the head that would not have otherwise been possible. And these improvements are evident right from the first glance.

In addition to the obvious increase in space, overhead clearance is 5'1" (1.55 m). The head is well appointed with a VacuFlush toilet, an opening portlight, a solid surface counter with a single basin stainless steel sink, a cedar locker, and additional storage is accessed from the forward bulkhead that opens to the port bow seat storage locker. In this manner, that compartment can hold rods that will partially enter the head compartment. That is a small trade-off for a boat of this size, and a fair one. Certainly when we take the boat out, those rods can be relocated to the rod holders surrounding the cockpit, whether they're intended to be used or not.



Mounted to the inside of the door is a mirror, an ornamental cleat that serves as a pull handle to close the door, and a small storage shelf.



The head compartment is well appointed. Forward we can see how the bulkhead is open to the bow storage compartment to accommodate rod storage.

The starboard console is now designated for storage, sitting and, should the need permit, sleeping. That bed will measure 6'1'' (1.85 m) in length. Overhead clearance is 5'2'' (1.58 m).



Inside the starboard console is a comfortable sitting area that can also be used as storage.



With filler cushions, the starboard console becomes a sleeping area.



The main switch panel is located at the aft bulkhead of the starboard console.

Walkthrough

As is usually the case with bowriders, the walkthrough windshield closes off and a lower air dam swings into position to block the wind on those chilly mornings. On the Freedom 325, the windshield is huge, so at the top of the walkthrough there's a separate section that swings open from top hinges to allow for a more manageable opening section while maintaining the headroom that the hardtop provides. Both the main walkthrough section and the separate overhead piece, have dual latches that are interconnected. Turning one turns both. With everything opened up, we're still left with a walkthrough to the bow, 24" (61 cm) wide.

Bow

The bow area consists of two forward facing lounges 5'10" (1.78 m) in length, 33" (84 cm) wide with 2' (.60 m) between the two seats. This translates to seats that are seat-and-a-half width with plenty of room for occupants to face each other without knocking knees together. The lounges include seatbacks that are comfortably reclined. Flip-down armrests are to the inboard sides and we appreciate this design over the flip-up versions, as these don't require any unlocking or unlatching to deploy or stow.



The bow area is comfortable and spacious. Here we can see the padded bolsters, grab rails, beverage holders, the stowed armrests, and the reclined angle of the lounge seatbacks.



The armrests are the much-preferred flip down design. There are no latches needing to be released to deploy and stow them.

A padded bolster surrounds the bow and serves as a comfortable armrest. A recessed grab rail runs around from the seatback up to, but not including, the mid-section of the bow. Beverage holders are conveniently located. Speakers are forward-mounted and aft-facing.

There's Storage Under the Two Seats and it's Pretty Impressive. The port side has open storage, but as we mentioned in the head compartment section, there are also two flip-open panels that convert the storage into rod storage. The handles of the rods will extend into the head compartment. To the starboard side is an insulated cooler/fishbox. It measures in at 180-quart (170 L) and is self-draining. Fully forward is a panel that lifts on hinges to allow access to the rode locker underneath.

We can add a pedestal table to increase the utility of the bow area and turn it into a snack/cocktail area. We can remove the pedestal and lower the table, and then add cushions to form a sun pad. It's important to note that when doing this, a shorter pedestal is not required. The table sits on small ledges to both sides that act as supports. And of course, with the cushions removed, a large casting deck is created.



A pedestal table can be added to the bow area to increase its utility. Notice the speakers up forward, and how they are facing aft.



We can lower the table and add cushions to form a sun pad.



Notice how the table can rest on, and then latch into, ledges to both sides. In this manner, both the sun pad and casting deck are created.

A padded bolster surrounds the bow and serves as a comfortable armrest. A recessed grab rail runs around from the seatback up to, but not including, the mid-section of the bow. Beverage holders are conveniently located. Speakers are forward-mounted and aft-facing.

There's Storage Under the Two Seats and it's Pretty Impressive. The port side has open storage, but as we mentioned in the head compartment section, there are also two flip-open panels that convert the storage into rod storage. The handles of the rods will extend into the head compartment. To the starboard side is an insulated cooler/fishbox. It measures in at 180-quart (170 L) and is self-draining. Fully forward is a panel that lifts on hinges to allow access to the rode locker underneath.

We can add a pedestal table to increase the utility of the bow area and turn it into a snack/cocktail area. We can remove the pedestal and lower the table, and then add cushions to form a sun pad. It's important to note that when doing this, a shorter pedestal is not required. The table sits on small ledges to both sides that act as supports. And of course, with the cushions removed, a large casting deck is created.



A pedestal table can be added to the bow area to increase its utility. Notice the speakers up forward, and how they are facing aft.



We can lower the table and add cushions to form a sun pad.



Notice how the table can rest on, and then latch into, ledges to both sides. In this manner, both the sun pad and casting deck are created.



With the cushions removed, a casting deck is created.



Under the forward platform is access to the rode locker.



Under the port seating is open storage, or rod storage. This swing away panel, and another aft at the port console bulkhead, facilitates switching between the two.



Under the starboard seat there's an insulated fishbox/cooler. It's self-draining overboard.

Foredeck

Fully forward, a combination of pull-up cleats and a retractable navigation light serve to make a flat surface that won't snag fishing lines. A large hatch is in the center of the deck that opens with a turn-and-lock latch. As usual, we would like to see this converted to a lift-and-lock latch that locks automatically, rather than having to be turned in the correct position.

The hatch is held open by a stainless steel support strut. Inside, is an electric Pro Fish windlass leading out to a through-the-stem anchor roller. There is a safety wire attached to the port bulkhead. A cleat is to starboard for securing the rode and taking the strain off of the windlass. Controls are to the right of the hatch and additional controls are at the helm.



Foredeck features retractable and flush mounted hardware to maintain a snag free surface.



The windlass is underneath the hatch, and a gas strut holds the hatch open. The anchor is mounted on a through-the-stem roller. Control switches are just to the right.



Six 8" (20.32 cm) pull-up cleats are located throughout the boat. And remember, they're self-draining.



The anchor is mounted through the stem.

Test

The Grady-White Freedom 325 has a LOA of 33'1" (10.08 m), a beam of 10'9" (3.28 m), and a draft of 24" (61 cm). With an empty weight of 9,300 lbs. (4,218 kg), half fuel, two people and test power, we had an estimated test weight of 11,708 lbs. (5,311 kg).



Grady-White's SeaV2 hull didn't get the workout we were hoping for on our test, but we got quality handling characteristics even in calm conditions.

With a pair of 300-hp Yamaha 4-strokes turning 15 $\frac{1}{2}$ x 17 Saltwater Series II props, we reached our top speed of 48.1 mph at 6000 rpm. We measured her best economic cruise at 3500 rpm and 27.1 mph. At that speed, the 17.2 gph fuel burn translated into 1.6 mpg and a range of 409 miles, all while still holding back a 10% reserve of the boat's 288-gallon (1,090 L) total fuel capacity.

Thanks to her SeaV2 hull, we reached planing speed in 3.5 seconds, accelerated to 20 mph in 5.3 seconds, and 30 came and went in 8.2 seconds. About seven clicks of the engine trim gets her into her running attitude. We did notice that if we accelerated slowly, she needs to be pushed to get her up on plane, but once up there, she'll stay planing down to a much lower speed setting. Such is one of the many benefits of the hull design. More efficiency at lower speeds.



Once on plane, the SeaV2 hull design keeps the Freedom 325 on plane at lower speeds.

Handling

The Freedom 325 has a sporty feel to her handling. With flat calm conditions, we were left with crossing wakes to see how the SeaV2 hull handles chop and it was impressive. From the side, she hits the wake with a solid blow but her heavy build transfers that to the whole boat, so there is no sensation of pounding whatsoever. Spray is kept low and wide. Her buoyancy lifts her across the waves and as she re-enters, it's a graceful press into the water as she re-stabilizes quickly for a clean and smooth transition. With the wakes head on it's little more than a clean slice through.



The Freedom 325 will begin her roll to initiate the turn, and then start to come about. It's a comfortable feel that adds to her sportiness.

Our turn tests were even better. The Freedom 325 turns as if on rails with a good roll that initiates the turn that negates the centrifugal force and keeps everyone well placed in the seats. We found no chine walk whatsoever, but more importantly, she rights quickly. These two combinations should prove quite beneficial when running in quartering seats. We would expect a ride with good tracking and stability. With her high freeboard of 33" (84 cm) at the stern and 47" (119 cm) at the bow, she's also ideally suited for long offshore runs. She'll also dig her shoulder in with a hard turn held on, so go ahead and add throttle to keep the speed up, otherwise shallow up the turn. With 6 ½ turns from lock-to-lock, she remains steady and stable, regardless of how heavy handed a test captain tries to get with her.



We measured a maximum roll angle of 15-degrees during typical maneuvering.

Docking

When it came time to return to the dock, the Yamaha Helm Master™ joystick took all of the workload out of the task and left us with an easily maneuvered boat that only took gentle pulses on the stick to provide precision handling around the dock.

Observations

The Freedom 325 was certainly an impressive boat and clearly serves well at filling a slot that will allow buyers to make the step from one boat to another, rather than require a giant leap. It's a good idea for Grady-White, and its customers. Now with 10 boats to its dual console lineup, Grady-White has further solidified its standing in this coveted marketplace. The only problem is in deciding which one to settle on.

Test Result Highlights

- Top speed for the Grady-White Freedom 325 (2018-) is 48.1 mph (77.4 kph), burning 53.4 gallons per hour (gph) or 202.12 liters per hour (lph).
- Best cruise for the Grady-White Freedom 325 (2018-) is 27.1 mph (43.6 kph), and the boat gets 1.6 miles per gallon (mpg) or 0.68 kilometers per liter (kpl), giving the boat a cruising range of 409 miles (658.22 kilometers).
- Tested power is 2 x Yamaha 300 Four Stroke.

Standard and Optional Features

Systems

Air Cond./Heat Optional Battery Charger/Converter Standard CD Stereo Standard Head: Fixed Standard Trim Tabs Standard Washdown: Fresh Water Standard Washdown: Raw Water Standard Water Heater Optional Windlass Standard		
Charger/Converter Standard CD Stereo Standard Head: Fixed Standard Trim Tabs Standard Washdown: Fresh Water Standard Washdown: Raw Water Standard Water Heater Optional	Air Cond./Heat	Optional
Head: Fixed Standard Trim Tabs Standard Washdown: Fresh Water Standard Washdown: Raw Water Standard Water Heater Optional		Standard
Trim Tabs Standard Washdown: Fresh Water Standard Washdown: Raw Washdown: Raw Water Optional	CD Stereo	Standard
Washdown: Fresh Water Washdown: Raw Water Standard Standard Water Heater Optional	Head: Fixed	Standard
Water Standard Washdown: Raw Water Standard Water Heater Optional	Trim Tabs	Standard
Water Standard Water Heater Optional		Standard
		Standard
Windlass Standard	Water Heater	Optional
	Windlass	Standard

Galley

igerator Opti	ional
igerator Opti	

Exterior Features

Hardtop	Standard
Ice Chest	Standard
Outlet: 12-Volt Acc	Standard
Swim Ladder	Standard
Swim Platform	Standard
Transom Door	Standard
Side Door	Standard
Wet bar	Standard

Boats More Than 30 Feet

Bow Thruster	Optional
Generator	Optional







About Us | Contact Us | Advertising | Terms | Privacy

Copying or re-using any of the material, in whole or in part, on this site, including data, photos, articles and videos is strictly forbidden without the written permission of BoatTEST.com, LLC. Copyright © 2016 BoatTEST.com. All Rights Reserved.